



Antbirds! No other trip provides the number and the quality from this incredible family from the Neotropics. Here the Brazilian endemic White-breasted Antbird (Eduardo Patrial)

BRAZIL'S SOUTHWEST AMAZONIA

3 – 18 JULY 2021

LEADER: EDUARDO PATRIAL and BRUNO RENNÓ.

Once again the Brazil' Southwest Amazonia tour was amazingly successful. This third edition of the trip has polished the itinerary and the results brought two Birdquest lifers (Fulvous-chinned Nunlet and Bonaparte's Parakeet), several rarities (including many Brazilian and regional endemics). We recorded 556 species of birds in two weeks exploring different Amazonian habitats in the Rondonia and Inambari centres of endemism. Here's some of the highlights we got this time: Orinoco Goose, an undescribed guan from campina habitat, Sand-colored Nighthawk, Green-tailed Goldentthroat, Tiny Hawk, Pavonine Quetzal, Purus and White-throated Jacamars, Rufous-necked Puffbird, Fulvous-chinned and Rufous-capped Nunlets, Black-girdled and Lemon-throated Barbets, Brown-mandibled and Curl-crested Aracaris, Rufous-headed Woodpecker, Cryptic Forest Falcon, Manu Parrotlet, Kawall's Amazon, Crimson-bellied, Bonaparte's and

Black-capped Parakeets, Hoffmann's, Bar-bellied and Uniform Woodcreepers, Peruvian Recurvebill, Brown-rumped Foliage-gleaner, Orange-fronted Plushcrown, Plain Softail, Parker's Spinetail, Black and Rondonia Bushbirds (lol), Aripuana and Predicted Antwrens, Pearly, Bamboo and Undulated Antshrikes, Black-and-white, White-throated, endemic White-breasted and Hairy-crested, Humaita and Goeldi's Antbirds, Rusty-bellied Tapaculo, Chico's Tyrannulet, Acre Tody-Tyrant, Long-crested Pygmy Tyrant, Black-necked Red Cotinga, Black-faced Cotinga, Flame-crested Manakin, Varzea Schiffornis, Azure-naped (Campina) Jay, Tooth-billed Wren, Inambari Gnatcatcher, Black-masked Finch and hundreds more.

The 2021 Southwest Amazonia tour started on July 3rd in the afternoon, after group arrival at Porto Velho, capital of Rondônia state. The rest of the day was relaxing at the hotel. Those who checked the streets managed nice views of Zone-tailed Hawk.

Jul 4th. Morning departure, road trip from Porto Velho to the northeast part of the state, more precisely to the village of Tabajara (on the left bank of Rio Machado – or Ji-Paraná), a district of Machadinho D'oeste where we stopped for lunch. Along our way, we have noticed birds like Wood Stork, White-tailed and Roadside Hawks, Pearl Kite, Chestnut-eared Aracari, Red-breasted Blackbird and Scarlet Macaw. We finally arrived at Tabajara after another hour on dirt road. We checked in and went for birding nearby in *campina* and forest edge habitats. The introduction to Tabajara was rich with good sightings of Black and Flame-crested Manakins, Natter's Slaty Antshrike, the range-restricted Buff-cheeked Tody-Flycatcher, the unknown guan (small species of *Penelope* with notable bluish skin on face, apparently a *campina* specialist and probably a new candidate taxon for science); Flame-crested, Fulvous-crested and Yellow-backed Tanagers, Red-legged, Short-billed and Purple Honeycreepers, Elegant Woodcreeper, Red-bellied Macaw, Dusky-headed Parakeet, Sepia-capped Flycatcher and several Least Nighthawks at dusk to finish the arrival day.

Jul 5th. For the first morning in Tabajara we repeated the *campina* habitat around the forest track known as Ramal do Caldeirão, a long path in tall forest that we explored later in the morning. At the *campina* we started with the Least Nighthawks and surprisingly with an Ocelot crossing the road and two Crab-eating Foxes. The beautiful *campina* still provided good looks at the endemic Kawall's Amazon, the shy Pale-bellied Mourner, the endemic Chico's Tyrannulet, many Black-collared Swallows, Southern White-fringed Antwren, Moustached Wren, Scarlet Macaw and Blue-headed Parrot. Later in the forest, we got views of stunning Red-necked Aracari, a pair of Black-girdled Barbet and Cinnamon-throated Woodcreeper all in the same big tree. We continued a good stretch of the track for the rest of morning and birding was good, with sightings of Cinereous and Saturnine Antshrikes, Rondonia Warbling Antbird, Southern Chestnut-tailed Antbird, Grey Antbird, Buff-cheeked Greenlet, White-fronted Nunbird, Rufous-capped Antthrush, Blue-backed Manakin, Long-winged Antwren, endemic Rufous-faced Antbird and a shy Rusty-bellied Tapaculo (only seen by a few). At our lunch site, we could enjoy close views of a few Spotted Tody-Flycatchers in the garden. In the afternoon, we first visited the beautiful bank of Rio Machado. There we got Black Caracara, White-banded Swallow, Large-billed Tern, Yellow-bellied Dacnis, Thick-billed Euphonia, Grey-chested Greenlet and the lovely endemic Glossy Antshrike. For the rest of daylight we covered roadside forest near the Ramal do Caldeirão. Good views of Hauxwell's Thrush, Blackish Antbird, Swallow Tanager, Amazonian Pygmy Owl, Paradise Jacamar and Spotted Puffbird. The day included owling at Caldeirão where we had Short-tailed Nighthawk and great looks at Tawny-bellied Screech Owl.

Jul 6th. We had an incredible morning visiting our new trail across the Rio Machado (right bank) at the Igarapé Marmelo. The boat trip in the early morning along the Machado was gorgeous and some nice species were spotted – White-banded and Black-collared Swallows, Capped Heron, Large-billed and Yellow-billed Terns, Black Skimmer, a large flock of Green Oropendola, Anhinga, Pied Plover, a small group of stunning Sand-colored Nighthawks, and a nice Slate-colored Hawk when finally entering the Marmelo. Leaving the boat at the Marmelo bank, we found the recently described Aripuana Antwren and a few others such as Chestnut-winged Foliage-gleaner, Short-billed Honeycreeper and Flame-crested Tanager. Then we walked the amazing new trail for the rest of the morning, covering tall *terra firme* and stretches of *igapó* when approaching the bank of Machado. The birding that morning was just fabulous, nailing endemics and some rare Amazonian birds. Highlights include Spot-winged Antshrike, Rio Madeira (Roosevelt) Stipplethroat, Santarem Parakeet, Pavonine Quetzal, the mega White-breasted Antbird, a pair of the uncommon Pearly Antshrike, endemic Manicore Warbling Antbird, Spot-backed, Common Scale-backed and Rufous-faced

Antbirds, the fascinating Black-necked Red Cotinga, Silvered and Band-tailed Antbirds and Golden-crowned Spadebill. The afternoon, on the other hand, was very quiet. We walked the other trail available on the Marmelo and only recorded a few things, including sightings of Amazonian Barred Woodcreeper, Grey Antwren, Rufous-rumped Foliage-gleaner, the large Long-billed Woodcreeper and Wedge-billed Woodcreeper. During the boat trip back to the Tabajara village we still got Plumbeous Kite, long views of the Sand-colored Nighthawks, a pair of Razor-billed Curassow, Speckled Chachalaca and Giant Cowbird.

Jul 7th. On this day, we repeated the new trail across the Machado at the Igarapé Marmelo. During boat trip we noticed Scarlet Macaw, Wood Stork, Capped Heron, Ladder-tailed Nighthawk, White-banded and Black-collared Swallows and others. We started the trail this time from the Machado side, with Dot-winged Antwren, Amazonian Antshrike and White-browed Antbird. Later, the trail provided us birds like Blue-necked Jacamar, Ringed Woodpecker, White-breasted Antbird, White-chinned Woodcreeper, Black-faced Antbird, White-crested Spadebill, Pavonine Quetzal, the shy Cryptic Forest Falcon, Pearly Antshrike, Cinereous Antshrike and a very brief view of Amazonian Royal Flycatcher. Across the Marmelo, we covered the old trail for a while during the late morning, but forest was very silent. We had a nice view of Zimmer's Tody-Tyrant and Manicore Warbling Antbird. Leaving the Marmelo we still had Slate-colored Hawk, Amazon, Green and Ringed Kingfishers, Rufescent Tiger Heron and Amazonian Streaked Antwren. On our way back by boat to Tabajara, we made a stop on an island for better views of Ladder-tailed Nightjar, a site where we also saw Yellow-browed Sparrow, Red-capped Cardinal, Black Skimmer, Yellow-billed and Large-billed Terns, Pied Plover and Great Black Hawk. Rest of the day we covered roadside forest near Ramal do Caldeirão in Tabajara, where we saw birds like Black-faced Dacnis, Amazonian Pygmy Owl, Paradise Jacamar, White-colored Tyrannulet, Spix's Guan, Short-tailed Nighthawk and Yellow-crowned Amazons.


Jul 8th. We had a last morning in *campina* habitat in Tabajara before we drive back to Porto Velho. It was a fun session with a lot a birds seen – Black-billed Thrush, Southern White-fringed Antwren, Red-shouldered Tanager, Black Manakin, Scaled Pigeon, Yellow-throated Flycatcher, Snow-capped Manakin, Band-tailed Manakin, Purple, Short-billed, Red-legged and Green Honeycreepers, Short-tailed Pygmy Tyrant, Flame-crested Tanager, Black-faced and Blue Dacnis, Natterer's Slaty Antshrike, Slender-footed Tyrannulet, Kwall's Amazon, the stunning Crimson-bellied Parakeet, Rufous-crowned Elaenia, Wing-barred Piprites, the uncommon Uniform Woodcreeper, and a Plain-throated Antwren. We left Tabajara by late morning, stopping for lunch in Machadinho D'oeste. Afternoon drive to Porto Velho, where we arrived at hotel at dusk with some Nacunda Nighthawks flying nearby.

We definitely had a fantastic time in Tabajara with many highlights seen very well. Here some of the photographed birds (photos: Eduardo Patrial):



Top: Flame-crested Manakin – male

Bottom: Buff-cheeked Tody-Flycatcher




Top: Glossy Antshrike – male

Bottom: Spot-backed Antbird – female



Top: Sand-colored Nighthawk

Bottom: Kawall's Amazon



Top: Slate-colored Hawk

Bottom: Cryptic Forest Falcon



White-breasted Antbird - male

Jul 9th. For this day of birding near Porto Velho, we crossed the Rio Madeira to its left bank (Inambari) to explore the road Linha C30, a site with good *terra firme* and *campinarana* forests. There we started with a nice stop in *terra firme* which gave us species like Peruvian Warbling Antbird, Curl-crested and Brown-madibled Aracaris, Humaita and Sooty Antbirds, Snethlage's Tody-Tyrant (*pallens*), Gilded Barbet, Long-tailed Woodcreeper, Chestnut-winged Foliage-gleaner and a brief flight view of White-bellied Parrot. Later in *Campinarana* we saw Bronzy Jacamar, Predicted Antwren and Green-tailed Goldenthrout. By late morning, we covered more *terra firme* along a side trail where we saw Blue-crowned Manakin, Black Antbird, Grey Antwren and Mouse-colored Antshrike. In the afternoon, we were back to C30, in *campinarana* to enjoy incredible sightings of Azure-naped (Campina) Jay, a group of about six birds feeding and behaving calmly on the roadside. At the same place, we had a brief look at a Pale-bellied Mourner as well. To finish the day we got nice views of two Brown-banded Puffbird and Blackish and Spot-tailed Nightjars.

Jul 10th. A flat tire in the early morning drew up a new and blessed plan for that morning. We visited the tall *terra firme* at Linha C01 (also left bank of Madeira), and it was one of those lucky mornings. There the cast was composed by Swallow-tailed Kite, Crowned Slaty Flycatcher, White-browed Purpletuft (very brief view in flight), Inambari Woodcreeper, a pair of the rare Bar-bellied Woodcreeper, a shy couple of Black Bushbird (another Amazonian rarity!!), the stunning White-throated Antbird (close views of both male and female), Chestnut-eared Aracari, Blue-necked Jacamar, Western Striolated Puffbird, Yellow-browed Tody-Flycatcher and a gorgeous pair of Golden-collared Toucanets. Then, late morning drive north to Humaitá, with lunch stop on the way. Birds recorded on the drive include Savanna Hawk, Jabiru and many Swallow-winged Puffbirds. Finally based in Humaitá, we enjoyed the rest of afternoon exploring the Ramal Geotop, a first and very exciting visit to the site. A stop by *Mauritia* palm grove with dense undergrowth provided Bluish-fronted Jacamar, the shy and uncommon Chestnut-capped Puffbird, Johannes's Tody-Tyrant and for the first time (Birquest lifer), spectacular views of Fulvous-chinned Nunlet. It could not be better to complete the day.

Further, a little ahead in secondary forest we still saw Paradise Tanager, Short-billed Honeycreeper, Blue Dacnis, Yellow-backed and Silver-beaked Tanagers. Overnight in Humaitá.

Jul 11th was a productive full day of birding in Humaitá. For the morning session, we crossed the Madeira to do the good *varzea* forest on its right bank. On the ferry trip at dawn, we saw some Nacunda Nighthawks and Black Skimmers. First stop on the road put us with Plain Softtail, Crimson-crested and Chestnut Woodpeckers, endemic Glossy Antshrike, Slender-billed Kite (flying), Tui and Dusky-headed Parakeets, Trush-like Wren, Short-tailed Parrot, Cream-colored and Lineated Woodpeckers, Straight-billed Woodcreeper, Greyish Saltator, Capped Heron, Rufescent Tiger Heron and Giant Cowbird. Later we covered proper forest where we saw Southern Beardless Tyrannulet, Slender-footed Tyrannulet, Rusty-backed Spinetail, Chestnut-vented Conebill, Bare-necked Fruitcrow, the impressive Long-billed Woodcreeper, Grey-headed Tanager, the *varzea* specialists Zimmer's Woodcreeper, Leaden Antwren, Black-chinned Antbird and Varzea Schiffornis. A further stop in *varzea* by the bridge we found Black-collared Hawk, Masked Crimson Tanager, Ferruginous Pygmy Owl, Yellow-crowned Elaenia, American Pygmy and Green-and-rufous Kingfishers, Yellow-olive Flatbill, Masked Tityra, White-winged Becard, Buff-breasted Wren, Red-capped Cardinal and Chestnut-bellied Seedeater. To finish the morning in *varzea* we had a quick visit to Lagoa das Pupunhas where we got decent views of Plain-crowned Spinetail and a lovely female Amazonian Black Tyrant. Back to the west/left bank of Madeira in the afternoon, we visited the Ramal Novo Horizonte, unfortunately an incredible area that is suffering with recent deforestation. We checked the area anyway, and despite the recent damage, we still got some great records that day – superb view of a male of the elusive Undulated Antshrike, plus Black-bellied Cuckoo, Buff-throated Foliage-gleaner, a Black Bushbird (only heard close by) and White-necked Puffbird.

Jul 12th. On this day in Humaitá, we repeated the new Ramal Geotop in the morning, exploring deeper on the road and in good forest. A brief stop at the palm grove provided Trilling Gnatwren and Sulphury Flycatcher. Reaching the good *terra firme* we got birds like Black Caracara, Dark-billed Cuckoo and a nice flock with Yellow-throated Flycatcher, Yellow-tufted Woodpecker, Black-tailed Tityra, Inambari Woodcreeper and the uncommon Inambari Gnatcatcher. In general, the forest was quiet that morning, but we got some other interesting sightings like a pair of White-shouldered Antshrike, Crested Becard, Cinereous Mourner, Chestnut-winged Hookbill, Black Antbird and a canopy flock that provided decent looks at Chestnut-shouldered Antwren, Rufous-tailed Xenops and another Inambari Gnatcatcher. In the afternoon, we visited a nice trail at Igarapé do 12, not far from the town. There we finally found the fascinating Hairy-crested Antbird, which offered breathtaking views, even with the scope. Later on the trail, we saw Broad-billed Motmot, Brown-winged Schiffornis, Silvered Antbird and Peruvian Warbling Antbird. Outside the trail in *Cerrado* with forest edge, we found Blue-crowned Trogon, Double-toothed Kite, a small group of flying Bonaparte's Parakeet (a nice view), Dusky-headed Parakeet, Swallow-tailed Hummingbird and Wedge-tailed Grass Finch. We finish the day at our hotel street with the show of Short-tailed Parrots (hundreds) coming to roost nearby.

Jul 13th. We left Humaitá on this day very early, around 4:30 am. We drove south to get an early session at Ramal das Campinas, the *Cerrado* and grassland habitat we usually do between Porto Velho and Humaitá. Once again we had a nice time with Southern Scrub Flycatcher, a beautiful pair of Rusty-backed Antwren, Black-faced Tanager; a shy Ocellated Crake that offered an one second view and not for everybody; White-eared Puffbird, the uncommon Black-masked Finch and Sharp-tailed Grass Tyrant, Cinereous-breasted Spinetail, Grassland Sparrow, Plumbeous Seedeater and many female Dark-throated Seedeaters, Peach-fronted Parakeet, White-browed Blackbird, Wedge-tailed Grass Finch, Blue-and-yellow, Red-shouldered and Red-bellied Macaws and Aplomado Falcon. Later in the morning, we covered forest edge along the road, where we got great views of two Bonaparte's Parakeet, plus Amazonian Pygmy Owl, Slaty-capped Shrike-Vireo and Red-billed Pied-Tanager. Leaving the Ramal, we still also Point-tailed Palmcreeper nicely. We stopped for lunch in Porto Velho before another hour of driving to get to the next site back in Rondonia, Jaci-Paraná. Then for the rest of afternoon we visited a good forest fragment along road Linha do Ibaama. Our time there was exceptional; we saw Tooth-billed Wren well, the endemic Hoffmann's Woodcreeper, male and female Black-throated Antbird and a very cooperative Rufous-necked Puffbird. We heard some other cool birds like Southern Nightingale-Wren and Amazonian Royal Flycatcher. Overnight in Jaci-Paraná.

The forests on the west/left bank of Rio Madeira near Porto Velho and later in Humaitá (including the varzea habitat on the right bank of Madeira) provided a phenomenal birding, full of rarities and two Birdquest lifers. Below some of the photographed species (photos: Eduardo Patrial):



Top: Azure-naped (Campina) Jay

Bottom: Green-tailed Goldenthrout



Top: Bar-bellied Woodcreeper

Bottom: Fulvous-chinned Nunlet



Top: White-throated Antbird – male

Bottom: Hairy-crested Antbird



Top: Plain Softtail

Bottom: Varzea Schiffornis



Sharp-tailed Grass Tyrant

Jul 14th was another epic day on the tour, this time in Jaci-Paraná. We dedicated our time in the morning to visit our known site to try the rare endemic Rondonia Bushbird. There was a short boat trip to take us to the proper location. From the boat we saw Swallow-winged Puffbird, many Yellow-browed Sparrows on the riverbank, White-banded Swallows, Hoatzin, Scarlet Macaw and a group of Chestnut-eared Aracari. We have sadly noticed how deforestation went fast in the area in the last few years, significantly increasing the threats to this rich and important bird community. Fortunately, the site is (still) resisting and it seems to have more bamboo now along the old trail, what is specially good for the bushbird. And that was the first bird we got in the forest, a cooperative male Rondonia Bushbird, just incredible! We got long exciting views of it on the bamboo. The uncommon Curve-billed Scythebill (*probatas*) also showed up very well for us in the same site. For the rest of morning we reopened and walked the trail with few more beauties completing that successful morning: the fantastic Banded Antbird, a nice male Dot-backed Antbird and a shy White-shouldered Antshrike. In the afternoon, we went for river island specialties visting the Ilha dos Bufalos on the large Rio Madeira. About forty-five minutes boat trip and some species seen on the way: Large-billed and Yellow-billed Terns, Black-collared Hawk, Pied Plover and Orinoco Goose. Ashore on the island, we managed to see the lovely Black-and-white Antbird, Parker's and White-bellied Spinetails, Brownish Elaenia, Lesser Hornero, Orange-headed Tanager, Lesser Wagtail-Tyrant (*napensis*) and Cinereous Becard. To finish this special day we had more Orinoco Goose when leaving the island; a pair swimming with several chicks.

The birding in Jaci-Paraná could not be better! Endemics, rare birds and a bunch of river island specialties filled up perfectly our one day and a half there (photos: Eduardo Patrial):



Top: Hoffmann's Woodcreeper

Bottom: Rufous-necked Puffbird



Top: Rondonia Bushbird – male

Bottom: Black-and-white Antbird



Top: Parker's Spinetail

Bottom: Orinoco Goose with chicks

Jul 15th was a day transfer to Rio Branco in the state of Acre. We left Jaci early in the morning to make a morning stop for birding in Mutum-Paraná, a road called Ramal da Prainha, *campinarana* forest. We got some nice birds: Spotted Puffbird, Sclater's Antwren, Black-tailed and Collared Trogons, Fasciated Antshrike, Forest Elaenia, Red-legged Honeycreeper, a female Butterfly Coquette (recent split from Festive), Versicolored Emerald, Buff-cheeked Tody-Flycatcher, Turquoise Tanager and a Rufous Casiornis. We arrived in Rio Branco around two pm for the hotel check in. For the rest of daylight we had an introductory session in Rio Branco near the old Comfort Hotel, a site with open (disturbed) and forested *varzea* next to the bank of Rio Acre. Surprisingly a good place for the amazing Purus Jacamar, a group of four birds, seen for the first time on this tour. There we also found Little and Yellow-tufted Woodpeckers, Barred Antshrike, Straight-billed Woodcreeper, Black-billed and Creamy-bellied Thrushes, Tui and Dusky-headed Parakeets and Blue Dacnis.

Jul 16th was a great full day of birding at the famous Ramal do Noca in Rio Branco. We started there in the early morning covering a specific corner of *Guadua* bamboo near the end of the road. Keeping its retutation, this impressive place provided us in minutes with Black-capped Parakeet, Laughing Falcon, Speckled Chachalaca, Black-faced Cotinga, Spangled Cotinga, Yellow-billed Nunbird, Riparian Antbird, the stunning Rufous-headed Woodpecker, Little Woodpecker, Grey-capped Flycatcher, Orange-backed Troupial, Yellow-cheeked Becard, Dusky-tailed Flatbill and a group of Manu Parrotlet, a local rarity and another write-in for the trip. From mid-morning to noon, we birded then the forest trail across the river (taking the property of our local friend and base Assis), a very good trail with *varzea* influences and some dense clumps of vines and bamboo. There we saw Bluish-fronted Jacamar, Johannes's Tody-Tyrant, Plumbeous and Goeldi's Antbirds, Striated Antbird, Ornate Antwren, Flammulated Bamboo Tyrant, Dusky-throated and Bluish-slate Antshrikes, Plain Xenops, Sulphur-bellied Tyrant-Manakin, Amazonian Barred Woodcreeper, Chestnut Woodpecker and Rufous-capped Nunlet. This time we had lunch at Assis' house enjoying his yard birds like Swallow-winged Puffbirds, White-banded Swallows, White-lored Euphonia, Violaceous Jay and even a White-eyed Attila that we lured to the riverbank. In the afternoon, always a little slower, we birded roadside forest and entrance of some narrow trails. Highlights include White-throated Jacamar, a nice pair of Orange-fronted Plushcrown, Dark-billed Cuckoo and Yellow

Jul 17th was our second full day in the Noca area. First stop in the early morning happened at the entrance by a small bridge, a site where we got nice looks at Rufous-sided Crake, Fine-barred Piculet, and Red-bellied and Scarlet Macaws. Later along the road through the forest, another stop gave us Rufous-breasted Piculet, another Fine-barred Piculet, Rufous-breasted Hermit and a small hermit that we could not identify. Further, more stops on road and trails offered very close White-throated Jacamars; plus Bluish-fronted Jacamar, Bamboo Antshrike, White-lined and White-browed Antbirds, Slate-colored Hawk, Blue-tailed Emerald, King Vulture, Plumbeous Kite, Ferruginous Pygmy Owl, Blue-crowned Trogon, Ash-colored Cuckoo (first documented record for Acre), Red-billed Scythebill, the uncommon Blue-headed Macaw, Plumbeous Antbird, Black-faced Cotinga, Long-crested Pygmy Tyrant, the uncommon Brown-rumped Foliage-gleaner and Purple-throated Fruitcrow. In the afternoon, we visited one of the bamboo trails, which provided splendid views of Amazonian Antpitta. More roadside birding then provided Acre Tody-Tyrant, Yellow-billed Nunbird, Thrush-like Wren, Magpie Tanager, Great Potoo, Bat Falcon and Spix's Guan.

Jul 18th. We repeated the productive Ramal do Noca on the last day of the tour. Chasing more bamboo specialists that final day, in a first roadside stop we managed views of a shy Chestnut-crowned Foliage-gleaner and Yellow Tyrannulet. Later we spent most of morning going deeper on one of the bamboo trails available, experiencing another fabulous morning at the impressive Noca with: Emperor Tamarins, Blue-headed Macaw, better looks a Long-crested Pygmy Tyrant; the most-wanted Peruvian Recurvebill, Bamboo Antshrike, Yellow-breasted Warbling Antbird, Strong-billed, Inambari and Elegant Woodcreepers, Ringed Antpipit and a large flock with Buff-throated and Rufous-rumped Foliage-gleaners, Slender-billed Xenops, White-flanked Antwren, Dusky-capped Greenlet, Pink-throated Becard, Purple-throated Fruitcrow, Flame-crested, White-shouldered and Paradise Tanagers and the superb Black-throated Toucanet, for the first time on this tour. We also had more of the frequently recorded birds, including better views of Riparian Antbird before lunch.

Finishing our time at Noca, we covered a good stretch of the trail across the river. There we got a nice male Lemon-throated Barbet and few others like Goeldi's and Striated Antbirds, Flammulated Bamboo Tyrant, Collared Trogon, Peruvian Warbling Antbird and Silvered Antbird. We again heard the tricky Semicollared Puffbird a little far from the trail that afternoon. Back to Rio Branco, we celebrated the end of another very successful Southwest Amazonia Tour at the hotel.

Rio Branco (Acre) and the Ramal do Noca, for sure one of Amazonian paradises for birding. Bamboo forest and so many great species to look for! Nothing better then finishing a trip here. Bellow some of the photographed birds (photos: Eduardo Patrial):



Purus Jacamar



Top: Rufous-headed Woodpecker

Bottom: Manu Parrotlet



Top: Black-faced Cotinga

Bottom: White-throated Jacamar



Top: Goeldi's Antbird – male

Bottom: Amazonian Antpitta



Top: Orange-fronted Pushcrown

Bottom: Brown-rumped Foliage-gleaner



Top: Black-throated Toucanet

Bottom: Rufous-capped Nunlet



Lemon-throated Barbet - male

SYSTEMATIC LIST OF SPECIES RECORDED DURING THE TOUR

The species names and taxonomy used in the report mostly follows Gill, F & D Donsker (Eds). **IOC World Bird Names (11.2)**. This list is updated several times annually and is available at <http://www.worldbirdnames.org>.

Species which were heard but not seen are indicated by the symbol (H).

Species which were only recorded by the leader are indicated by the symbol (LO).

Species which were not personally recorded by the leader are indicated by the symbol (NL).

Species marked with the diamond symbol (◊) are either endemic to the country or local region or considered 'special' birds for some other reason (e.g. it is only seen on one or two Birdquest tours; it is difficult to see across all or most of its range; the local form is endemic or restricted-range and may in future be treated as a full species).

BIRDS (556)

Grey Tinamou *Tinamus tao* (H) Heard at bushbird site, Jaci-Paraná, Rondônia.

Great Tinamou *Tinamus major* (H) Heard at Tabajara and near Porto Velho (Ramal C 30).

White-throated Tinamou *Tinamus guttatus* (H) Heard at Tabajara, Porto Velho and Humaitá.

Cinereous Tinamou *Crypturellus cinereus* (H) Frequently heard at most places visited.

Little Tinamou *Crypturellus soui* (H) Heard at Tabajara and at Ramal do Noca in Rio Branco.

Brown Tinamou *Crypturellus obsoletus* (H) Heard at Ramal do Noca, Rio Branco.

Undulated Tinamou *Crypturellus undulatus* One flushed at Tabajra, heard at several other places.

Brazilian Tinamou ◊ *Crypturellus strigulosus* (H) Heard at Ramal C30 near Porto Velho (Canutama, AM).

Black-capped Tinamou ◊ *Crypturellus atrocapillus* (H) Heard at Ramal do Noca, Rio Branco.

Variegated Tinamou *Crypturellus variegatus* (H) Tabajara, Humaitá and Jaci-Paraná.

Small-billed Tinamou *Crypturellus parvirostris* (H) Heard at Ramal das campinas de Humaitá (grasslands).

Horned Screamer *Anhima cornuta* (H) Heard twice in Humaitá.

Southern Screamer *Chauna torquata* (H) Heard at Ilha dos Bufalos in Jaci-Paraná.

Black-bellied Whistling Duck *Dendrocygna autumnalis* Seen in Humaitá, Jaci-Paraná and on road to Rio Branco.
Orinoco Goose *Neochen jubata* A couple with chicks at Ilha dos Bufalos, Jaci-Paraná.
Muscovy Duck *Cairina moschata* Humaitá and Jaci-Paraná
Brazilian Teal *Amazonetta brasiliensis* In Humaitá and on way to Rio Branco.
Speckled Chachalaca *Ortalis guttata* Machado River, Campinas de Humaitá and more frequente at Noca Road.
(Undescribed) Guan *Penelope* sp. Campina habitat at Tabajara, perhaps a new campina taxon coming up.
Spix's Guan *Penelope jacquacu* Seen at Tabajara and at Noca in Rio Branco.
Razor-billed Curassow ♦ *Mitu tuberosum* Two at Machado (Ji-Paraná) riverbank, Tabajara.



Orinoco Goose (Eduardo Patrial)

Starred Wood Quail *Odontophorus stellatus* + One freshly dead in the forest at Ramal do Noca, Rio Branco.
Great Potoo *Nyctibius grandis* Seen at Ramal do Noca, day roost.
Nacunda Nighthawk *Chordeiles nacunda* In the twon of Porto Velho and on the ferry (Madeira river) in Humaitá.
Least Nighthawk *Chordeiles pusillus* Many in Tabajara, another taxon that deserves more studies.
Sand-colored Nighthawk *Chordeiles rupestris* Great sightings along the Machado River, Tabajara.
Short-tailed Nighthawk *Lurocalis semitorquatus* Nice views in Tabajara.
Blackish Nightjar *Nyctipolus nigrescens* Seen well near Porto Velho, Ramal C30.
Pauraque *Nyctidromus albicollis* Seen in Tabajara and at Ramal C30.
Spot-tailed Nightjar *Hydropsalis maculicaudus* Seen on the road at Ramal C30, near Porto Velho.
Ladder-tailed Nightjar *Hydropsalis climacocerca* Great daytime sightings at Machado River, Tabajara.
Pale-rumped Swift *Chaetura egregia* Seen well at Tabajara and near Humaitá.
Grey-rumped Swift *Chaetura cinereiventris* Seen few times in Humaitá.
Chapman's Swift ♦ (Matto Grosso S) *Chaetura [chapmani] viridipennis* Many seen in Tabajara.
Short-tailed Swift *Chaetura brachyura* Many at Tabajara and at Ramal do Noca.
Neotropical Palm Swift *Tachornis squamata* Tabajara, Humaitá and near Jaci-Paraná.
Lesser Swallow-tailed Swift *Panyptila cayennensis* (NL) Seen at Ramal do Noca, Rio Branco.
White-necked Jacobin *Florisuga mellivora* Seen at Tabajara.

Rufous-breasted Hermit *Glaucis hirsutus* At Ramal do Noca, Rio Branco.
Reddish Hermit *Phaethornis ruber* Tabajara, Ramal C30, Humaitá and Ramal do Noca.
White-bearded Hermit *Phaethornis hispidus* One at Ramal do Caldeirão, Tabajara.
Great-billed Hermit *Phaethornis malaris* One at Ramal C30 near Porto Velho.
Black-eared Fairy *Heliothryx auritus* At Ramal C30.
Green-tailed Goldenthrout *Polytmus theresiae* Great views of a male perched along the Ramal C30.
Festive Coquette ♦ *Lophornis chalybeus* One female in campinarana habitat near Mutum-Paraná.
Long-billed Starthroat *Heliomaster longirostris* Tabajara and Humaitá.
Blue-tailed Emerald *Chlorostilbon mellisugus* A nice male at Ramal do Noca, Rio Branco.
Grey-breasted Sabrewing *Campylopterus largipennis* One at Tabajara.
Fork-tailed Woodnymph *Thalurania furcata* Tabajara and Humaitá.
Swallow-tailed Hummingbird *Eupetomena macroura* (NL) One spotted in savanna habitat in Humaitá.
Versicolored Emerald ♦ *Chrysuronia versicolor* One spotted in Mutum-Paraná (south of Porto Velho).
Glittering-throated Emerald *Chionomesa fimbriata* Tabajara and Humaitá.
Sapphire-spangled Emerald *Chionomesa lactea* Quite frequent at Ramal do Noca, Rio Branco.
White-chinned Sapphire *Chlorestes cyanus* Seen at Mutum-Paraná.
Blue-chinned Sapphire *Chlorestes notata* One at the varzea forest in Humaitá.
Guira Cuckoo *Guira guira* Some noticed in Tabajara.
Greater Ani *Crotophaga major* At Machado River and varzea in Humaitá.
Smooth-billed Ani *Crotophaga ani* Common, seen almost every day.
Striped Cuckoo *Tapera naevia* (H) Heard in Humaitá.
Little Cuckoo *Coccyua minuta* One crossing the road at Humaitá. Heard more at Ramal do Noca.
Ash-colored Cuckoo *Coccyua cinerea* A very nice surprise at Ramal do Noca, Rio Branco.
Squirrel Cuckoo *Piaya cayana* Tabajara, Humaitá and Rio Branco.
Black-bellied Cuckoo *Piaya melanogaster* Seen well at Tabajara and Humaitá.
Dark-billed Cuckoo *Coccyzus melacoryphus* Tabajara, Humaitá and Ramal do Noca.
Rock Dove (introduced) *Columba livia* Frequent in the towns.
Scaled Pigeon *Patagioenas speciosa* Abundant at Tabajara.
Pale-vented Pigeon *Patagioenas cayennensis* Tabajara, Humaitá and Jaci-Paraná.
Plumbeous Pigeon *Patagioenas plumbea* Seen at Ramal do Noca, heard at more places.
Ruddy Pigeon *Patagioenas subvinacea* Seen and heard at most forests visited on the tour.
Common Ground Dove *Columbina passerina* Seen in Tabajara and Jaci-Paraná.
Ruddy Ground Dove *Columbina talpacoti* Common, seen at most areas visited.
Blue Ground Dove *Claravis pretiosa* Few spotted at Ramal do Noca, Rio Branco.
White-tipped Dove *Leptotila verreauxi* (H) Heard at Ramal do Noca.
Grey-fronted Dove *Leptotila rufaxilla* Seen in Humaitá.
Ash-throated Crake *Mustelirallus albicollis* (H) heard in Humaitá.
Grey-cowled Wood Rail *Aramides cajaneus* Spotted in Tabajara.
Common Gallinule *Gallinula galeata* (NL) Spotted along dirt road to Tabajara.
Ocellated Crake ♦ *Micropygia schomburgkii* A one second view in the grasslands at Ramal das Campinas.
Russet-crowned Crake *Rufirallus viridis* (H) Heard in Humaitá.
Chestnut-headed Crake *Rufirallus castaneiceps* (H) Heard at Ramal do Noca.
Rufous-sided Crake *Laterallus melanophaius* Seen at the entrance of Ramal do Noca.
Grey-breasted Crake *Laterallus exilis* (H) Heard in Rio Branco.
Limpkin *Aramus guarauna* At the varzea in Humaitá and on the road near Mutum-Paraná.
Black-necked Stilt *Himantopus mexicanus* (LO) Seen on the road near Machadinho D'oeste.
Southern Lapwing *Vanellus chilensis* Common, frequently recorded.
Pied Plover *Hoploxypterus cayanus* Some along the Machado River.
Wattled Jacana *Jacana jacana* Sparse records during the tour, along roads in wetlands.
Black Skimmer *Rynchops niger* Good sightings along the Machado and the Madeira Rivers.
Yellow-billed Tern *Sternula superciliaris* Same as above species.
Large-billed Tern *Phaetusa simplex* Same as above species.
Wood Stork *Mycteria americana* Tabajara, Ramal das Campinas, Jaci-Paraná and Ramal do Noca.
Jabiru *Jabiru mycteria* On way to Humaitá and near Mutum-Paraná.
Anhinga *Anhinga anhinga* Machado River and várzea in Humaitá.

Neotropic Cormorant *Phalacrocorax brasilianus* Machado River, Humaitá and Jaci-Paraná.
Green Ibis *Mesembrinibis cayennensis* Tabajara and Jaci-Paraná.
Roseate Spoonbill *Platalea ajaja* Few seen in Jaci-Paraná.
Rufescent Tiger Heron *Tigrisoma lineatum* Igarapé Marmelo (Tabajara), Humaitá and Jaci-Paraná.
Black-crowned Night Heron *Nycticorax nycticorax* Tabajara and Jaci-Paraná.
Striated Heron *Butorides striata* Tabajara, Humaitá and Jaci-Paraná.



Tiny Hawk (Eduardo Patrial)

Western Cattle Egret *Bubulcus ibis* Frequently recorded in open areas.
Cocoi Heron *Ardea cocoi* Tabajara, Humaitá and Jaci-Paraná.
Great Egret *Ardea alba* Tabajara, Humaitá and Jaci-Paraná.
Capped Heron *Pilherodius pileatus* Tabajara, Humaitá and Ramal do Noca.
Snowy Egret *Egretta thula* Tabajara and Humaitá.
Hoatzin *Opisthocomus hoazin* Along Machado River (Tabajara) and at Jaci-Paraná (Branco River).
King Vulture *Sarcorampus papa* Tabajara, Ramal C30, Campinas de Humaitá and Ramal do Noca.
Black Vulture *Coragyps atratus* Very common, everywhere.
Turkey Vulture *Cathartes aura* Many recorded on the tour.
Greater Yellow-headed Vulture *Cathartes melambrotus* Same as species above.
Western Osprey *Pandion haliaetus* On the way to Tabajara and later in Humaitá.
Pearl Kite *Gampsonyx swainsonii* A few spotted on the road to Tabajara.
Grey-headed Kite *Leptodon cayanensis* One seen in Humaitá.
Swallow-tailed Kite *Elanoides forficatus* Ramal C1 near Porto Velho and at Ramal do Noca.
Double-toothed Kite *Harpagus bidentatus* At Ramal C30 near Porto Velho and one in Humaitá.
Tiny Hawk *Accipiter superciliosus* Amazing encounter at Ramal do Noca.

Bicolored Hawk *Accipiter bicolor* (H) Heard in Tabajara.

Plumbeous Kite *Ictinia plumbea* Tabajara, Humaitá and Ramal do Noca.

Black-collared Hawk *Busarellus nigricollis* Seen on way to Tabajara; also seen in Humaitá, Jaci-Paraná and Noca.

Snail Kite *Rostrhamus sociabilis* Spotted in Humaitá.

Slender-billed Kite ♦ *Helicolestes hamatus* One in flight at the varzea in Humaitá.

Crane Hawk *Geranoospiza caerulescens* Seen on road to Tabajara and later at Ramal do Noca.

Slate-colored Hawk *Buteogallus schistaceus* Great views at Igarapé Marmelo and later at Ramal do Noca.

Savanna Hawk *Buteogallus meridionalis* Seen on way to Tabajara and near Porto Velho.

Great Black Hawk *Buteogallus urubitinga* Seen in Tabajara and near Humaitá.

Roadside Hawk *Rupornis magnirostris* Common and frequent.

White-tailed Hawk *Geranoaetus albicaudatus* Spotted in open areas along different road on the tour.

Grey-lined Hawk *Buteo nitidus* Tabajara, Jaci-Paraná and Ramal do Noca.

Zone-tailed Hawk *Buteo albonotatus* One seen in the town of Porto Velho.

American Barn Owl *Tyto furcata* Seen in Humaitá and in Rio Branco.

Burrowing Owl *Athene cunicularia* Several spotted during the tour, mostly roadside.

Amazonian Pygmy Owl ♦ *Glaucidium hardyi* Great views in Tabajara and at the Ramal das Campinas.

Ferruginous Pygmy Owl *Glaucidium brasilianum* Seen at varzea in Humaitá and at Ramal do Noca.

Tropical Screech Owl *Megascops choliba* (H) Heard in Tabajara.

Tawny-bellied Screech Owl ♦ (Southern T-b S O) *Megascops [watsonii] usta* Seen well in Tabajara.

Pavonine Quetzal ♦ *Pharomachrus pavoninus* Fantastic views at our new trail in Tabajara (Igarapé Marmelo).

Black-tailed Trogon *Trogon melanurus* Seen at Mutum-Paraná and Ramal do Noca, heard at more.

Green-backed Trogon *Trogon viridis* Frequently seen and recorded during the tour.

Amazonian Trogon *Trogon ramonianus* (H) Heard at Tabajara and near Porto Vello.

Blue-crowned Trogon *Trogon curucui* Seen in Humaitá, Jaci-Paraná and Ramal do Noca.

Black-throated Trogon *Trogon rufus* (H) Heard at Ramal C30 and in Humaitá.

Collared Trogon *Trogon collaris* A nice male seen at Mutum-Paraná.

Amazon Kingfisher *Chloroceryle amazona* Quite common, seen at several places.

American Pygmy Kingfisher *Chloroceryle aenea* One at the varzea in Humaitá.

Green Kingfisher *Chloroceryle americana* Igarapé Marmelo, Humaitá and Ramal do Noca (Rola River).

Green-and-rufous Kingfisher *Chloroceryle inda* One at the varzea of Humaitá.

Ringed Kingfisher *Megaceryle torquata* Tabajara, Humaitá and Jaci-Paraná.

Amazonian Motmot *Momotus momota* (H) Heard at Tabajara and at Ramal do Noca.

Rufous Motmot *Baryphthengus martii* (H) Heard near Porto Velho (C30) and in Humaitá.

Broad-billed Motmot *Electron platyrhynchum* Seen well in Humaitá.

Purus Jacamar ♦ *Galbalcyrrhynchus purusianus* A great addition to Rio Branco, a group of four.

White-throated Jacamar ♦ *Brachygalba albogularis* Superb sightings at Ramal do Noca, Rio Branco.

Blue-necked Jacamar ♦ (B-cheeked J) *Galbula cyanicollis* Tabajara, Ramal C1 and Humaitá.

Rufous-tailed Jacamar *Galbula ruficauda* Seen well in Tabajara.

Bluish-fronted Jacamar *Galbula cyanescens* Humaitá and Ramal do Noca.

Bronzy Jacamar *Galbula leucogastra* Ramal C30, Humaitá and Mutum-Paraná.

Paradise Jacamar *Galbula dea* Tabajara, Humaitá and Jaci-Paraná.

Great Jacamar *Jacamerops aureus* Nice views at tabajara.

White-necked Puffbird *Notharchus hyperrhynchus* Seen well in Humaitá, heard at more places.

Brown-banded Puffbird ♦ *Notharchus ordii* Good views along the Ramal C30 near Porto Velho.

Pied Puffbird *Notharchus tectus* (H) Heard at Tabajara.

Chestnut-capped Puffbird *Bucco macrodactylus* One seen well in Humaitá.

Spotted Puffbird *Bucco tamatia* Great views at Tabajara and at Mutum-Paraná.

White-eared Puffbird *Nystalus chacuru* Seen at the Ramal das Campinas de Humaitá.

Western Striolated Puffbird *Nystalus obamai* Nice views near Porto Velho, Ramal C1.

Semicollared Puffbird ♦ *Malacoptila semicincta* (H) Heard on trail across the river at Ramal do Noca.

Rufous-necked Puffbird ♦ *Malacoptila rufa* Great encounter at Jaci-Paraná.

Fulvous-chinned Nunlet ♦ *Nonnula sclateri* Amazing views in Humaitá, a Birdquest lifer!

Rufous-capped Nunlet ♦ *Nonnula ruficapilla* Great close looks at one at Ramal do Noca.

Black-fronted Nunbird *Monasa nigrifrons* Tabajara, Jaci-Paraná and Ramal do Noca.

White-fronted Nunbird *Monasa morphoeus* Tabajara, C1, Humaitá and Jaci-Paraná.

Yellow-billed Nunbird ♦ *Monasa flavirostris* Good sightings at Ramal do Noca.
Swallow-winged Puffbird *Chelidoptera tenebrosa* Common and frequent along the tour.
Black-girdled Barbet ♦ *Capito dayi* A lovely pair seen well in Tabajara.
Gilded Barbet *Capito auratus* Great views of a pair at Ramal C30, heard at more places.



Uniform Woodcreeper (Eduardo Patrial)

Lemon-throated Barbet *Eubucco richardsoni* A nice male at Ramal do Noca (trail across the river).
Black-throated Toucanet *Aulacorhynchus atrogularis* A great surprise in a mix flock at Ramal do Noca.
Lettered Aracari *Pteroglossus inscriptus* Seen at Ramal do Noca, also heard in Humaitá.
Red-necked Aracari ♦ *Pteroglossus bitorquatus* Good views in Tabajara.
Brown-mandibled Aracari *Pteroglossus mariae* Seen well at Ramal C30 near Porto Velho.
Chestnut-eared Aracari *Pteroglossus castanotis* Tabajara, Humaitá, Jaci-Paraná and Noca.
Curly-crested Aracari ♦ *Pteroglossus beauharnaisii* Seen at Ramal C30, C1 and Humaitá.
Golden-collared Toucanet *Selenidera reinwardtii* Great views at Ramal C1 near Porto Velho.
Channel-billed Toucan *Ramphastos [vitellinus] vitellinus* (H) Heard at Tabajara and Humaitá.
White-throated Toucan (Red-billed T) *Ramphastos [tucanus] tucanus* At C30 and Jaci-Paraná, heard at more.
Bar-breasted Piculet *Picumnus aurifrons* At Tabajara and at Ramal C30.
Rufous-breasted Piculet *Picumnus rufiventris* A nice male seen well at Ramal do Noca.
Fine-barred Piculet *Picumnus subtilis* Two couples seen at Ramal do Noca.
White Woodpecker *Melanerpes candidus* (NL) Spotted at Machadinho D'oeste.
Yellow-tufted Woodpecker *Melanerpes cruentatus* Tabajara, Humaitá and Rio Branco, quite common.
Little Woodpecker *Veniliornis passerinus* Frequent at Ramal do Noca in Rio Branco.
Red-stained Woodpecker *Veniliornis affinis* Few sightings in Tabajara.
Yellow-throated Woodpecker *Picus flavigula* Seen at Tabajara and Humaitá.
Spot-breasted Woodpecker *Colaptes punctigula* Seen along the Machado River, Tabajara.
Scaly-breasted Woodpecker *Celeus grammicus* One seen well at Ramal C1; also heard in Humaitá.

Chestnut Woodpecker *Celeus elegans* At varzea habitat in Humaitá and Rio Branco (Noca).

Cream-colored Woodpecker *Celeus flavus* One at varzea of Humaitá.

Rufous-headed Woodpecker ♦ *Celeus spectabilis* Superb views of three individuals at Ramal do Noca, Rio Branco.

Ringed Woodpecker *Celeus torquatus* Seen well at our new trail at Igarapé Marmelo, Tabajara.

Lineated Woodpecker *Dryocopus lineatus* Seen in Humaitá.

Red-necked Woodpecker *Campephilus rubricollis* Great views of a couple in Tabajara.

Crimson-crested Woodpecker *Campephilus melanoleucos* Humaitá and Ramal do Noca.

Black Caracara *Daptrius ater* Frequent; Tabajara, Humaitá and Noca.

Red-throated Caracara *Ibycter americanus* Seen at Tabajara.

Crested Caracara (Southern C C) *Caracara [plancus] plancus* Frequently recorded during travels.

Yellow-headed Caracara *Milvago chimachima* Few; Tabajara and Mutum-Paraná.

Laughing Falcon *Herpetotheres cachinnans* Seen at Tabajara and at Noca.

Barred Forest Falcon *Micrastur ruficollis* (H) Heard in Tabajara.

Cryptic Forest Falcon ♦ *Micrastur mintoni* Breath-taking view at our new trail at Igarapé Marmelo, Tabajara.

Collared Forest Falcon *Micrastur semitorquatus* (H) Heard in Tabajara.

American Kestrel *Falco sparverius* Spotted along roadsides on travels.

Aplomado Falcon *Falco femoralis* One seen at Ramal das Campinas.

Bat Falcon *Falco rufigularis* Seen at Ramal do Noca.

Manu Parrotlet ♦ *Nannopsittaca dechilleae* Fantastic encounter at Ramal do Noca, a group of over ten birds.

Tui Parakeet *Brotogeris sanctithomae* Abundant in Humaitá and at Ramal do Noca.

Yellow-chevroned Parakeet *Brotogeris chiriri* One noticed at Ramal C30 near Porto Velho.

Cobalt-winged Parakeet *Brotogeris cyanoptera* At least one noticed at Ramal do Noca.

Golden-winged Parakeet *Brotogeris chrysoptera* Frequent in Tabajara, also seen in Humaitá.

Orange-cheeked Parrot *Pyrilia barrabandi* A glimpse of two birds in the forest in Humaitá.

Blue-headed Parrot *Pionus menstruus* Frequently recorded on the tour.

Short-tailed Parrot *Graydidascalus brachyurus* Roosting festival in front of our hotel in Humaitá.

Yellow-crowned Amazon *Amazona ochrocephala* At Tabajara, Mutum-Paraná and Noca.

Southern Mealy Amazon *Amazona farinosa* Good views in Humaitá and Jaci-Paraná.

Kawall's Amazon ♦ *Amazona kawalli* Superb views in Tabajara.

White-bellied Parrot *Pionites leucogaster* Brief flight view of a group of six at the Ramal C30.

Red-fan Parrot *Deroptyus accipitrinus* (H) Distantly heard at Ramal do Noca.

Crimson-bellied Parakeet ♦ *Pyrhura perlata* Passing over our heads in campina habitat in Tabajara.

Santarem Parakeet ♦ *Pyrhura amazonum* Seen well at Igarapé Marmelo, Tabajara.

Bonaparte's Parakeet ♦ *Pyrhura lucianii* Seen in flight in Humaitá, better looks at Ramal das Campinas.

Black-capped Parakeet *Pyrhura rupicola* Great view of a small group at Ramal do Noca.

Peach-fronted Parakeet *Eupsittula aurea* At Ramal das Campinas, grassland habitat.

Dusky-headed Parakeet *Aratinga weddellii* Frequent along the whole tour.

Red-bellied Macaw *Orthopsittaca manilatus* Frequent on the tour, plenty seen in Tabajara.

Blue-headed Macaw ♦ *Primolius couloni* Some small groups at Ramal do Noca.

Blue-and-yellow Macaw *Ara ararauna* Tabajara, Humaitá, Ramal das campinas and Mutum-Paraná.

Chestnut-fronted Macaw *Ara severus* Frequent at Ramal do Noca.

Scarlet Macaw *Ara macao* Frequently spotted on the tour.

Red-shouldered Macaw *Diopsittaca nobilis* Few at Ramal das campinas, between Porto Velho and Humaitá.

White-eyed Parakeet *Psittacara leucophthalmus* Seen in Humaitá and at Ramal do Noca.

Olivaceous Woodcreeper *Sittasomus griseicapillus* (H) Heard at several places.

Long-tailed Woodcreeper *Deconychura longicauda* Seen well at Ramal C30.

White-chinned Woodcreeper ♦ *Dendrocincla merula* Seen in Tabajara, Igarapé Marmelo trail.

Wedge-billed Woodcreeper *Glyphorynchus spirurus* Tabajara, Ramal C30 and Noca.

Cinnamon-throated Woodcreeper *Dendrexetastes rufigula* Seen well in Tabajara, heard at more places.

Long-billed Woodcreeper *Nasica longirostris* Great views in the varzea of Humaitá.

Amazonian Barred Woodcreeper *Dendrocolaptes certhia* Tabajara [concolor] and Ramal do Noca [juruanus].

Black-banded Woodcreeper *Dendrocolaptes picumnus* (H) Heard at Ramal do Noca.

Hoffmanns's Woodcreeper ♦ *Dendrocolaptes hoffmannsi* Great views in Jaci-Paraná.

Bar-bellied Woodcreeper ♦ *Hylexetastes stresemanni* A pair at Ramal C1 near Porto Velho.

Uniform Woodcreeper ♦ *Hylexetastes uniformis* Seen at Ramal do Caldeirão, Tabajara.



Curve-billed Scythebill – *probatus* (Eduardo Patrial)

Strong-billed Woodcreeper *Xiphocolaptes promeropirhynchus* At Ramal do Noca.
Elegant Woodcreeper *Xiphorhynchus elegans* Frequently recorded on the tour.
Buff-throated Woodcreeper *Xiphorhynchus guttatus* Seen in Tabajara and at Noca, heard at more places.
Straight-billed Woodcreeper *Dendroplex picus* Seen in Humaitá, Jaci-Paraná and Mutum-Paraná.
Zimmer's Woodcreeper ♦ *Dendroplex kienerii* A nice one in the varzea of Humaitá.
Red-billed Scythebill *Campylorhamphus trochilirostris* Seen at Ramal do Noca.
Curve-billed Scythebill *Campylorhamphus procurvoides* Great views in Jaci-Paraná [*probatus*].
Inambari Woodcreeper ♦ *Lepidocolaptes fatimalimae* Ramal C1, Humaitá and Ramal do Noca.
Dusky-capped Woodcreeper ♦ *Lepidocolaptes fuscicapillus* Seen well in Tabajara.
Slender-billed Xenops ♦ *Xenops tenuirostris* In mixed flock at Ramal do Noca.
Plain Xenops *Xenops minutus* (NL) Seen at Ramal do Noca.
Point-tailed Palmcreeper *Berlepschia rikeri* Great looks at one by the entrance of Ramal das Campinas.
Rufous-tailed Xenops *Microxenops milleri* A nice one we got in terra-firme in Humaitá.
Pale-legged Hornero *Furnarius leucopus* (H) Heard by the river at Ramal do Noca.
Lesser Hornero *Furnarius minor* A nice one at Ilha (island) dos Bufalos in Jaci-Paraná.
Rufous-rumped Foliage-gleaner *Philydor erythrocercum* Tabajara, Ramal C30, Humaitá and Noca.
Peruvian Recurvebill ♦ *Syndactyla ucyalae* Shy but provided great views in the end, Ramal do Noca.
Chestnut-winged Hookbill *Ancistrops strigilatus* Seen in Humaitá.
Chestnut-winged Foliage-gleaner *Dendroma erythroptera* Tabajara, Ramal C30 and Humaitá.
Chestnut-crowned Foliage-gleaner *Automolus rufipileatus* Good views at Ramal do Noca.
Brown-rumped Foliage-gleaner ♦ *Automolus melanopezus* Superb looks at this fine bamboo special, Noca.
Buff-throated Foliage-gleaner *Automolus ochrolaemus* Seen well in Humaitá and at Ramal do Noca.
Orange-fronted Plushcrown *Metopothrix aurantiaca* Great view of a pair at Ramal do Noca.
Plain Softtail ♦ *Thripophaga fusciceps* Few individuals seen very well at the varzea of Humaitá.

Rusty-backed Spinetail *Cranioleuca vulpina* Varzea of Humaitá.
Parker's Spinetail ♦ *Cranioleuca vulpecula* Ilha do Bufalos, Jaci-Paraná, great views.
Speckled Spinetail ♦ *Cranioleuca gutturata* (H) Heard at Ramal do Noca.
Yellow-chinned Spinetail *Certhiaxis cinnamomeus* Varzea of Humaitá.
White-bellied Spinetail *Mazaria propinqua* A shy one at Ilha dos Bufalos, but seen well.
Plain-crowned Spinetail *Synallaxis gujanensis* Seen well at varzea of Humaitá.
Cinereous-breasted Spinetail *Synallaxis hypospodia* At Ramal da Campinas, in the grasslands.
Chestnut-shouldered Antwren *Euchrepomis humeralis* Canopy flock in Humaitá.
Spot-winged Antshrike *Pygoptila stelleris* Seen in Tabajara and Ramal do Noca.
Dot-winged Antwren *Microrhopias quixensis* At Igarapé Marmelo trail and in Jaci-Paraná.
Black Bushbird *Neotantes niger* Amazing appearing of a pair at Ramal C1 near Porto Velho.
Rondonia Bushbird ♦ *Clytactantes atrogularis* Superb looks at a male in Jaci-Paraná.
Rio Madeira Stipplethroat ♦ *Epinecrophylia [amazonica] amazonica* Seen well at Ramal C30; heard in Humaitá.
Rio Madeira Stipplethroat ♦ (Roosevelt S) *Epinecrophylia [amazonica] dentei* Igarapé Marmelo Trail.
Ornate Stipplethroat *Epinecrophylia ornata* Seen well at Ramal do Noca.
Black-throated Antbird *Myrmophylax atrothorax* A pair seen well in Jaci-Paraná; heard many times at Noca.
Pygmy Antwren *Myrmotherula brachyura* Great views in Humaitá.
Amazonian Streaked Antwren *Myrmotherula multostriata* At Igarapé Marmelo trail, Tabajara.
Sclater's Antwren *Myrmotherula sclateri* After many heard, seen well in Mutum-Paraná.
White-flanked Antwren *Myrmotherula axillaris* At Ramal C30 and at Ramal do Noca.
Long-winged Antwren *Myrmotherula longipennis* A nice male in Tabajara.
Ihering's Antwren (Purus A) *Myrmotherula [iheringi] heteroptera* (H) Only heard in Humaitá.
Grey Antwren *Myrmotherula menetriesii* Seen in Tabajara and at Ramal C30.
Leaden Antwren ♦ *Myrmotherula assimilis* Good views at the varzea of Humaitá.
Black-and-white Antbird ♦ *Myrmochanes hemileucus* A very nice one at Ilha dos Bufalos, Jaci-Paraná.
Southern White-fringed Antwren *Formicivora grisea* Seen well in Tabajara, campina habitat.
Rusty-backed Antwren *Formicivora rufa* A pair at Ramal das Campinas, grassland habitat.
Banded Antbird *Dichrozona cincta* Great views in Jaci-Paraná.
Plain-throated Antwren *Isleria huxwelli* A male seen well in Tabajara.
Dusky-throated Antshrike *Thamnomanes ardesiacus* Seen at Ramal do Noca, Rio Branco.
Saturnine Antshrike ♦ *Thamnomanes saturninus* Good views in Tabajara.
Cinereous Antshrike *Thamnomanes caesius* Same as species above.
Bluish-slate Antshrike ♦ *Thamnomanes schistogynus* A pair seen well at Ramal do Noca.
Pearly Antshrike ♦ *Megastictus margaritatus* Great views of a pair at Igarapé Marmelo trail.
Aripuana Antwren ♦ *Herpsilochmus stotzi* One seen at Igarapé Marmelo.
Predicted Antwren ♦ *Herpsilochmus praedictus* Close looks at a male at Ramal C30 near Porto Velho.
Rusty-winged Antwren *Herpsilochmus frater* (H) Heard at Igarapé Marmelo trail.
Barred Antshrike *Thamnophilus doliatus* Seen few times in Rio Branco.
Chestnut-backed Antshrike *Thamnophilus palliatus* (H) Heard in Tabajara.
White-shouldered Antshrike *Thamnophilus aethiops* Seen in Humaitá and Jaci-Paraná.
Plain-winged Antshrike *Thamnophilus schistaceus* Seen in Tabajara.
Mouse-colored Antshrike *Thamnophilus murinus* Seen at Ramal C30, heard in Humaitá and Acre.
Natterer's Slaty Antshrike ♦ *Thamnophilus stictocephalus* Great views in Tabajara.
Amazonian Antshrike *Thamnophilus amazonicus* A pair at Igarapé Marmelo trail, Tabajara.
Glossy Antshrike ♦ *Sakesphorus luctuosus* Seen well in Tabajara and Humaitá.
Fasciated Antshrike *Cymbilaimus lineatus* At Ramal C30 and in Mutum-Paraná.
Bamboo Antshrike ♦ *Cymbilaimus sanctaemariae* Nice views of male and female at Ramal do Noca.
Great Antshrike *Taraba major* Seen at Ramal do Noca, heard at more places.
Undulated Antshrike ♦ *Frederickena unduliger* A stunning male seen very well in Humaitá, what a bird!
White-throated Antbird *Oneillornis salvini* Superb looks at a pair at Ramal C1 near Porto Velho.
White-breasted Antbird ♦ *Rhegmatorhina hoffmannsi* Breath-taking views at our trail at Igarapé Marmelo.
Hairy-crested Antbird *Rhegmatorhina melanosticta* Another mega seen very well, in Humaitá.
Black-spotted Bare-eye *Phlegopsis nigromaculata* (H) Heard at Igarapé Marmelo trail.
Common Scale-backed Antbird *Willisornis poecilinotus* Seen at Igarapé Marmelo trail.
Striated Antbird ♦ *Drymophila devillei* A nice one in bamboo at Ramal do Noca.



Peruvian Recurvebill (Eduardo Patrial)

Peruvian Warbling Antbird *Hypocnemis peruviana* Ramal C30, Humaitá and Ramal do Noca.
Yellow-breasted Warbling Antbird *Hypocnemis subflava* Seen well at Ramal do Noca.
Rondonia Warbling Antbird ♦ *Hypocnemis ochrogyna* At Tabajara.
Manicore Warbling Antbird ♦ *Hypocnemis rondoni* At least two pairs seen at Igarapé Marmelo trail.
Southern Chestnut-tailed Antbird *Sciaphylax hemimelaena* Seen well in Tabajara, also hear at Jaci and Noca.
Blackish Antbird *Cercomacroides nigrescens* A pair seen in Tabajara.
Riparian Antbird ♦ *Cercomacroides fuscicauda* Great views at Ramal do Noca.
Black Antbird *Cercomacroides serva* At Ramal C30 and in Humaitá.
Grey Antbird *Cercomacra cinerascens* Seen in Tabajara; heard at more places.
Black-chinned Antbird *Hypocnemoides melanopogon* A nice one in the varzea of Humaitá.
Band-tailed Antbird *Hypocnemoides maculicauda* Seen at Igarapé Marmelo trail.
Spot-backed Antbird *Hylophylax naevius* Great views at Igarapé Marmelo trail.
Dot-backed Antbird *Hylophylax punctulatus* A stunning male seen well in Jaci-Paraná.
Silvered Antbird *Sclateria naevia* Tabajara, Humaitá and Ramal do Noca.
Plumbeous Antbird *Myrmelastes hyperythrus* Gorgeous bird, at Ramal do Noca.
Humaita Antbird ♦ *Myrmelastes humaythae* Very good views at Ramal C30 near Porto Velho.
Rufous-faced Antbird ♦ *Myrmelastes rufifacies* Seen well in Tabajara.
White-lined Antbird ♦ *Myrmoborus lophotes* Seen at Ramal do Noca.
Black-faced Antbird *Myrmoborus myotherinus* A pair at Igarapé Marmelo trail, heard at more places.
White-browed Antbird *Myrmoborus leucophrys* Igarapé Marmelo trail and Ramal do Noca.
Goeldi's Antbird ♦ *Percnostola goeldii* Superb views of pair at Ramal do Noca.
Sooty Antbird *Percnostola fortis* Gorgeous male seen very well at Ramal C30.
Rufous-capped Anthrush *Formicarius colma* One seen in Tabajara.
Black-faced Anthrush *Formicarius analis* (H) Heard at Ramal do Noca.
Amazonian Antpitta *Hylopezus berlepschi* breath-taking view at Ramal do Noca.
Thrush-like Antpitta *Myrmothera campanisona* (H) Heard at Ramal C1, Jaci-Paraná and Noca.

Rusty-belted Tapaculo *Liosceles thoracicus* (NL) In Tabajara, singing close, offered view to a few in the group.

Wing-barred Piprites *Piprites chloris* Close views in Tabajara.

Yellow-crowned Tyrannulet *Tyrannulus elatus* (H) Heard in Tabajara, Humaitá and Jaci-Paraná.

Forest Elaenia *Myiopagis gaimardii* Abundant in Tabajara, seen at more places too.

Yellow-crowned Elaenia *Myiopagis flavivertex* A nice one we got in the varzea of Humaitá.

Yellow-bellied Elaenia *Elaenia flavogaster* Seen at Ramal das Campinas.

Brownish Elaenia ♦ *Elaenia pelzelni* Great views at Ilha dos Bufalos in Jaci-Paraná.

Rufous-crowned Elaenia *Elaenia ruficeps* Seen well in Tabajara, campina habitat.

White-lored Tyrannulet *Ornithion inerme* Seen well in Tabajara.

Southern Beardless Tyrannulet *Camptostoma obsoletum* Seen in Humaitá and Jaci-Paraná.

Mouse-colored Tyrannulet *Phaeomyias murina* (NL) Seen in Tabajara.

Yellow Tyrannulet *Capsiempis flaveola* Good view at Ramal do Noca.

Ringed Antpipit *Corythopsis torquatus* Seen well at Ramal do Noca.

Lesser Wagtail-Tyrant ♦ *Stigmatura [napensis] napensis* A nice one seen at ilha dos Bufalos, Jaci-Paraná.

Chico's Tyrannulet ♦ *Zimmerius chicomendesii* It gave some work but seen well in the end in Tabajara.

Slender-footed Tyrannulet *Zimmerius gracilipes* At Tabajara and Humaitá.

Sepia-capped Flycatcher *Leptopogon amaurocephalus* Tabajara and Ramal do Noca.

Southern Scrub Flycatcher *Sublegatus modestus* At Ramal das Campinas.

Sharp-tailed Grass Tyrant ♦ *Culicivora caudacuta* Two small groups in grassland along Ramal das Campinas.

Flammulated Bamboo Tyrant ♦ *Hemitriccus flammulatus* Seen at Ramal do Noca.

Snethlage's Tody-Tyrant ♦ *Hemitriccus [minor] snethlageae* (H) Heard at Tabajara and at Jaci-Paraná.

Snethlage's Tody-Tyrant ♦ *Hemitriccus [minor] pallens* Seen well at Ramal C30 and more heard in Humaitá.

Acre Tody-Tyrant ♦ *Hemitriccus cohnhafti* Seen well but a tricky one this time at Ramal do Noca.

White-bellied Tody-Tyrant ♦ *Hemitriccus griseipectus* (H) Heard at Igarapé Marmelo trail and in Jaci-Paraná.

Zimmer's Tody-Tyrant ♦ *Hemitriccus minimus* Close views at Igarapé Marmelo trail.

Johannes's Tody-Tyrant ♦ *Hemitriccus iohannis* Trail entrance across the river at Ramal do Noca.

Stripe-necked Tody-Tyrant *Hemitriccus striaticollis* (H) Heard in Humaitá.

Short-tailed Pygmy Tyrant *Myiornis ecaudatus* Seen well in Tabajara.

Long-crested Pygmy Tyrant ♦ *Lophotriccus eulophotes* A good one in the bamboo at Noca.

Buff-cheeked Tody-Flycatcher ♦ *Poecilotriccus senex* Great views in Tabajara and in Mutum-Paraná.

Rusty-fronted Tody-Flycatcher *Poecilotriccus latirostris* (H) Heard at Ramal do Noca.

Spotted Tody-Flycatcher *Todirostrum maculatum* Tabajara, Humaitá and Rio Branco.

Common Tody-Flycatcher *Todirostrum cinereum* (H) Heard in Humaitá.

Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum* Tabajara and Ramal C01 near Porto Velho.

Yellow-olive Flatbill *Tolmomyias sulphurescens* In the varzea of Humaitá.

Zimmer's Flatbill ♦ *Tolmomyias assimilis* Seen at Ramal C30, but heard at more places.

Grey-crowned Flatbill *Tolmomyias poliocephalus* (H) Heard at Noca.

Ochre-lored Flatbill *Tolmomyias flaviventris* (H) Heard at campina in Tabajara.

Golden-crowned Spadebill *Platyrinchus coronatus* Great views at Igarapé Marmelo trail.

White-crested Spadebill *Platyrinchus platyrhynchos* Same as the one above.

Euler's Flycatcher *Lathrotriccus euleri* At Ramal do Noca.

Fuscou Flycatcher *Cnemotriccus fuscatus* Seen at Ramal do Noca; Heard ssp. *duidae* in Tabajara.

Scarlet Flycatcher *Pyrocephalus rubinus* Seen in Rio Branco.

Amazonian Black Tyrant *Knipolegus poecilocercus* A lovely female in varzea, Humaitá.

Drab Water Tyrant *Ochthornis littoralis* Frequent along the Machado River.

Piratic Flycatcher *Legatus leucophaeus* Seen in Tabajara.

Rusty-margined Flycatcher *Myiozetetes cayanensis* Tabajara and Noca.

Social Flycatcher *Myiozetetes similis* Ilha do Bufalos (Jaci-Paraná) and common at Ramal do Noca.

Grey-capped Flycatcher *Myiozetetes granadensis* At Ramal do Noca.



Black Antbird – male (Eduardo Patrial)

Dusky-chested Flycatcher *Myiozetetes luteiventris* Good views of a pair at Ramal C30.

Great Kiskadee *Pitangus sulphuratus* Seen and heard at several places.

Lesser Kiskadee *Philohydor lictor* Humaitá and Rio Branco.

Yellow-throated Flycatcher *Conopias parvus* Seen well in Tabajara and Humaitá.

Streaked Flycatcher *Myiodynastes maculatus* (NL) At Ramal do Noca.

Boat-billed Flycatcher *Megarynchus pitangua* (H) Heard in Tabajara.

Sulphury Flycatcher *Tyrannopsis sulphurea* Seen in Humaitá.

Crowned Slaty Flycatcher *Griseotyrannus aurantioatrocristatus* At Ramal C01 and at Ramal das Campinas.

White-throated Kingbird *Tyrannus albogularis* One at Ramal das Campinas.

Tropical Kingbird *Tyrannus melancholicus* Very common on the tour.

Fork-tailed Flycatcher *Tyrannus savana* Seen on road to Tabajara.

Greyish Mourner *Rhytipterna simplex* Seen in Mutum-Paraná, heard at other places.

Pale-bellied Mourner ♦ *Rhytipterna immunda* Nice views in Tabajara, also seen at Ramal C30.

White-rumped Sirystes *Sirystes albocinereus* Seen well at Noca.

Rufous Casiornis *Casiornis rufus* One seen in flock in campinarana habitat, Mutum-Paraná.

Dusky-capped Flycatcher *Myiarchus tuberculifer* (H) Heard at Tabajara and at Noca.

Short-crested Flycatcher *Myiarchus ferox* Tabajara, Humaitá and Jaci-Paraná.

Brown-crested Flycatcher *Myiarchus tyrannulus* At Mutum-Paraná.

Large-headed Flatbill *Ramphotrigon megacephalum* (H) Heard at Noca.

Rufous-tailed Flatbill *Ramphotrigon ruficauda* At Tabajara and Humaitá.

Dusky-tailed Flatbill ♦ *Ramphotrigon fuscicauda* Good sightings at Ramal do Noca

Cinnamon Attila *Attila cinnamomeus* Seen nicely at Ilha dos Bufalos, Jaci-Paraná.

Citron-bellied Attila *Attila citriniventris* (H) Heard at Ramal C30.

White-eyed Attila *Attila bolivianus* Seen by the river at Ramal do Noca.

Bright-rumped Attila *Attila spadiceus* (H) Heard in Tabajara and at Noca.

Black-necked Red Cotinga ♦ *Phoenicircus nigricollis* One seen well at our new trail at Marmelo, Tabajara.

Purple-throated Fruitcrow *Querula purpurata* Seen at Noca.
Screaming Piha *Lipaugus vociferans* Seen well in Tabajara, heard at most places.
Spangled Cotinga *Cotinga cayana* Tabajara, one female in Jaci-Paraná and at Ramal do Noca.
Purple-throated Cotinga ♦ *Porphyrolaema porphyrolaema* (H) Heard at Ramal do Noca.
Black-faced Cotinga ♦ *Conioptilon mcilhennyi* Great views at Noca, about four.
Bare-necked Fruitcrow *Gymnoderus foetidus* A single one seen in flight at the varzea of Humaitá.
Dwarf Tyrant-Manakin *Tyranneutes stolzmanni* Seen in Tabajara, heard at more.
Sulphur-bellied Tyrant-Manakin ♦ *Neopelma sulphureiventer* One at Assis Trail, Ramal do Noca.
Blue-backed Manakin *Chiroxiphia [pareola] regina* Tabajara.
Black Manakin ♦ *Xenopipo atronitens* Good views in Tabajara.
Blue-crowned Manakin *Lepidothrix coronata* Seen well at Linha C30.
Snow-capped Manakin ♦ *Lepidothrix nattereri* Tabajara.
Flame-crested Manakin ♦ *Heterocercus linteatus* A nice male in Tabajara.
White-bearded Manakin *Manacus manacus* A male seen in Tabajara.
Band-tailed Manakin *Pipra fasciicauda* Same as above.
Fiery-capped Manakin *Machaeropterus pyrocephalus* (H) Heard in few places.
Red-headed Manakin *Ceratopipra rubrocapilla* Seen in Tabajara.
Amazonian Royal Flycatcher *Onychorhynchus coronatus* Briefly seen at the new trail on the Marmelo.
Ruddy-tailed Flycatcher *Terentriacus erythrurus* (LO) Spotted by the leader in Tabajara.
Black-crowned Tityra *Tityra inquisitor* Seen at Noca.
Black-tailed Tityra *Tityra cayana* Seen in Humaitá.
Masked Tityra *Tityra semifasciata* Humaitá and Noca.
Varzea Schiffornis *Schiffornis major* Amazing sighting in Humaitá.
Brown-winged Schiffornis *Schiffornis turdina* Glimpses in Humaitá.
Cinereous Mourner *Laniocera hypopyrra* Nice views in Humaitá.
White-browed Purpletuft *Iodopleura isabellae* Briefly at Linha C01, Porto Velho.
Yellow-cheeked Becard *Pachyramphus xanthogenys* Seen well at Noca.
Cinereous Becard *Pachyramphus rufus* A nice one at Ilha dos Bufalos.
Chestnut-crowned Becard *Pachyramphus castaneus* At Noca.
White-winged Becard *Pachyramphus polychropterus* Seen at the varzea of Humaitá.
Pink-throated Becard *Pachyramphus minor* Seen at Ramal do Noca.
Crested Becard *Pachyramphus validus* One in Humaitá.
Rufous-browed Peppershrike *Cyclarhis gujanensis* Seen at Noca.
Slaty-capped Shrike-Vireo *Vireolanius leucotis* Seen nicely at Ramal da Campinas.
Chivi Vireo *Vireo chivi* Several, more in Tabajara.
Lemon-chested Greenlet *Hylophilus thoracicus* (H) Heard in Humaitá.
Grey-chested Greenlet *Hylophilus semicinereus* Close views in Tabajara.
Dusky-capped Greenlet *Hylophilus hypoxanthus* Close views at Noca.
Buff-cheeked Greenlet *Hylophilus muscicapinus* Seen well in Tabajara.
Tawny-crowned Greenlet *Hylophilus ochraceiceps* (H) Heard in Tabajara.
Violaceous Jay *Cyanocorax violaceus* A nice surprise at Noca, Assis house.
Azure-naped Jay ♦ (Campina J) *Cyanocorax [heilprini] hafferii* Great views at Linha C30.
Plush-crested Jay *Cyanocorax [chrysops] diesingii* Seen well in Tabajara, campina habitat.
White-winged Swallow *Tachycineta albiventer* Several on the tour.
Brown-chested Martin *Progne tapera* Noticed in Humaitá and Jaci-Paraná.
Grey-breasted Martin *Progne chalybea* Seen in Tabajara.
White-banded Swallow *Atticora fasciata* Plenty in Tabajara, also seen in Jaci-Paraná and at Noca.
Black-collared Swallow *Atticora melanoleuca* A large number in Tabajara.
Southern Rough-winged Swallow *Stelgidopteryx ruficollis* Frequently recorded on the tour.
Black-capped Donacobius *Donacobius atricapilla* (H) Heard at Ilha dos Bufalos.
Thrush-like Wren *Campylorhynchus turdinus* Seen at Noca.
Tooth-billed Wren ♦ *Odontorchilus cinereus* Good scope views in Jaci-Paraná.
Moustached Wren *Pheugopedius genibarbis* Seen in Tabajara and Humaitá.
Buff-breasted Wren *Cantorchilus leucotis* Seen in Humaitá, varzea.



Bronzy Jacamar (Eduardo Patrial)

House Wren (Southern H W) *Troglodytes [aeson] musculus* Seen in Tabajara, heard at more places.

Southern Nightingale-Wren *Microcerculus marginatus* (H LO) Heard in Jaci-Paraná. Briefly seen by leader.

Trilling Gnatwren *Ramphocaenus melanurus* One in Humaitá.

Inambari Gnatcatcher ♦ *Poliophtila attenboroughi* Seen twice in Humaitá.

Creamy-bellied Thrush *Turdus amaurochalinus* Seen in Rio Branco and at Noca.

Black-billed Thrush *Turdus ignobilis* Seen in Tabajara and at Noca.

Lawrence's Thrush *Turdus lawrencii* (H) Heard in Tabajara.

Hauxwell's Thrush *Turdus hauxwelli* Nice views in Tabajara.

House Sparrow (introduced) *Passer domesticus* Always noticed in towns, villages.

Yellowish Pipit *Anthus lutescens* (NL) Seen at Ilha dos Bufalos.

Purple-throated Euphonia *Euphonia chlorotica* (H) Heard in Rio Branco and at Noca.

Thick-billed Euphonia *Euphonia lanirostris* Seen in Tabajara and at Noca.

White-lored Euphonia *Euphonia chrysopasta* Seen at Noca.

Rufous-bellied Euphonia *Euphonia rufiventris* A male seen in Humaitá; heard at more places.

Grassland Sparrow *Ammodramus humeralis* In Humaitá and along the Ramal das Campinas.

Yellow-browed Sparrow *Ammodramus aurifrons* Tabajara, Jaci-Paraná and Ramal do Noca.

Pectoral Sparrow *Arremon taciturnus* (H) Heard in Tabajara.

Red-breasted Blackbird *Leistes militaris* Plenty on the way to Tabajara; also seen in more open areas on tour.

White-browed Blackbird *Leistes supercilialis* For the first time at Ramal das Campinas.

Crested Oropendola *Psarocolius decumanus* Tabajara, Humaitá, Jaci-Paraná and Noca.

Green Oropendola *Psarocolius viridis* A large group seen in Tabajara.

Yellow-rumped Cacique *Cacicus cela* Frequently recorded on the tour.

Orange-backed Troupial *Icterus croconotus* Seen at Ramal do Noca.

Epaulet Oriole *Icterus cayanensis* (H) Heard in Humaitá.

Giant Cowbird *Molothrus oryzivorus* Tabajara, Humaitá and Noca.

Shiny Cowbird *Molothrus bonariensis* (NL) On road near Mutum-Paraná.
Buff-rumped Warbler *Myiothlypis fulvicauda* (H) Heard in Tabajara and at Noca.
Red-billed Pied Tanager ♦ *Lamprospiza melanoleuca* At C30, Humaitá and Ramal das Campinas.
Red-crowned Ant Tanager *Habia rubica* (H) Heard at Linha C30.
Amazonian Grosbeak *Cyanoloxia rothschildii* One seen in Jaci-Paraná; more heard elsewhere.
Hooded Tanager *Nemosia pileata* Seen in Jaci-Paraná.
Black-masked Finch ♦ *Coryphaspiza melanotis* Nice views at Ramal das Campinas.
Wedge-tailed Grass Finch *Emberizoides herbicola* Same as above.
Green Honeycreeper *Chlorophanes spiza* Tabajara.
Yellow-backed Tanager *Hemithraupis flavicollis* Tabajara, Linha C01 and Humaitá.
Swallow Tanager *Tersina viridis* Tabajara, Jaci-Paraná and Noca.
Purple Honeycreeper *Cyanerpes caeruleus* Tabajara and Humaitá.
Red-legged Honeycreeper *Cyanerpes cyaneus* Tabajara and Mutum-Paraná.
Short-billed Honeycreeper *Cyanerpes nitidus* Many this time in Tabajara; also one in Humaitá.
Blue Dacnis *Dacnis cayana* Frequently recorded, common.
Yellow-bellied Dacnis *Dacnis flaviventer* In Tabajara.
Black-faced Dacnis *Dacnis lineata* Seen in Tabajara.
Greyish Saltator *Saltator coerulescens* Seen in Humaitá (varzea) and at Ramal do Noca.
Buff-throated Saltator *Saltator maximus* Tabajara.
Bananaquit *Coereba flaveola* Spotted in Tabajara.
Blue-black Grassquit *Volatinia jacarina* Tabajara, C30, Ramal das Campinas and Rio Branco.
Grey-headed Tanager *Eucometis penicillata* Seen well at varzea of Humaitá.
Flame-crested Tanager *Loriotus cristatus* Tabajara, Humaitá and Noca.
White-shouldered Tanager *Loriotus luctuosus* Seen at Noca.
Fulvous-crested Tanager *Tachyphonus surinamus* Seen well in Tabajara.
White-lined Tanager *Tachyphonus rufus* Humaitá.
Red-shouldered Tanager *Tachyphonus phoenicius* Nice views of a pair in Tabajara, campina.
White-winged Shrike-Tanager *Lanio versicolor* (H) Heard at Tabajara.
Masked Crimson Tanager *Ramphocelus nigrogularis* Seen in Humaitá, varzea.
Silver-beaked Tanager *Ramphocelus carbo* Common on the tour.
Double-collared Seedeater *Sporophila caerulea* Seen in Rio Branco.
Chestnut-bellied Seed Finch *Sporophila angolensis* Humaitá and Ramal do Noca.
Plumbeous Seedeater *Sporophila plumbea* Several at Ramal das Campinas.
Chestnut-bellied Seedeater *Sporophila castaneiventris* Humaitá and several at Noca.
Dark-throated Seedeater *Sporophila ruficollis* A large group of females at Ramal das Campinas.
Orange-headed Tanager *Thlypopsis sordida* One at Ilha dos Bufalos.
Chestnut-vented Conebill *Conirostrum speciosum* Seen at the varzea of Humaitá.
Orange-fronted Yellow Finch *Sicalis columbiana* (NL) Seen along the Rio Machado in Tabajara.
Maggie Tanager *Cissopis leverianus* Mutum-Paraná and Noca.
Black-faced Tanager *Schistochlamys melanopsis* At Ramal das Campinas.
Red-capped Cardinal *Paroaria gularis* Tabajara, Humaitá (varzea) and at Noca (by the river).
Dotted Tanager ♦ *Ixothraupis varia* (H) Heard in Tabajara and at Linha C30.
Blue-grey Tanager *Thraupis episcopus* Common on tour.
Palm Tanager *Thraupis palmarum* Same as above.
Turquoise Tanager *Tangara mexicana* Tabajara, Mutum-Paraná and Noca.
Paradise Tanager *Tangara chilensis* Humaitá and Noca.
Opal-rumped Tanager *Tangara velia* Seen in Humaitá.



Chestnut-capped Puffbird (Eduardo Patrial)

MAMMALS (18)

- Black-faced Spider Monkey** *Ateles chamek* One seen at Jaci-Paraná.
- Saddle-back Tamarin** *Leontocebus fuscicollis* At Tabajara and Ramal do Noca.
- Rondon's Marmoset** *Mico rondoni* Seen at the new trail at Igarapé Marmelo, Tabajara.
- Red-bellied Tamarin** *Saguinus labiatus* At Linha C30 near Porto Velho.
- Emperor Tamarin** *Saguinus imperator* Nice views at Ramal do Noca, in bamboo.
- Bolivian Squirrel Monkey** *Saimiri boliviensis* At Ramal do Noca.
- Naked-eared Squirrel Monkey** *Saimiri ustus* Good views in Tabajara.
- Large-headed Capuchin** *Sapajus macrocephalus* Tabajara, Humaitá and Noca.
- Brown Titi Monkey** *Plecturocebus brunneus* Seen well in Tabajara.
- Coppery Titi Monkey** *Plecturocebus cupreus* Good views at Ramal do Noca.
- Central American Agouti** *Dasyprocta punctata* Seen in Tabajara.
- Crab-eating Fox** *Cerdocyon thous* Early morning in Tabajara.
- Ocelot** *Leopardus pardalis* Early morning in Tabajara, crossing the road.
- Tayra** *Eira barbara* Seen in Humaitá and at Noca.
- Grey Brocket (G B Deer)** *Mazama gouazoubira* One spotted in Jaci-Paraná.
- Collared Peccary (Javelina)** *Pecari tajacu* One seen in Mutum-Paraná.
- White-lipped Peccary** *Tayassu pecari* (H) Heard at Tabajara.
- Lesser Bulldog Bat (L Fishing B)** *Noctilio albiventris* Tabajara, Jaci-Paraná and Rio Branco.



Emperor Tamarin (Eduardo Patrial)

Top five birds voted by the group

1. White-breasted Antbird
2. Rondonia Bushbird
3. Hairy-crested Antbird
4. Rufous-headed Woodpecker
5. Undulated Antshrike