



The stunning male and uncommon Scarlet-hooded Barbet was one of the top birds at Serra do Divisor, Acre, Brazil (Eduardo Patrial)

BRAZIL – SERRA DO DIVISOR EXPEDITION

18 – 27 JULY 2021

LEADER: EDUARDO PATRIAL

What a nice experience was the Serra do Divisor, indeed a great place for birding in the Amazon. After all, the farthest west of Brazil is part of the most diverse region of the Amazon. It is true we were expecting more about being isolated, riverine communities until next to the hills of Serra do Divisor inhabit the tortuous Rio Moa. It is a long trip by boat (8-10 hours - Peruvian style long-tailed boat), mostly with good forest on both sides of the river. However, the river is quite busy, boats are noisy and of course, there are concentrated people in certain areas, what together makes it harder to see more fauna along the watercourse. Nevertheless, the region is fantastic and we enjoyed the vastness of the mature forest present around the Miro's guesthouse, our base at Serra do Divisor. Besides achieving the localised Acre Antshrike, the main star of our adventure, we ended up with a list of 275 birds recorded and few mammals, including the rare Bald-headed Uacari. Bird highlights include

The 2021 Serra do Divisor Expedition started on July 18th in the evening, with the group's meeting at our stay, the Ibis Hotel in Rio Branco, capital of Acre state.

Jul 19th. The group flew in the morning to the town of Cruzeiro do Sul, far west in Acre. We arrived there by late morning, went for lunch in town, did our check-in at hotel, and enjoyed a nice afternoon of forest birding on a good trail along the banks of Rio (River) Moa. Bird activity was good and we got a bunch of species when entering the trail – Bluish-fronted Jacamar, Mouse-colored Antshrike, Grey Antwren, Yellow-olive Flatbill, White-shouldered, Hooded and Grey-headed Tanagers, Yellow-bellied Dacnis, Bar-breasted Piculet, Red-stained Woodpecker, Fork-tailed Woodnymph, Johanne's Tody-Tyrant, Olivaceous and Wedge-billed Woodcreepers, Blue-crowned Trogon and Yellow-crowned Tyrannulet. Further on the trail, we found Amazonian Antshrike, Pygmy Antwren, Red-capped Cardinal, Swallow-winged Puffbird, Short-crested Flycatcher, Varzea Schiffornis, a female Wire-tailed Manakin, Euler's Flycatcher, Greater Ani, Roadside Hawk, Ringed Kingfisher, White-throated Toucan, Elegant Woodcreeper, Cobalt-winged Parakeet, Bluish-slate Antshrike, Chivi Vireo, Rufous-bellied Euphonia, Yellow-rumped Cacique, the amazing Amazonian Umbrellabird, Striped and Black-banded Woodcreepers and Amazonian Grosbeak. That was the afternoon session and the end of the day in Cruzeiro do Sul.

Jul 20th was the day transfer to Serra do Divisor. First, in the early morning, the short drive to the port of Mâncio Lima, where we got a long tail boat for the later many hours (10+-) up the tortuous Rio Moa to reach, by the end of day, the sympactic Pousada do Miro, our base at Divisor. The noisy ride was quite tiring and with some obstacles, the shallow waters this time of the year bring many trunks and branches to the water surface. We did not have a proper birding stop, but of course, the tour participants along the journey noticed many species of birds, like Neotropical Palm, Pale-rumped and Short-tailed Swifts, Greater Ani, Squirrel Cuckoo, Grey-fronted Dove, Sungrebe, Pied Plover, Striated Herons, Capped Heron, Greater Yellow-headed Vulture, Great Black Hawk, Grey-lined Hawk, Amazon, Green and Ringed Kingfishers, Black-fronted Nunbirds, Swallow-winged Puffbirds, White-throated Toucan, Cobalt-winged Parakeet, Blue-headed Parrot, Yellow-crowned Amazon, Red-bellied Macaw, Drab Water Tyrant, Grey-capped Flycatcher, White-banded Swallow, Crested Oropendola, Yellow-rumped Cacique, Violaceous Jays, Silver-beaked Tanager, Red-capped Cardinal and more. A few from the group spotted Plum-throated and Black-faced Cotingas from the boat.

Jul 21st. For our start in the dense forest of Divisor, we did the quite short but steep Viewpoint trail, to look for the main target species of the expedition, the Birdquest lifer Acre Antshrike. About half way of the trail, we reached slightly different forest near the hilltop, where there was already one individual calling. We got the attention of this responsive male and managed great looks at it. Female was calling nearby but did not want to show off. Other interesting sightings along the trail include a quite shy Barred Forest Falcon, Green, Purple and Short-billed Honeycreepers, Yellow-backed, Masked and Paradise Tanagers, White-crowned Manakin, Black-banded Woodcreeper and White-necked Jacobin. Still by mid-morning, we moved to the beautiful trail to Cachoeira Formosa where we birded until noon. The pleasant session came up with Masked Crimson Tanager, Casqued Oropendola, Crowned Slaty Flycatcher, Dusky-chested Flycatcher, Slender-footed Tyrannulet and a brilliant encounter with a group of the rare and fascinatingly odd Red Uakari Monkey. In the afternoon, we walked a clearing and trail in forest behind the Pousada do Miro where we managed good views of a male Fiery Topaz, Blue-crowned Manakin and Great Jacamar. We heard some other birds but in general, the forest was quiet so we returned to the guesthouse and that was the end of the day.

Jul 22nd. For the morning of this day, we did a hike to the right brache of the Cachoeira Formosa trail. Starting by the river, we got Chestnut-bellied Seed Finch and the same group of Casqued Oropendola. The magnificent tall forest provided this time a nice pair of White-browed Hawk, the gorgeous Striolated Manakin and the impressive Pavonine Quetzal. After the fork to the right path, we found some other great birds, White-throated and Sooty Antbirds, a couple Cream-colored Woodpecker, Lawrence's Thrush, a young male Red-redded Manakin, Blue-crowned Manakin, Yellow-browed Antbird, Mouse-colored Antshrike, Golden-collared Toucanet, Curl-crested Aracari, Yellow-crowned Elaenia and Rufous-backed Stipplethroat. Returning, we left the trail with sightings of Cinnamon-throated Woodcreeper and Sulphury Flycatcher. In the

afternoon, we visited a trail behind Delcio's house, our local conductor in Divisor. The path had clearings, second growth and old secondary forest. It was a pleasant session where we had Yellow-crowned and Slender-footed Tyrannulets, White-vented Euphonia, Green-and-gold Tanager, Chestnut Woodpecker, the stunning Lemon-throated Barbet, the shy and uncommon Eastern Woodhaunter, Grey-capped Flycatcher, Swallow-winged Puffbirds and a group of Chestnut-eared Aracari to finish the day in Divisor.

Jul 23rd. We repeated the Cachoeira Formosa trail, going straight on the fork (way to the waterfall). At the beginning we got some of the usual suspect birds, the forest that morning was actually very quiet and we went quite far on the trail. New observations include Rufous-tailed Flatbill, a shy Hairy-crested Antbird, Dusky Leaf-tosser, Southern Nightingale-Wren and the nice Slate-colored Antbird, from where we decided to return. On our way back we were lucky to come across with an ant swarm where extremely shy Reddish-winged Bare-eyes unfortunately did not cooperate with sightings, only one in the group managed that after a good time around the ants. White-throated and Sooty Antbirds and White-chinned Woodcreeper were present (surprisingly no Hairy-crested Antbird). Walking back, we still had a small flock with Rufous-rumped Foliage-gleaner, Elegant Woodcreeper and Saturnine Antshrike. The afternoon session happened on the trail behind the Pousada do Miro. Not much activity but some nice records like Great Jacamar, another group of the Red Uakari Monkey and the rare Undulated Antshrike. The clearing on our way back finished the day with Black-fronted Nunbird and a smart Rusty-fronted Tody-Flycatcher.

Jul 24th. On this day, we had a real and wild adventure up rivers Moa and later the Igarapé Ramon. Rapids to go over and logs blocking our way in the dense and luxurious forest. It took about three hours of boat ride to get to the mouth of Igarapé Brazil on the Ramon, with records of Capped and Striated Herons, Plumbeous Kite, Southern Rough-winged and White-banded Swallows, Black Caracara,] and Giant Cowbirds. There at the proper riverine habitat (*Cecropia* and bamboo) we went to see the uncommon and most colourful inhabitant, a stunning male Scarlet-hooded Barbet that provided us a great show. We also had a glimpse of Manu Parrotlet crossing the site. It was late when we walked part of the beautiful researcher's trail; we got Amazonian Barred Woodcreeper and heard a couple birds but nothing we were aiming. After a lunch stop next to the river, we got to the boat to see the very special bamboo specialist Rufous-headed Woodpecker, a nice and cooperative female. At the same stop, part of the group had Buff-rumped Warbler, Drab Water Tyrant and a brief Chestnut-crowned Foliage-gleaner. The trip back to the guesthouse did not provide much; we had King Vulture, Sunbittern, Double-toothed Kite, Blue-and-yellow Macaw and some of the other common birds along the river, including several Violaceous Jays when back to Miro by the end of the day.

Jul 25th. For the last full day at Divisor, we repeated the Cachoeira Formosa Trail with a lunch box, having another quite long hike on the way to the waterfall, lasting most of the day (until four pm). This time we got Double-banded Pygmy Tyrant, Paradise Jacamar, the lovely Banded Antbird, Olive-backed Foliage-gleaner the most wanted Semicollared Puffbird for long minutes (in the antswarm of previous day, after so much effort to find this species, it was there, standing quietly watching the antswarm. Reddish-winged Bare-eye was present but again no sightings of it); White-throated Antbird, White-chinned Woodcreeper, Rusty-breasted Nunlet, the beautiful Chestnut-belted Gnateater, Citron-bellied Attila and more of the frequently recorded as Caqued Oropendola, Black-capped Donacobius, White-throated Toucan, Masked Crimson Tanager, Violaceous Jay and Plumbeous kite. Later we enjoyed a relaxing sunset from the grounds of Miro.

Jul 26th. The day we said good-bye to the fantastic Divisor. The birdwatching there has just started and there is a lot to grow. Miro is doing a great job with accommodation, boat drivers and local conductors, some of them more interested in birds and learning quick where to find the precious species. The area (National Park) certainly needs more trails available and a better support for initiatives such as birding and tourism. In addition, regarding a bird list, despite of the known avifauna, the area is very rich and there is still plenty to record. We left Miro early in the morning in two boats, down the tortuous Moa back to Mancio Lima. More or less by half way, we had a birding stop next to the Ibama Station, where the good riverine forest provided us great views of White-shouldered Antbird. For the long journey, we managed several species from the boat, like Neotropical Palm and Pale-rumped Swifts, Fiery Topaz, White-necked Jacobin, Greater Ani, Squirrel Cuckoo, Pied Plover, Anhinga, Striated, Cocoli and Capped Herons, Sunbittern, Greater Yellow-headed Vulture, Plumbeous Kite, Slate-colored Hawk, Crane Hawk, Black-tailed Trogon, Amazon, Green and Ringed

Kingfishers, Black-fronted Nunbird, Swallow-winged Puffbird, White-throated Toucan, Yellow-tufted Woodpecker, Black Caracara, Manu Parrotlet, Cobalt-winged Parakeet, Red-bellied Macaw, Pale-legged Hornero, Drab Water Tyrant, Social Flycatcher, Violaceous Jay, White-banded Swallow, Crested Oropendola, Band-tailed Cacique (only for a few), Casqued Oropendola, Purple Honeycreeper, Buff-throated Saltator, Silver-beaked, Green-and-gold, Turquoise, Opal-rumped and Magpie Tanagers. Arriving at Mancio Lima we drove back to Cruzeiro do Sul and same Hotel Sesc, where we arrived by end of the day for the overnight.

Jul 27th. As a last birding opportunity, we birded the hotel grounds in the early morning, a small secondary forest patch. There we had Short-tailed Swift, Greater Ani, Ruddy Pigeon, Green-backed Trogon, Yellow-tufted Woodpecker, Red-bellied Macaw, Forest Elaenia, Spotted and Yellow-browed Tody-Fycatchers, Grey-capped Flycatcher, Sulphury Flycatcher, Bright-rumped Attila, White-lored Euphonia, Yellow-browed Sparrow, Yellow-rumped Cacique, Purple and Green Honeycreepers, Opal-rumped Masked Tanagers and a group of the smart Coppery Titi Monkey. That was the end of the tour, followed by our connecting flights to Rio Branco and out of Acre.

Below some of the photographed species at Cruzeiro do Sul and Serra do Divisor, Acre, Brazil (Eduardo Patrial)



Acre Antshrike – male



Top: male Acre Antshrike

Bottom: Blue-crowned Trogon



Top: female Bluish-slate Antshrike

Bottom: female Wire-tailed Manakin



Top: Black-banded Woodcreeper

Bottom: record shot of a male Fiery Topaz



Top: male Striolated Manakin

Bottom: Pavonine Quetzal



Top: White-browed Hawk

Bottom: male Slate-colored Antbird



Top: couple Cream-colored Woodpecker



Bottom: Lawrence's Thrush



Scarlet-hooded Barbet – male



Top: Casqued Oropendola

Bottom: Green-and-gold Tanager



Top: Banded Antbird

Bottom: Semicollared Puffbird



Top: Bald-headed Uacari



Bottom: male Chestnut-belted Gnateater



Top: Rusty-breasted Nunlet

Bottom: Citron-bellied Attila



White-shouldered Antbird - male

SYSTEMATIC LIST OF SPECIES RECORDED DURING THE TOUR

The species names and taxonomy used in the report mostly follows Gill, F & D Donsker (Eds). **IOC World Bird Names (12.1)**. This list is updated several times annually and is available at <http://www.worldbirdnames.org>.

Species which were heard but not seen are indicated by the symbol (H).

Species which were only recorded by the leader are indicated by the symbol (LO).

Species which were not personally recorded by the leader are indicated by the symbol (NL).

Species marked with the diamond symbol (◊) are either endemic to the country or local region or considered 'special' birds for some other reason (e.g. it is only seen on one or two Birdquest tours; it is difficult to see across all or most of its range; the local form is endemic or restricted-range and may in future be treated as a full species).

BIRDS (275)

White-throated Tinamou *Tinamus guttatus* (H) Heard along Cachoeira Formosa and researche's trail.

Cinereous Tinamou *Crypturellus cinereus* (H) Frequently heard in Divisor.

Little Tinamou *Crypturellus soui* (H) Heard at forest edge.

Undulated Tinamou *Crypturellus undulatus* (H) Heard by the river.

Speckled Chachalaca *Ortalis guttata* (H) Heard at Delcio's trail.

Spix's Guan *Penelope jacquacu* Seen a couple times in Divisor.

Starred Wood Quail *Odontophorus stellatus* (H) Heard in forest behind Miro's guesthouse

Common Potoo *Nyctibius griseus* (H) Heard frequently from Miro.

Pauraque *Nyctidromus albicollis* (H) Same as above.

Ladder-tailed Nightjar *Hydropsalis climacocerca* (NL) Seen along Rio Moa.
White-collared Swift *Streptoprocne zonaris* Large group seen at the viewpoint trail.
Pale-rumped Swift *Chaetura egregia* Frequent along the Moa.
Short-tailed Swift *Chaetura brachyura* Frequently recorded.
Neotropical Palm Swift *Tachornis squamata* Frequently recorded.
Fiery Topaz ♦ *Topaza pyra* Good views of male and female.
White-necked Jacobin *Florisuga mellivora* At viewpoint trail and along Moa.
Reddish Hermit *Phaethornis ruber* Seen and heard a couple times.



White-throated Toucan (Eduardo Patrial)

White-bearded Hermit *Phaethornis hispidus* Seen at Delcio's trail.
Gould's Jewelfront *Heliodoxa aurescens* One briefly in the forest canopy, right fork at Cachoeira Formosa trail.
Fork-tailed Woodnymph *Thalurania furcata* Couple records in the forest.
Greater Ani *Crotophaga major* Frequent along the Moa.
Smooth-billed Ani *Crotophaga ani* Frequently noticed.
Little Cuckoo *Coccyzua minuta* (H) Heard in Cruzeiro do Sul, trail on the Moa.
Squirrel Cuckoo *Piaya cayana* A couple records.
Black-bellied Cuckoo *Piaya melanogaster* (H) Heard along Cachoeira Formosa trail.
Plumbeous Pigeon *Patagioenas plumbea* Frequently heard, one seen in forest behind the Miro.
Ruddy Pigeon *Patagioenas subvinacea* Heard along Cachoeira Formosa and one seen at hotel in Cruzeiro.
Grey-fronted Dove *Leptotila rufaxilla* One seen and few more were heard.
Sungrebe *Heliornis fulica* One spotted on the river leaving Mancio Lima.
Grey-cowled Wood Rail *Aramides cajaneus* (H) Heard at Cachoeira Formosa trail.
Southern Lapwing *Vanellus chilensis* Recorded a few times.
Collared Plover *Charadrius collaris* Seen along the Moa.
Pied Plover *Hoploxypterus cayanus* Some along the Moa.

Wattled Jacana *Jacana jacana* Seen along the Moa.
Anhinga *Anhinga anhinga* One seen along the Moa.
Neotropic Cormorant *Phalacrocorax brasilianus* Along the Moa.
Green Ibis *Mesembrinibis cayennensis* Seen upriver from Miro.
Sunbittern *Eurypyga helias* Some seen along the Moa.
Striated Heron *Butorides striata* Frequently recorded.
Cocoi Heron *Ardea cocoi* Tabajara, Humaitá and Jaci-Paraná.
Great Egret *Ardea alba* In Cruzeiro do Sul.
Capped Heron *Pilherodius pileatus* Seen few times along the Moa.
Hoatzin *Opisthocomus hoazin* (H) Heard in Cruzeiro do Sul.
King Vulture *Sarcorampus papa* At least three seen up the Moa from Miro's.
Black Vulture *Coragyps atratus* Very common, everywhere.
Turkey Vulture *Cathartes aura* Several recorded.
Greater Yellow-headed Vulture *Cathartes melambrotus* Same as above.
Swallow-tailed Kite *Elanoides forficatus* Seen upriver from Miro's.
Double-toothed Kite *Harpagus bidentatus* Same as above.
Plumbeous Kite *Ictinia plumbea* Some seen at Divisor.
Crane Hawk *Geranospiza caerulescens* (NL) Seen along the Cachoeira Formosa trail.
Slate-colored Hawk *Buteogallus schistaceus* Seen along the Moa.
Great Black Hawk *Buteogallus urubitinga* One juvenile along the Moa.
Roadside Hawk *Rupornis magnirostris* Some recorded along the Moa.
White-browed Hawk ♦ *Leucopternis kuhli* A pair seen well at Cachoeira Formosa trail.
Grey-lined Hawk *Buteo nitidus* One along the Moa.
Ferruginous Pygmy Owl *Glaucidium brasilianum* (H) Frequently heard from Miro's.
Tropical Screech Owl *Megascops choliba* (H) Heard in Tabajara.
Tawny-bellied Screech Owl ♦ (Southern T-b S O) *Megascops [watsonii] usta* (H) Heard at few times at Divisor.
Pavonine Quetzal ♦ *Pharomachrus pavoninus* Amazing sightings at Cachoeira Formosa Trail.
Black-tailed Trogon *Trogon melanurus* Spotted along the river.
Green-backed Trogon *Trogon viridis* Seen and heard a couple times, also seen in Cruzeiro do Sul.
Blue-crowned Trogon *Trogon curucui* Seen in Cruzeiro do Sul, trail beside the Moa.
Amazon Kingfisher *Chloroceryle amazona* Frequently recorded.
Green Kingfisher *Chloroceryle americana* Couple records along the Moa.
Green-and-rufous Kingfisher *Chloroceryle inda* (NL) Spotted upriver from Miro's.
Ringed Kingfisher *Megaceryle torquata* Frequently recorded on the Moa.
Amazonian Motmot *Momotus momota* (H) Heard on Moa's side trail in Cruzeiro do Sul.
Rufous Motmot *Baryphthengus martii* Several heard but one seen upriver from Miro's.
Broad-billed Motmot *Electron platyrhynchum* (H) Heard a couple times in Divisor.
Bluish-fronted Jacamar *Galbula cyanescens* Seen in Cruzeiro do Sul and at Divisor.
Paradise Jacamar *Galbula dea* Few heard and one spotted at Divisor.
Great Jacamar *Jacamerops aureus* Great looks close to Miro's.
White-necked Puffbird *Notharchus hyperrhynchus* (NL) One spotted at Divisor.
Pied Puffbird *Notharchus tectus* (H) Heard up the Igarapé Ramon.
Western Striolated Puffbird *Nystalus obamai* (H) Heard up on the Igarapé Ramon.
Semicollared Puffbird ♦ *Malacoptila semicincta* Amazing sighting on antswarm at Cachoeira Formosa trail.
Rusty-breasted Nunlet *Nonnula rubecula* Seen well at Cachoeira Formosa Trail.
Black-fronted Nunbird *Monasa nigrifrons* Frequently recorded.
White-fronted Nunbird *Monasa morphoeus* Seen along Cachoeira Formosa trail.
Swallow-winged Puffbird *Chelidoptera tenebrosa* Frequently recorded, common.
Gilded Barbet *Capito auratus* (H) Heard a couple times in Divisor.
Lemon-throated Barbet *Eubucco richardsoni* A nice male at Ramal do Noca (trail across the river).
Scarlet-hooded Barbet ♦ *Eubucco tucinkae* Stunning male seen up on the Igarapé Ramon.
Brown-mandibled Aracari *Pteroglossus mariae* (NL) Seen along the Cachoeira Formosa.
Chestnut-eared Aracari *Pteroglossus castanotis* A large group at Delcio's trail in Divisor.
Curl-crested Aracari ♦ *Pteroglossus beauharnaisii* Seen a couple times in Divisor.



Brown-winged Schiffornis (Eduardo Patrial)

Golden-collared Toucanet *Selenidera reinwardtii* Nice views of a pair at Cachoeira Formosa.

Channel-billed Toucan *Ramphastos vitellinus* (H) Few heard at Divisor.

White-throated Toucan (Red-billed T) *Ramphastos tucanus* Several spotted.

Bar-breasted Piculet *Picumnus aurifrons* Seen well in Cruzeiro do Sul, Moa's trail.

Yellow-tufted Woodpecker *Melanerpes cruentatus* Frequently recorded.

Little Woodpecker *Veniliornis passerines* (NL) Seen upriver from Miro's.

Red-stained Woodpecker *Veniliornis affinis* Nice views at Moa's Trail in Cruzeiro do Sul.

Chestnut Woodpecker *Celeus elegans* Nice views at Delcio's trail.

Cream-colored Woodpecker *Celeus flavus* Beautiful pair along Cachoeira Formosa.

Rufous-headed Woodpecker ♦ *Celeus spectabilis* Great view at Igarapé Ramon.

Lineated Woodpecker *Dryocopus lineatus* (H) Heard few times from Miro's.

Red-necked Woodpecker *Campephilus rubricollis* (H) Heard at Cachoeira Formosa.

Black Caracara *Daptrius ater* A couple records along the Moa.

Red-throated Caracara *Ibycter americanus* Seen along Cachoeira Formosa.

Laughing Falcon *Herpetotheres cachinnans* (H) Heard at Divisor.

Barred Forest Falcon *Micrastur ruficollis* Nice view at viewpoint trail in Divisor.

Lined Forest Falcon *Micrastur gilvicollis* One seen at Cachoeira Formosa trail.

Bat Falcon *Falco rufigularis* Just one recorded at Divisor.

Manu Parrotlet ♦ *Nannopsittaca dechilleae* Brief views a couple times along the river.

Cobalt-winged Parakeet *Brotogeris cyanoptera* Frequently recorded.

Orange-cheeked Parrot *Pyrilia barrabandi* (H) Heard only once.

Blue-headed Parrot *Pionus menstruus* Seen in Cruzeiro and along the Moa.

Southern Mealy Amazon *Amazona farinosa* (NL) Seen at Divisor.

Rose-fronted Parakeet *Pyrhura roseifrons* (NL) After heard a couple times, seen in flight by one of participants.

Dusky-headed Parakeet *Aratinga weddellii* Seen in Cruzeiro, heard in Divisor.

Red-bellied Macaw *Orthopsittaca manilatus* Frequent recorded.
Blue-headed Macaw ♦ *Primolius couloni* (NL) Seen by one of the participants.
Blue-and-yellow Macaw *Ara ararauna* Very few seen at Divisor.
Dusky Leaf-tosser *Sclerurus obscurior* Nice view at Cachoeira Formosa.
Olivaceous Woodcreeper *Sittasomus griseicapillus* Seen at Moa's trail in Cruzeiro do Sul.
White-chinned Woodcreeper ♦ *Dendrocincla merula* Nice encounters in antwarm at Cachoeira Formosa.
Wedge-billed Woodcreeper *Glyphorhynchus spirurus* Seen in Cruzeiro and at Divisor.
Cinnamon-throated Woodcreeper *Dendrozetetes rufigula* Frequent at Miro and entrance of C. Form. Trail.
Amazonian Barred Woodcreeper *Dendrocolaptes certhia* At researcher's trail up at Igarapé Ramon.
Black-banded Woodcreeper *Dendrocolaptes picumnus* Seen in Cruzeiro and at Serra do Divisor.
Striped Woodcreeper *Xiphorhynchus obsoletus* Seen at Moa's trail, Cruzeiro do Sul.
Elegant Woodcreeper *Xiphorhynchus elegans* Cruzeiro do Sul and Divisor.
Buff-throated Woodcreeper *Xiphorhynchus guttatus* (H) Heard in Cruzeiro and at Divisor.
Straight-billed Woodcreeper *Dendroplex picus* (H) Heard a few times in Divisor.
Plain Xenops *Xenops minutus* (H) Heard at Moa's trail in Cruzeiro.
Point-tailed Palmcreeper *Berlepschia rikeri* (H) Heard at Cachoeira Formosa trail.
Pale-legged Hornero *Furnarius leucopus* Few sightings at Divisor.
Rufous-rumped Foliage-gleaner *Philydor erythrocerum* In mixed flock at Divisor.
Chestnut-crowned Foliage-gleaner *Automolus rufipileatus* Glimpsed at Igarapé Ramon.
Buff-throated Foliage-gleaner *Automolus ochrolaemus* (H) Heard at Cachoeira Formosa trail.
Eastern Woodhaunter *Automolus subulatus* A nice one at Delcio's trail.
Olive-backed Foliage-gleaner *Automolus infuscatus* Seen well at Cachoeira Formosa trail.
Rufous-backed Stipplethroat *Epinecrophylia haematonota* Seen a couple time at Cachoeira Formosa.
Black-throated Antbird *Myrmophylax atrothorax* (H) Frequently heard at Cachoeira Formosa entrance.
Pygmy Antwren *Myrmotherula brachyura* Seen in Cruzeiro (Moa) and at Divisor.
Sclater's Antwren *Myrmotherula sclateri* (H) Heard once at Divisor.
White-flanked Antwren *Myrmotherula axillaris* (H) Heard at Moa's trail in Cruzeiro do Sul.
Grey Antwren *Myrmotherula menetriesii* Nice view at Moa's trail in Cruzeiro do Sul.
Banded Antbird *Dichrozona cincta* Always a nice one, great views at Cachoeira Formosa trail.
Plain-throated Antwren *Isleria huxwelli* (H) Heard twice at Cachoeira Formosa.
Saturnine Antshrike ♦ *Thamnomanes saturninus* Seen along Cachoeira Formosa Trail.
Bluish-slate Antshrike ♦ *Thamnomanes schistogynus* A nice pair at Moa's trail in Cruzeiro; heard at Divisor.
Barred Antshrike *Thamnophilus doliatus* (H) Heard at Divisor.
White-shouldered Antshrike *Thamnophilus aethiops* (H) Heard at Divisor and at hotel in Cruzeiro.
Mouse-colored Antshrike *Thamnophilus murinus* Seen in Cruzeiro and at Divisor.
Acre Antshrike ♦ *Thamnophilus divisorius* Great looks at a male at the viewpoint trail, Serra do Divisor.
Amazonian Antshrike *Thamnophilus amazonicus* A pair seen well at Moa's trail in Cruzeiro.
Fasciated Antshrike *Cymbilaimus lineatus* (H) Heard at Cachoeira Formosa trail.
Great Antshrike *Taraba major* (H) Heard few times in Divisor.
Undulated Antshrike ♦ *Frederickena unduliger* A shy male seen well in forest behind Miro's, what a bird!
White-throated Antbird *Oneillornis salvini* Good sightings along Cachoeira Formosa trail.
Hairy-crested Antbird *Rhegmatorhina melanosticta* One seen briefly at Cachoeira Formosa trail.
Reddish-winged Bare-eye *Phlegopsis erythroptera* (H – NL) At antswarm at CF trail; spotted only by one participant.
Yellow-browed Antbird *Hypocnemis hypoxantha* Seen well at the right branche of Cachoeira Formosa.
Southern Chestnut-tailed Antbird *Sciaphylax hemimelaena* (H) Heard a couple times in Divisor.
Black Antbird *Cercomacroides serva* (H) Heard at Delcio's trail in Divisor.
Grey Antbird *Cercomacra cinerascens* (H) Heard at Divisor.
Slate-colored Antbird *Myrmelastes schistaceus* Good sightings at Cachoeira Formosa trail.
Black-faced Antbird *Myrmoborus myotherinus* (H) Frequently heard at Divisor.
White-browed Antbird *Myrmoborus leucophrys* (H) Heard once at Divisor.
White-shouldered Antbird *Percnostola melanocephala* Great views of a male along the Moa, near the Ibama station.
Sooty Antbird *Percnostola fortis* Seen nicely at Cachoeira Formosa trail.
Black-faced Antthrush *Formicarius analis* (H) Heard at Divisor.
Thrush-like Antpitta *Myrmothera campanisona* (H) Heard in forest near Miro's.



Red-throated Caracara (Eduardo Patrial)

Chestnut-belted Gnateater *Conopophaga aurita* Stunning and cooperative male at Cachoeira Formosa.

Rusty-belted Tapaculo *Liosceles thoracicus* (H) Heard distantly at Cachoeira Formosa trail.

Yellow-crowned Tyrannulet *Tyrannulus elatus* Seen in Cruzeiro and at Divisor.

Forest Elaenia *Myiopagis gaimardii* Heard at Divisor and one seen at hotel in Cruzeiro.

Yellow-crowned Elaenia *Myiopagis flavivertex* One seen at the right branch of Cachoeira Formosa.

White-lored Tyrannulet *Ornithion inerme* (H) Heard at Divisor.

Slender-footed Tyrannulet *Zimmerius gracilipes* A couple times at Divisor.

Sepia-capped Flycatcher *Leptopogon amaurocephalus* (H) Heard at Divisor.

Flammulated Bamboo Tyrant ♦ *Hemitriccus flammulatus* (H) Heard in bamboo at Igarapé Ramon.

Johannes's Tody-Tyrant ♦ *Hemitriccus iohannis* Seen well at Moa's trail in Cruzeiro do Sul.

Short-tailed Pygmy Tyrant *Myiornis ecaudatus* Seen at Divisor.

Double-banded Pygmy Tyrant *Lophotriccus vitosus* One seen well at Cachoeira Formosa.

Rusty-fronted Tody-Flycatcher *Poecilatriccus latirostris* Nice views behind Miro's.

Spotted Tody-Flycatcher *Todirostrum maculatum* Seen well at hotel in Cruzeiro do Sul.

Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum* Heard at Divisor; one seen at hotel in Cruzeiro.

Yellow-olive Flatbill *Tolmomyias sulphurens* Seen at Moa's trail in Cruzeiro.

Zimmer's Flatbill ♦ *Tolmomyias assimilis* (H) Heard few time at Divisor.

Golden-crowned Spadebill *Platyrinchus coronatus* (H) Heard at Cachoeira Formosa trail.

Euler's Flycatcher *Lathrotriccus euleri* At Moa's trail in Cruzeiro.

Drab Water Tyrant *Ochthornis littoralis* Common along the Moa and Igarapé Ramon.

Piratic Flycatcher *Legatus leucophaeus* Seen at hotel in Cruzeiro.

Social Flycatcher *Myiozetetes similis* Frequently recorded at Divisor.

Grey-capped Flycatcher *Myiozetetes granadensis* Several seen at Divisor.

Dusky-chested Flycatcher *Myiozetetes luteiventris* A pair seen at Cachoeira Formosa.

Great Kiskadee *Pitangus sulphuratus* Seen and heard in Cruzeiro and at Divisor.

Boat-billed Flycatcher *Megarynchus pitangua* (H) Heard in Divisor.

Sulphury Flycatcher *Tyrannopsis sulphurea* Seen in Divisor and in Cruzeiro.
Crowned Slaty Flycatcher *Griseotyrannus aurantioatrocristatus* Seen at Divisor.
Tropical Kingbird *Tyrannus melancholicus* Common in Cruzeiro and Divisor.
Greyish Mourner *Rhytipterna simplex* (H) Heard few times at Divisor.
Short-crested Flycatcher *Myiarchus ferox* Seen in Cruzeiro and at Divisor.
Rufous-tailed Flatbill *Ramphotrigon ruficauda* Seen at Cachoeira Formosa trail.
Citron-bellied Attila *Attila citriniventris* One seen well at Cachoeira Formosa trail.
Bright-rumped Attila *Attila spadiceus* Seen at hotel in Cruzeiro; heard at Divisor.
Purple-throated Fruitcrow *Querula purpurata* Seen in Divisor.
Amazonian Umbrellabird *Cephalopterus ornatus* Seen at Moa's trail in Cruzeiro do Sul.
Screaming Piha *Lipaugus vociferans* Seen in Divisor.
Plum-throated Cotinga *Cotinga maynana* (NL) Spotted along the Moa on the way to Divisor.
Black-faced Cotinga ♦ *Conioptilon mcilhennyi* (H) Same as above.
Dwarf Tyrant-Manakin *Tyranneutes stolzmanni* (H) Heard in Cruzeiro and Divisor.
Blue-backed Manakin *Chiroxiphia [pareola] regina* (H) Heard at Divisor.
Blue-crowned Manakin *Lepidothrix coronata* Seen few times at Divisor.
White-bearded Manakin *Manacus manacus* Nice male at Cachoeira Formosa trail.
Wire-tailed Manakin *Pipra filicauda* Female seen at Moa's trail in Cruzeiro.
Striolated Manakin *Machaeropterus striolatus* Amazing sightings at Cachoeira Formosa trail.
White-crowned Manakin *Pseudopipra pipra* Seen at Cachoeira Formosa trail.
Red-headed Manakin *Ceratopipra rubrocapilla* Seen at Cachoeira Formosa trail.
Whiskered Myiobius *Myiobius barbatus* Seen at Moa's trail, Cruzeiro and at Divisor.
Ruddy-tailed Flycatcher *Terentotriccus erythrurus* (H) Heard once at Divisor.
Varzea Schiffornis *Schiffornis major* Seen well at Moa's trail in Cruzeiro do Sul.
Brown-winged Schiffornis *Schiffornis turdina* Great view at Cachoeira Formosa trail.
Cinereous Mourner *Laniocera hypopyrra* (H) Heard about four times in Divisor.
White-winged Becard *Pachyramphus polychropterus* (H) Heard at Divisor and at hotel in Cruzeiro.
Lemon-chested Greenlet *Hylophilus thoracicus* (H) Heard along Cachoeira Formosa trail.
Dusky-capped Greenlet *Hylophilus hypoxanthus* (H) Heard at Moa's trail in Cruzeiro and few times at Divisor.
Tawny-crowned Greenlet *Hylophilus ochraceiceps* (H) Heard once at Cachoeira Formosa trail.
Chivi Vireo *Vireo chivi* Seen in Cruzeiro and Divisor.
Violaceous Jay *Cyanocorax violaceus* Quite common at Serra do Divisor.
White-winged Swallow *Tachycineta albiventer* Common along the Moa.
Brown-chested Martin *Progne tapera* Frequently recorded.
White-banded Swallow *Atticora fasciata* Frequent along the Moa.
Southern Rough-winged Swallow *Stelgidopteryx ruficollis* Frequently recorded.
Black-capped Donacobius *Donacobius atricapilla* Seen at Divisor.
Thrush-like Wren *Campylorhynchus turdinus* (H) Heard upriver from Miro's.
Buff-breasted Wren *Cantorchilus leucotis* (H) Heard along the Moa.
House Wren (Southern H W) *Troglodytes aedon* Noticed few times at Divisor.
Southern Nightingale-Wren *Microcerculus marginatus* Nice view at Cachoeira Formosa trail.
Trilling Gnatwren *Ramphocaenus melanurus* (H) Heard at Cachoeira Formosa trail.
Lawrence's Thrush *Turdus lawrencii* Seen very well on the right branch of Cachoeira Formosa.
White-lored Euphonia *Euphonia chrysopasta* Seen in Cruzeiro do Sul.
White-vented Euphonia *Euphonia minuta* A nice pair closely seen at Delcio's trail.
Rufous-bellied Euphonia *Euphonia rufiventris* Seen in Cruzeiro and in Divisor.
Yellow-browed Sparrow *Ammodramus aurifrons* In Cruzeiro is common at hotel, also seen in Divisor.
Red-breasted Blackbird *Leistes militaris* Seen on way to Mancio Lima.
Crested Oropendola *Psarocolius decumanus* Seen along the Moa.
? Oropendola *Psarocolius sp.* (H) Heard distantly in Divisor.
Yellow-rumped Cacique *Cacicus cela* Frequently recorded.
Band-tailed Oropendola ♦ *Cacicus latirostris* (NL) Spotted from the boat crossing the Moa.
Casqued Oropendola *Cacicus oseryi* Frequently recorded at Divisor.
Epaulet Oriole *Icterus cayanensis* Recorded once at Divisor.



Striolated Manakin – male (Eduardo Patrial)

Giant Cowbird *Molothrus oryzivorus* Seen a couple times at Divisor.

Buff-rumped Warbler *Myiothlypis fulvicauda* Seen one crossing at Igarapé Ramon.

Amazonian Grosbeak *Cyanoloxia rothschildii* Seen at Moa's trail in Cruzeiro and at Divisor.

Hooded Tanager *Nemosia pileata* Seen at Moa's trail, Cruzeiro do Sul.

Green Honeycreeper *Chlorophanes spiza* Cruzeiro and Divisor.

Yellow-backed Tanager *Hemithraupis flavicollis* Seen at Serra do Divisor.

Purple Honeycreeper *Cyanerpes caeruleus* Cruzeiro do Sul and Divisor.

Short-billed Honeycreeper *Cyanerpes nitidus* Seen at the viewpoint trail in Divisor.

Blue Dacnis *Dacnis cayana* Frequently recorded, common.

Yellow-bellied Dacnis *Dacnis flaviventer* At Moa's trail in Cruzeiro.

Black-faced Dacnis *Dacnis lineata* (NL) Seen at Divisor.

Buff-throated Saltator *Saltator maximus* On the Moa and at hotel in Cruzeiro.

Blue-black Grassquit *Volatinia jacarina* Seen at Divisor.

Grey-headed Tanager *Eucometis penicillata* Seen at Moa's trail in Cruzeiro.

White-shouldered Tanager *Loriotus luctuosus* Same as species above.

Fulvous-crested Tanager *Tachyphonus surinamus* Seen twice at Divisor.

Masked Crimson Tanager *Ramphocelus nigrogularis* Nice sightings at Divisor.

Silver-beaked Tanager *Ramphocelus carbo* Common.

Chestnut-bellied Seed Finch *Sporophila angolensis* One at the river bank near Miro's.

Chestnut-bellied Seedeater *Sporophila castaneiventris* (NL) Seen in Cruzeiro.

Magpie Tanager *Cissopis leverianus* Seen a few times at Divisor.

Red-capped Cardinal *Paroaria gularis* A number of sightings along the Moa.

Blue-grey Tanager *Thraupis episcopus* Frequently recorded.

Palm Tanager *Thraupis palmarum* Same as above.
Masked Tanager *Stilpnia nigrocincta* Seen in Divisor and in Cruzeiro.
Green-and-gold Tanager *Tangara schrankii* Quite frequent at Divisor.
Turquoise Tanager *Tangara mexicana* Seen on the Moa.
Paradise Tanager *Tangara chilensis* A couple times in Divisor
Opal-rumped Tanager *Tangara velia* Seen in Cruzeiro and in Divisor.

MAMMALS (5)

Bolivian Squirrel Monkey *Saimiri boliviensis* At Cachoeira Formosa Trail.
Bald-headed Uacari *Cacajao calvus ucayalii* Two amazing encounters at Divisor.
Coppery Titi Monkey *Plecturocebus cupreus* Seen well at hotel Sesc in Cruzeiro do Sul.
Tayra *Eira barbara* Seen at Cachoeira Formosa trail.
Proboscis Bat *Rhynchonycteris naso* Seen on the Moa.

Top five voted by the group

1. **Acre Antshrike**
2. **Semicollared Puffbird**
3. **Undulated Antshrike**
4. **Bald-headed Uacari**
5. **Rufous-headed Woodpecker / Scarlet-hooded Barbet**

Following pages, a few extra photos from the amazing encounters with the Bald-headed Uacari (Eduardo Patrial):



