



*The impressive Hairy-crested Antbird and an unforgettable ant swarm experience, the very best from the Southwest Amazonia Tour
(Eduardo Patrial)*

BRAZIL'S SOUTHWEST AMAZONIA

01 - 16 JULY 2022

LEADER: EDUARDO PATRIAL and FELIPE ARANTES.

The forth edition of Brazil's Southwest Amazonia was again a very successful trip. In two weeks we recorded almost five hundred (492) species of birds, exploring different habitats in the Rondonia and Inambari centres of endemism. Check out some of the highlights achieved this time: Orinoco Goose, Razor-billed Curassow, Sand-colored Nighthawk, Little and Spot-tailed Nightjars, Needle-billed Hermit, Green-tailed Goldenthrout, Pavonine Cuckoo, Ocellated Crake, Slender-billed Kite, Black-banded Owl, White-browed Hawk, Purus, Brown and White-throated Jacamars, Brown-banded, Western Striolated and Rufous-necked Puffbirds, Yellow-billed Nunbird, Fulvous-chinned and Rufous-capped Nunlets, Black-girdled and Lemmon-throated Barbets, Brown-mandibled, Red-necked and Curl-crested Aracaris, Rufous-breasted and Fine-barred Piculets, Rufous-headed Woodpecker, Kawall's and Festive Amazons, Santarem and Bonaparte's Parakeets, Blue-headed Macaw, Long-billed, Zimmer's, Hoffmanns's, Uniform and Inambari Woodcreepers, Brown-rumped

Foliage-gleaner, Plain Softail, Parker's Spinetail, Aripuana and Predicted Antwrens, Bamboo and Undulated Antshrikes, Black-and-white, White-throated, Banded, Humaita and Goeldi's Antbirds; brilliant sightings of endemic White-breasted Antbird, also with Hairy-crested Antbird and Black-spotted and Reddish-winged Bare-eyes; Alta Floresta Antpitta, Rusty-belted Tapaculo, Chico's Tyrannulet, Acre Tody-Tyrant, Long-crested Pygmy Tyrant, Buff-cheeked Tody-Flycatcher, Rufous Twistwing, Riverside Tyrant, Amazonian Black Tyrant, Citron-bellied Attila, Black-faced Cotinga, Flame-crested Manakin, Azure-naped (Campina) Jay, Tooth-billed Wren, Black-masked Finch and more.

The 2022 Southwest Amazonia tour started on July 1st at Porto Velho, capital of Rondônia state. The group arrived in the afternoon and relaxed at Hotel until early departure to Tabajara in the next day.

Jul 2nd. Drive to Tabajara (eastern Rondonia) with lunch stop at Machadinho D'oeste. Afternoon birding session at Tabajara, first a quick look at the riverbank (Rio Machado) and later covering *campina* and forest edge habitats close to our guesthouse. Our fun time provided several things: the new Guan *Penelope (superciliaris)* possible group – a brief sighting), Green-tailed Goldenthrout, Versicolored Emerald, Gould's Toucanet, Golden-winged Parakeet, Kawall's Amazon, Crimson-bellied Parakeet (glimpse), Dusky-headed Parakeet, Blue-and-yellow and Scarlet Macaws, Natterer's Slaty Antshrike, Glossy Antshrike, Forest and Rufous-crowned Elaenias, Short-crested Flycatcher, Bare-naked Fruitcrow, Black, Snow-capped, Flame-crested and Red-headed Manakins, Grey-chested Greenlet, Chivi Vireo, Plush-crested Jay, White-winged, White-banded and Black-collared Swallows, Buff-breasted Wren, Crested Oropendola, Purple Honeycreeper, Buff-throated Saltator and Chestnut-bellied Seedater.

Jul 3rd. On this day in Tabajara, we covered more *campina* and *terra firm* forest along the track known as Ramal do Caldeirão (in the morning) and the Campina Trail in the afternoon (which was quiet in forest). Forest along the Caldeirão provided good mix flock and our first ant swarm with great views of the endemic White-breasted Antbird. Other highlights on this day include the small endemic Chico's Tyrannulet, Undulated Tinamou, Spix's Guan, Chapman's Swift (Mato Grosso S), another Green-tailed Goldenthrout, Long-billed Starthroat, Capped Heron, Amazonian Pygmy Owl, Green-backed Trogon, Bronzy Jacamar, Pied Puffbird, Black-girdled Barbet, Red-necked Aracari, Orange-cheeked Parrot, many Kawall's Amazon in the early morning, a very uncommon sighting of a couple Brown-throated Parakeet (late afternoon in *campina*), Plain-throated Antwren, Saturnine and Mouse-colored Antshrikes, Rondonia Warbling and Rufous-faced Antbirds, a cooperative Rusty-belted Tapaculo, Rufous-crowned Elaenia (better views in *campina*), a shy Buff-cheeked Tody-Flycatcher in the afternoon, Crowned Slaty Flycatcher, Snow-capped Manakin, White-browed Purpleuft, Plush-crested Jay (same group in *campina*), Campina Thrush (a very brief sighting of one), White-vented and Rufous-bellied Euphonias, Yellow-backed Tanager, Yellow-bellied Dacnis, Fulvous-crested and Red-shouldered Tanagers and Opal-rumped Tanagers. Great views of Rondon's Marmoset and Saddle-back Tamarin.

Jul 4th. Day to take the boat up the Rio Machado to do the Marmelo Trails on its right bank (north), border with Campos Amazonicos National Park. The Machado is beautiful, and together with Marmelo stream, time on the boat was very pleasant with a number of sightings – Speckled Chachalaca, Sand-colored Nighthawk, Pied Plover, Black Skimmer, Large-billed Tern, Wood Stork, Sunbittern, Anhinga, Green Ibis, Rufescent Tiger Heron, Capped Heron, Plumbeous Kite, Slate-colored Hawk, Great Black Hawk, White-throated Toucan, Black Caracara, Yellow-crowned and Kawall's Amazons, Scarlet and Blue-and-yellow Macaws, White-banded and Black-collared Swallows, a big group of Giant Cowbird, Green Oropendola, Red-capped Cardinal and others. The Marmelo Trail was not most active but provided several good birds: Aripuana Antwren at its entrance, Black-eared Fairy, Spot-backed Antbird, endemic Manicore Warbling Antbird, Cryptic Forest Falcon (briefly), Spix's Guan, Blue-necked Jacamar, Perly Antshrike (seen by few), Cinereous Antshrike, Rio Madeira Stipplethroat (Roosevelt S), Ruddy Spinetail, Brown-winged Schiffornis, Black-capped Becard, Buff-cheeked Greenlet, Trilling Gnatwren and Short-billed Honeycreeper. Back to Tabajara village, we tried nightbirding at Caldeirão without success, but have flushed Razor-billed Curassow when trying to roost in tall trees (more heard than seen).

Jul 5th. The day we repeated the Marmelo Trails up river. The session provided similar composition of birds,

including some new birds recorded, a very good ant swarm – great views of White-breasted Antbird, Black-spotted Bare-eye and Common Scale-backed Antbird – and a canopy flock with Chestnut-winged Hookbill, Sclater's Antwren and Tooth-billed Wren. Other nice sightings include Black-bellied Whistling Ducks, Swallow-tailed Kite, Striped Woodcreeper, Brown Jacamar, Black-girdled Barbet, Kawall's Amazon (again), Long-tailed Woodcreeper, Rufous-rumped Foliage-gleaner, better looks at Rio Madeira Stipplethroat (Roosevelt); Long-winged and Grey Antwrens, Chestnut-backed and Amazonian Antshrikes, White-winged Shrike-Tanager and a lovely Prince Bernhard's Titi Monkey in the early morning. Dinner and overnight in Tabajara.

Jul 6th. On this day, we had a good morning session along the Capina Trail in Tabajara, before the drive back to Porto Velho. The *campina* offered nice views of Pale-bellied Mourner, Southern White-fringed Antwren, Neotropical Palm and Short-tailed Swifts, Rufous-tailed Jacamar and more Kawall's Amazon. Further, in forest we found Banded Antbird, Brown-winged Schiffornis, Flame-crested Manakin, Screaming Piha and another large ant swarm where (despite not having the presence of Pale-faced Bare-eye again) we got breath-taking close views of White-breasted Antbird, Black-spotted Bare-eye, Common Scale-backed Antbird and a little shyer White-chinned Woodcreeper. Lunch stop at Machadinho and afternoon drive to Porto Velho; Hotel check in for two nights.

Tabajara always keeps birding at a high level with such diversity of habitats, nice trails to visit and an amazing selection of birds. We were lucky with good ant swarms this time. Here some of photographed species (Eduardo Patrial):




Kawall's Amazon



Top: Rusty-belted Tapaculo

Bottom: Black-spotted Bare-eye



White-breasted Antbird

Jul 7th. The birding in the morning happened at a good portion of *terra firme* forest a Linha C1, left bank of Rio Madeira (across the bridge, accessed by road). The early morning star was a couple of the illusive Undulated Antshrike that behaved amazing well for us. The site still offered White-necked, Brown-banded and Western Striolated Puffbirds, Brown-madibled Aracari, Black Antbird, Gilded Barbet, stunning White-throated Antbird, Blue-necked and Paradise Jacamars, Red-stained and Yellow-throated Woodpeckers, Southern Mealy Amazon, Inambari Woodcreeper, Needle-billed Hermit, White-lore Euphonia, Masked, Paradise and Opal-rumped Tanagers. In the afternoon, we visited the same side of the Madeira bank (left), but a further track, the *campinarana* forest along Linha C30. There we found a very shy Humaita Antbird (not seen by everybody); Blue-crowned Trogon, Red-bellied Macaw and several Creamy-bellied Thrush. Despite the attempts, Predicted Antwren and Azure-naped (Campina) Jay did not show up. At dusk, we got good views of Little Nightjar. Later stop by C1 provided superb sighting of Black-banded Owl.

Jul 8th. Day transfer to Humaitá in southern Amazonas (left bank of Madeira). We had the early morning at C1 and later visit to C30. C1 provided Undulated Antshrike and White-throated Antbird again, Sooty Antbird, Sclater's Antwren, Curl-crested Aracari and the uncommon Glossy-backed Becard, recorded on the tour for the first time. Then, C30 provided better activity: better views of Humaita Antbird; also Blue-crowned Manakin, Green-tailed Goldenthrout, endemic Predicted Antwren, Zimmer's Tody-Tyrant and a pair of Fulvous-chinned Nunlet. Lunch was on the way to Humaitá. Afternoon session in Humaitá did not happen according the plan due to road conditions (site for Campina Jay), so went to the PPBio Trail for a first recognition in tall *terra firme* forest, enjoying the last hours of daylight with few birds, including Blue-crowned Trogon, Long-tailed and Elegant Woodcreepers and Peruvian Warbling Antbird. Better views outside the trail of Green-tailed Goldenthrout.

Jul 9th. We had a morning of incredible quality along the PPBio Trail in Humaitá: a pair of White-browed Hawk, Southern Mealy Amazon, Olive-backed Foliage-gleaner, Rio Madeira Stipplethroat (nominata), Silvered and

Humaita Antbirds, Citron-bellied Attila, Red-billed Pied Tanager, Snethlage's Tody-Tyrant (*Hemitriccus* sp. Nov.), and another impressive ant swarm which provided breath-taking sightings of the very shy Reddish-winged Bare-eye (cooperative female; male was shy and appeared briefly), the stunning Hairy-crested Antbird and White-throated Antbird and a White-chinned Woodcreeper. The day got even better when we managed to go through the road at Ramal Geotop in the afternoon. There we got superb views of group of Azure-naped (Campina) Jay and few others to finish the day: Amazonian Pygmy Owl, Green Oropendola, Yellow-backed Tanager, Spix's Guan, Sunbittern, Black-banded Woodcreeper, White-shouldered Antshrike and another *Hemitriccus* sp. nov. At dusk, we made a stop in open field to get decent flight views of Spot-tailed nightjar.

Jul 10th. Morning across the Rio Madeira (right bank) to cover the nearby *varzea* forest habitats along the Transamazonica Road (BR-230). First, more open and edge of forest site provided birds like Speckled Chachalaca, Greater Ani, Plain Softtail, White-bearded Hermit, Glossy Antshrike, Tui Parakeet, Cinnamon Attila, Little, Spot-breasted and Cream-colored Woodpeckers, Black-collared Hawk, Rufous-tailed Jacamar, Straight-billed Woodcreeper, Hooded and Masked Crimson Tanagers and Plain-crowned Spinetail. Later we entered proper *varzea* forest, where we got Leaden Antwren, Ferruginous Pygmy Owl, Slender-billed Kite, Long-billed and Zimmer's Woodcreepers, Black-chinned Antbird, Varzea Schiffornis (for some) and Yellow-crowned Elaenia. Later, along the road, we also found a small group of Festive Amazon. Finishing out time in the *varzea*, one last site provided very good views of Amazonian Black Tyrant. Back to Humaitá for lunch and a little *ciesta*, in the afternoon we explored a different forest site (near Lagoa Puruzinho). Forest condition was not as we thought to be and it was very quiet, but we still managed few things: Rusty-fronted Tody-Flycatcher, Amazonian Pygmy Owl and flight views of Bonaparte's Parakeet. We finished daytime back at the Hotel in Humaitá, watching the flocks of Short-tailed Parrot coming to roost in town.

Birding around Porto Velho (Madeira west bank) and Humaitá can be incredibly rewarding. Habitat diversity also makes this one of the best parts of the trip (Photos: Eduardo Patrial):




Fulvous-chinned Nunlet




Top: female Reddish-winged Bare-eye

Bottom: Hairy-crested Antbird



Top: White-throated Antbird

Bottom: Azure-naped (Campina) Jay



Top: Short-tailed Parrot

Bottom: Black-masked Finch

Jul 11th. Transfer day to Jaci-Paraná, south of Porto Velho. We had an early morning visit to savanna habitat at Ramal Mississipi, entrance of the Mapinguari National Park (site also called Campinas of Humaita). There we first covered grasslands and later a bit of forest along the road. We got amazing views of Ocellated Crane, the uncommon Black-masked Finch (photo above), Cinereous-breasted Spinetail, Rusty-backed Antwren, Southern Scrub Flycatcher, Sharp-tailed Grass Tyrant, Scarlet Flycatcher, Plumbeous Seedeater, some females Dark-throated Seedeaters, Wedge-tailed Grass Finch, a nice pair White-rumped Tanager, Red-shouldered Macaw, Peach-fronted Parakeet, Jabiru and White-throated Kingbird. Then forest provided Double-toothed Kite, Gilded Barbet, Golden-collared Toucanet, nice male Spangled Cotinga, Yellow-browed Tody-Flycatcher and a group of Bonaparte's Parakeet (quick flight views again). Lunch was in Porto Velho. After checking in the hotel in Jaci, we visited a good forest fragment nearby at Ramal do Ibama. There we finished the day with some good birds: Chestnut-eared Aracari, Rufous-necked Puffbird, Santarem Parakeet, Fulvous-crested Tanager, and Hoffmanns's and Uniform Woodcreepers. Overnight in Jaci-Paraná.

Jul 12th. Full day of birding in Jaci-Paraná. In the morning, we visited the usual site to try Rondonia Bushbird across the Rio Branco (Jaci-Paraná River tributary). The very sad news this time was that most of the forest in the property went down, remaining few hundred meters with bamboo (the usual territory of the bird). The short boat trip to there provided nice views of two Razor-billed Curassow. We tried hard after the Bushbird; we got a soft response at first, but later, not a single sign of the bird. Yet, we saw some other things, to mention Blue-crowned Trogon, Blue-necked Jacamar, Crimson-crested Woodpecker, Laughing Falcon, Hoffmanns's Woodcreeper, White-shouldered and Fasciated Antshrikes, Southern Chestnut-tailed Antbird, Spangled Cotinga, a very shy Black-necked Red Cotinga (seen by few), Crested and Green Oropendolas and Turquoise Tanager. Nevertheless, it was sickening to me to see what happened to the place, another lost spot for this threatened rarity, as of much affecting the Amazon recently for complete ignorance and greed; hope this scenary changes in the next years (#forabolsonaro). The afternoon session was hot fun visiting the large Ilha dos Bufalos on the Rio Madeira for the river island specialists. We got a good number of Orinoco Goose this time (14), the short but melting walk on the island was nice and provided a great end of day with decent views of almost every target species available: Lesser Hornero, Parker's and White-bellied Spinetails, Black-and-white Antbird, Brownish Elaenia, Lesser Wagtail-Tyrant (nominate), Little Ground and Riverside Tyrants, Cinereous Becard, plus others like Greater Ani, Yellow-tufted and Spot-breasted Woodpeckers, Straight-billed Woodcreeper, Wing-barred and Double-collared Seedeaters and Red-capped Cardinal. To mention a few more along the river – Black-bellied Whistling Ducks, Bat Falcon, Nacunda Nighthawks, Yellow-billed and Large-billed Terns, Scarlet Macaw and Black-collared Swallow. Sunset and full moon from the Madeira was incredible.

Jul 13th. The hope took us back to look for Rondonia Bushbird in the early morning, but we missed it again. This time not even heard anything from it. There we got better views of Hoffmanns's Woodcreeper, also views of blackish Antbird, Tooth-billed Wren, Speckled Chachalaca and Hoatzins (along the river), Grey-headed Kite, Chestnut-eared Aracari, Lineated Woodpecker, Santarem Parakeet, among others frequently recorded. We departed to Rio Branco after lunch in Jaci-Paraná. Afternoon of drive, early evening check in at Ibis Hotel, Rio Branco, Acre.

Although the terrible loss of the bushbird site, the rich remaining forests from Jaci-Paraná keeps offering several specialties, including the nice river island species from Ilha dos Bufalos (Photos: Eduardo Patrial):



Top: Rufous-necked Puffbird

Bottom: Santarem Parakeet



Top: Orinoco Goose


Bottom: Black-and-white Antbird

Jul 14th. The notorious Ramal do Noca, about an hour drive from Rio Branco, completes the trip for the next days with a whole bunch of new birds. Moreover, early we were there on our first full day. Most of bamboo at Noca had died recently, what created now big clearings in the forest. Birding was still fantastic and we managed several bamboo specialists as well. First early stop already provided the most-wanted Rufous Twistwing and not far ahead Black-faced Cotingas gave a real show. Other highlights along the road include the amazing Rufous-headed Woodpecker, White-throated Jacamar, Blue-headed Macaw, White-bearded Hermit, Blue-chinned Sapphire, Inambari Woodcreeper, Black-throated and Riparian Antbirds, Yellow-breasted Warbling Antbird, White-browed and Goeldi's Antbirds, Parasite Tanager and the amazing Emperor Tamarin. We also covered the excellent trail across the river at our local's friend property (Mr. Assis and wife that provided a very nice lunch for our group), collecting more several birds: Black-and-white Hawk-Eagle (lunch time), Collared Trogon, Bluish-fronted Jacamar, Tui Parakeet (lunch time), Olivaceous Woodcreeper, Ornate Stipplethroat, Ihering's (Bamboo) Antwren, Grey Antwren, Bamboo Antshrike, Striated Antbird, Plumbeous Antbird, Flammulated Bamboo Tyrant, Chestnut-crowned and White-winged Becards, Dusky-capped Greenlet and Orange-backed Troupial.

Jul 15th was another productive day of birding at Noca. We started the day with such good luck spotting a small group of the tiny Eastern Pygmy Marmoset when trying for Fine-barred Piculet. Such stunning and delightful animal, we spent a good time watching them quite close to the road. Next stop ahead provided great views of a couple Fine-barred Piculet. On this day, we also got Speckled Chachalaca, Rufous-breasted Hermit (several), Pavonine Cuckoo, Rufous-breasted Piculet, Broad-billed Motmot, White-throated Jacamar, Rufous-capped Nunlet, Chestnut-eared Aracari, Spot-breasted Woodpecker, more Tui Parakeets, Yellow-crowned Amazons and Dusky-headed Parakeets; Blue-headed and Chestnut-fronted Macaws, Straight-billed Woodcreeper, Pale-legged Hornero, the shy Brown-rumped Foliage-gleaner, Fasciated and Bamboo Antshrikes, Sepia-capped Flycatcher, Johannes's Tody-Tyrant, Long-crested Pygmy Tyrant, Long-tailed Tyrant, Crowned Slaty Flycatcher, Spangled Cotinga, Black-crowned Tityra, White-winged and White-banded Swallows, Moustached Wren, White-lored Euphonia, Paradise Tanagers and more of the common birds. By mid-afternoon we returned to Rio Branco, making a stop near the roundabout of the Transacarana Road, a site where we got very good looks at Purus Jacamar, more Fine-barred Piculets and Blue-headed Macaws and a tricky Creamy-bellied Thrush.

Jul 16th. Finishing the birding time of this already successful tour, we had a full morning at Noca again, covering more side trails of the road and more of the long trail across the river. To mention King Vulture finally seen, Swallow-tailed Kite, Black-tailed Trogon, more White-throated and Bluish-fronted Jacamars, Yellow-billed Nunbird, Lemmon-throated Barbet, Orange-cheeked Parrot, Southern Mealy Amazon, Dusky-billed Parrotlet, Plumbeous Antbird, Yellow Tyrannulet, Acre Tody-Tyrant (at last), Black-faced Cotinga, Sulphur-bellied Tyrant-Manakin, Masked Tityra, White-browed Purpletuft, Yellow-cheeked Becard, Swallow Tanager, Chestnut-bellied Seedeater and more Paradise Tanager. Most of afternoon at Ibis Hotel and later celebrating last dinner. Late evening depart to Rio Branco's airport for flight connections, end of the tour.

Rio Branco, Acre, what an amazing Amazonian diversity and fine bird selection to finish this superb tour (Photos: Eduardo Patrial):



Top: Rufous Twistwing

Bottom: Black-faced Cotinga



Top: Brown-rumped Foliage-gleaner

Bottom: Long-crested Pygmy Tyrant



Eastern Pygmy Marmoset

SYSTEMATIC LIST OF SPECIES RECORDED DURING THE TOUR

The species names and taxonomy used in the report mostly follows Gill, F & D Donsker (Eds). **IOC World Bird Names (12.2)**. This list is updated several times annually and is available at <http://www.worldbirdnames.org>.

Species which were heard but not seen are indicated by the symbol (H).

Species which were only recorded by the leader are indicated by the symbol (LO).

Species which were not personally recorded by the leader are indicated by the symbol (NL).

Species marked with the diamond symbol (◊) are either endemic to the country or local region or considered 'special' birds for some other reason (e.g. it is only seen on one or two Birdquest tours; it is difficult to see across all or most of its range; the local form is endemic or restricted-range and may in future be treated as a full species).

BIRDS (492)

White-throated Tinamou *Tinamus guttatus* (H) Heard Porto Velho, Humaitá and Jaci-Paraná.

Cinereous Tinamou *Crypturellus cinereus* (H) Frequently heard at most places visited.

Little Tinamou *Crypturellus soui* (H) Heard at Tabajara and at Ramal do Noca in Rio Branco.

Undulated Tinamou *Crypturellus undulatus* One flushed at Tabajara.

Black-capped Tinamou ◊ *Crypturellus atrocapillus* (H) Heard once at Ramal do Noca, Rio Branco.

Variegated Tinamou *Crypturellus variegatus* (H) Tabajara and Jaci-Paraná.

Horned Screamer *Anhima cornuta* (H) Heard at Humaitá.


White-faced Whistling Duck *Dendrocygna viduata* On the way to Tabajara and around Humaitá.

Black-bellied Whistling Duck *Dendrocygna autumnalis* Tabajara and Jaci-Paraná.

Orinoco Goose *Neochen jubata* About fourteen this time at Ilha dos Bufalos, Jaci-Paraná.

Muscovy Duck *Cairina moschata* Jaci-Paraná


Brazilian Teal *Amazonetta brasiliensis* Noticed at most places.
Speckled Chachalaca *Ortalis guttata* Rio Machado, Humaitá and Ramal do Noca.
(Undescribed) Guan *Penelope* sp. briefly at campina habitat in Tabajara.
Spix's Guan *Penelope jacquacu* Seen at Tabajara and at Humaitá.
Razor-billed Curassow ♦ *Mitu tuberosum* Two seen well at Rio Branco in Jaci-Paraná.
Starred Wood Quail *Odontophorus stellatus* (H) Heard at Tabajara.
Nacunda Nighthawk *Chordeiles nacunda* Seen in Humaitá and in Jaci-Paraná.
Least Nighthawk *Chordeiles pusillus* (LO) Only one seen in Tabajara.
Sand-colored Nighthawk *Chordeiles rupestris* Good sightings along the Machado River, Tabajara.
Pauraque *Nyctidromus albicollis* Tabajara, Porto Velho and Jaci-Paraná.
Spot-tailed Nightjar *Hydropsalis maculicaudus* Seen in Humaitá.
Ocellated Poorwill *Nyctiphrynus ocellatus* One flushed during the day near Porto Velho (C1).
Grey-rumped Swift *Chaetura cinereiventris* (NL) Seen at Tabajara.
Chapman's Swift ♦ (Matto Grosso S) *Chaetura [chapmani] viridipennis* Tabajara and Humaitá.
Short-tailed Swift *Chaetura brachyura* Tabajara and Jaci-Paraná.
Neotropical Palm Swift *Tachornis squamata* Noticed at most places.



Needle-billed Hermit (Eduardo Patrial)

White-necked Jacobin *Florisuga mellivora* Seen at Tabajara.
Rufous-breasted Hermit *Glaucis hirsutus* Several at Ramal do Noca, Rio Branco.
Reddish Hermit *Phaethornis ruber* At most places.
White-bearded Hermit *Phaethornis hispidus* Humaitá (varzea) and Ramal do Noca.
Needle-billed Hermit *Phaethornis philippii* Great views at C1 near Porto Velho.
Black-eared Fairy *Heliophryx auritus* Tabajara.
Green-tailed Goldenthrout *Polytmus theresiae* Tabajara, C30 and Humaitá.
Long-billed Starthroat *Helimaster longirostris* Tabajara and Ramal do Noca.

Fork-tailed Woodnymph *Thalurania furcata* At several places.
Versicolored Emerald ♦ *Chrysurnia versicolor* Tabajara and Humaitá.
White-chinned Sapphire *Chlorestes cyanus* Seen near Porto Velho.
Blue-chinned Sapphire *Chlorestes notata* Seen at Ramal do Noca.
Guira Cuckoo *Guira guira* Some noticed on the roads.
Greater Ani *Crotophaga major* Humaitá and Jaci-Paraná.
Smooth-billed Ani *Crotophaga ani* Common, seen almost every day.
Pavonine Cuckoo *Dromococcyx pavoninus* One seen at Ramal do Noca.
Little Cuckoo *Coccyzua minuta* (H) Heard in Humaitá and at Ramal do Noca.
Squirrel Cuckoo *Piaya cayana* Porto Velho, Humaitá, Jaci-Paraná and Rio Branco.
Black-bellied Cuckoo *Piaya melanogaster* (H) Heard in Tabajara and in Jaci-Paraná.
Rock Dove (introduced) *Columba livia* Frequent in the towns.
Scaled Pigeon *Patagioenas speciosa* At Tabajara.
Pale-vented Pigeon *Patagioenas cayennensis* Tabajara and Jaci-Paraná.
Plumbeous Pigeon *Patagioenas plumbea* (H) Heard in Humaitá and Ramal do Noca.
Ruddy Pigeon *Patagioenas subvinacea* Seen and heard at most forests visited on the tour.
Common Ground Dove *Columbina passerina* Noticed at most areas.
Ruddy Ground Dove *Columbina talpacoti* Common, seen at most areas visited.
Blue Ground Dove *Claravis pretiosa* Seen at C1 near Porto Velho.
White-tipped Dove *Leptotila verreauxi* Seen in Humaitá and Ramal do Noca.
Grey-fronted Dove *Leptotila rufaxilla* Seen in Humaitá.
Common Gallinule *Gallinula galeata* (NL) Spotted on the way to Ramal do Noca.
Ocellated Crane ♦ *Micropygia schomburgkii* Superb view in the grasslands at Ramal Mississipi (Mapinguari NP).
Russet-crowned Crane *Rufirallus viridis* (H) Heard in Porto Velho and at Ramal Mississipi.
Rufous-sided Crane *Laterallus melanophaius* (H) Heard at the entrance of Ramal do Noca.
Limpkin *Aramus guarauna* Around Tabajara and Ramal do Noca.
Least Grebe *Tachybaptus dominicus* (NL) Seen on way to Rio Branco.
Black-necked Stilt *Himantopus mexicanus* Seen at Jaci-Paraná.
Southern Lapwing *Vanellus chilensis* Common, frequently recorded.
Collared Plover *Charadrius collaris* One near Ilha dos Bufalos, Jaci-Paraná.
Pied Plover *Hoploxypterus cayanus* At Rio Machado and Ilha dos Bufalos.
Wattled Jacana *Jacana jacana* Sparse records during the tour, along roads in wetlands.
Black Skimmer *Rynchops niger* At Rio Machado and Rio Madeira in Humaitá.
Yellow-billed Tern *Sternula superciliaris* Rio Machado and Rio Madeira.
Large-billed Tern *Phaetusa simplex* Rio Machado and Rio Madeira.
Sunbittern *Eurypyga helias* Seen well at Igarapé Marmelo; another flushed in Humaitá.
Wood Stork *Mycteria americana* Noticed at most places.
Jabiru *Jabiru mycteria* Seen at Ramal Mississipi, Mapinguari National Park.
Anhinga *Anhinga anhinga* Rio Machado and varzea in Humaitá.
Neotropic Cormorant *Phalacrocorax brasilianus* Humaitá and Jaci-Paraná.
Green Ibis *Mesembrinibis cayennensis* Tabajara and Humaitá.
Rufescent Tiger Heron *Tigrisoma lineatum* Tabajara and Ramal do Noca.
Black-crowned Night Heron *Nycticorax nycticorax* Rio Branco.
Striated Heron *Butorides striata* Tabajara, Humaitá and Jaci-Paraná.
Western Cattle Egret *Bubulcus ibis* Frequently recorded in open areas.
Cocoi Heron *Ardea cocoi* Tabajara, Humaitá and Jaci-Paraná.
Great Egret *Ardea alba* Frequently recorded.
Capped Heron *Pilherodius pileatus* Seen at most places.
Snowy Egret *Egretta thula* Tabajara and Rio Branco.
Hoatzin *Opisthocomus hoazin* A large group in Jaci-Paraná (Rio Branco).
King Vulture *Sarcorampus papa* (NL) Ramal do Noca.
Black Vulture *Coragyps atratus* Very common, everywhere.
Turkey Vulture *Cathartes aura* Many recorded on the tour.
Lesser Yellow-headed Vulture *Cathartes burrovianus* One seen in the savanna of Ramal Mississipi.



Blue-necked Jacamar (Eduardo Pátrial)

Greater Yellow-headed Vulture *Cathartes melambrotus* Frequently recorded, common.

Western Osprey *Pandion haliaetus* Seen along Rio Madeira, Jaci-Paraná.

Pearl Kite *Gampsonyx swainsonii* Some spotted along the roads.

Grey-headed Kite *Leptodon cayanensis* Porto Velho and Jaci-Paraná.

Swallow-tailed Kite *Elanoides forficatus* Tabajara and Ramal do Noca.

Double-toothed Kite *Harpagus bidentatus* At Ramal Mississipi.

Plumbeous Kite *Ictinia plumbea* Tabajara, Porto Velho and Humaitá.

Black-collared Hawk *Busarellus nigricollis* At varzea in Humaitá.

Snail Kite *Rostrhamus sociabilis* Spotted around Tabajara.

Slender-billed Kite ♦ *Helicolestes hamatus* Great views at varzea in Humaitá.

Crane Hawk *Geranospiza caerulescens* Humaitá and Rio Branco.

Slate-colored Hawk *Buteogallus schistaceus* Great views at Igarapé Marmelo, Tabajara.

Savanna Hawk *Buteogallus meridionalis* Seen on way to Tabajara and way to Rio Branco.

Great Black Hawk *Buteogallus urubitinga* Seen in Tabajara and near Porto Velho.

Roadside Hawk *Rupornis magnirostris* Common and frequent.

White-tailed Hawk *Geranoaetus albicaudatus* Several seen on the tour.

White-browed Hawk ♦ *Leucopternis kuhli* A pair seen well at PPBio Trail in Humaitá.

Grey-lined Hawk *Buteo nitidus* Seen on way to Tabajara.

American Barn Owl *Tyto furcata* One crossing the road in Rio Branco.

Burrowing Owl *Athene cunicularia* Several spotted during the tour, mostly roadside.

Amazonian Pygmy Owl ♦ *Glaucidium hardyi* Tabajara and Humaitá.


Ferruginous Pygmy Owl *Glaucidium brasilianum* Seen at varzea in Humaitá.

Tropical Screech Owl *Megascops choliba* (NL) Seen in Tabajara.

Tawny-bellied Screech Owl ♦ (Southern T-b S O) *Megascops [watsonii] usta* (H) Tabajara and Jaci-Paraná.

Crested Owl *Lophotrix cristata* (H) Heard at C1 near Porto Velho.

Black-banded Owl *Strix huhula* Great views at C1, Porto Velho.
Pavonine Quetzal ♦ *Pharomachrus pavoninus* (H) Heard at Igarapé Marmelo Trail.
Black-tailed Trogon *Trogon melanurus* Seen at Ramal do Noca, heard at more.
Green-backed Trogon *Trogon viridis* Tabajara, Humaitá and Jaci-Paraná.
Amazonian Trogon *Trogon ramonianus* (H) Heard at Tabajara, Porto Velho and at Noca.
Blue-crowned Trogon *Trogon curucui* Porto Velho, Humaitá and Jaci-Paraná.
Collared Trogon *Trogon collaris* Seen at Ramal do Noca.
Amazon Kingfisher *Chloroceryle amazona* Quite common, seen at several places.
Green Kingfisher *Chloroceryle americana* Igarapé Marmelo, Humaitá and Jaci-Paraná.
Ringed Kingfisher *Megaceryle torquata* Frequently recorded.
Amazonian Motmot *Momotus momota* (H) Heard at Tabajara, Jaci-Paraná and at Ramal do Noca.
Broad-billed Motmot *Electron platyrhynchum* Seen well at Ramal do Noca.
Purus Jacamar ♦ *Galbalcyrhynchus purusianus* At our site in Rio Branco.
Brown Jacamar *Brachygalba lugubris* Seen at Igarapé Marmelo Trail and in Jaci-Paraná.
White-throated Jacamar ♦ *Brachygalba albogularis* Superb sightings at Ramal do Noca, Rio Branco.
Blue-necked Jacamar ♦ (B-cheeked J) *Galbula cyanicollis* Tabajara, C1 and Jaci-Paraná.
Rufous-tailed Jacamar *Galbula ruficauda* Tabajara and Ramal Mississippi.
Bluish-fronted Jacamar *Galbula cyanescens* Ramal do Noca.
Bronzy Jacamar *Galbula leucogastra* At Tabajara.
Paradise Jacamar *Galbula dea* Tabajara and Porto Velho.
White-necked Puffbird *Notharchus hyperrhynchus* Seen near Porto Velho, C1.
Brown-banded Puffbird ♦ *Notharchus ordii* Good views along C1 near Porto Velho.
Pied Puffbird *Notharchus tectus* Seen in Tabajara.
Spotted Puffbird *Bucco tamatia* (H) Heard at Tabajara and at Ramal do Noca.
White-eared Puffbird *Nystalus chacuru* (H) Heard at Ramal Mississippi, savanna habitat.
Western Striolated Puffbird *Nystalus obamai* Nice views near Porto Velho, C1.
Semicollared Puffbird ♦ *Malacoptila semicincta* (H) Heard at Ramal do Noca.
Rufous-necked Puffbird ♦ *Malacoptila rufa* Great views at Jaci-Paraná.
Fulvous-chinned Nunlet ♦ *Nonnula sclateri* Amazing views at C30 near Porto Velho.
Rufous-capped Nunlet ♦ *Nonnula ruficapilla* Two at Ramal do Noca, trail across the river.
Black-fronted Nunbird *Monasa nigrifrons* Tabajara, Humaitá, Jaci-Paraná and Ramal do Noca.
White-fronted Nunbird *Monasa morphoeus* Tabajara and Humaitá.
Yellow-billed Nunbird ♦ *Monasa flavirostris* Only two at Ramal do Noca.
Swallow-winged Puffbird *Chelidoptera tenebrosa* Common and frequent along the tour.
Black-girdled Barbet ♦ *Capito dayi* Seen well in Tabajara.
Gilded Barbet *Capito auratus* Seen at C1 and at Ramal Mississippi.
Lemon-throated Barbet *Eubucco richardsoni* Seen well at Ramal do Noca.
Lettered Aracari *Pteroglossus inscriptus* (LO) At Tabajara.
Red-necked Aracari ♦ *Pteroglossus bitorquatus* Good views in Tabajara.
Brown-mandibled Aracari *Pteroglossus mariae* Seen well at Ramal C1 and C30 near Porto Velho.
Chestnut-eared Aracari *Pteroglossus castanotis* Jaci-Paraná and Ramal do Noca.
Curl-crested Aracari ♦ *Pteroglossus beauharnaisii* Seen at Ramal C1.
Golden-collared Toucanet *Selenidera reinwardtii* Seen at Ramal Mississippi.
Channel-billed Toucan *Ramphastos [vitellinus] vitellinus* Seen on way to Tabajara.
White-throated Toucan (Red-billed T) *Ramphastos [tucanus] tucanus* Frequently recorded.
Rufous-breasted Piculet *Picumnus rufiventris* A shy pair at Ramal do Noca.
Fine-barred Piculet *Picumnus subtilis* Seen well at Ramal do Noca and in Rio Branco.
Yellow-tufted Woodpecker *Melanerpes cruentatus* Tabajara, Humaitá, Jaci and Rio Branco, quite common.
Little Woodpecker *Veniliornis passerinus* Seen at varzea of Humaitá.
Red-stained Woodpecker *Veniliornis affinis* Porto Velho and Humaitá.
Yellow-throated Woodpecker *Piculus flavigula* Seen at Tabajara.
Spot-breasted Woodpecker *Colaptes punctigula* Humaitá, Jaci-Paraná and Rio Branco.
Cream-colored Woodpecker *Celeus flavus* At varzea of Humaitá.
Rufous-headed Woodpecker ♦ *Celeus spectabilis* One seen well at Ramal do Noca, Rio Branco.



Rufous-breasted Piculet (Eduardo Patrial)

- Ringed Woodpecker *Celeus torquatus* (H) Heard in Tabajara.
- Lineated Woodpecker *Dryocopus lineatus* Seen in Humaitá, Jaci-Paraná and Rio Branco.
- Red-necked Woodpecker *Campephilus rubricollis* Tabajara.
- Crimson-crested Woodpecker *Campephilus melanoleucos* Jaci-Paraná.
- Black Caracara *Daptrius ater* Tabajara, Porto Velho and Humaitá.
- Red-throated Caracara *Ibycter americanus* Seen at Tabajara and at Jaci-Paraná.
- Crested Caracara (Southern C C) *Caracara [plancus] plancus* Frequently recorded during travels.
- Yellow-headed Caracara *Milvago chimachima* Some recorded around Tabajara and Humaitá.
- Laughing Falcon *Herpetotheres cachinnans* Jaci-Paraná.
- Barred Forest Falcon *Micrastur ruficollis* (H) Heard at C30.
- Cryptic Forest Falcon ♦ *Micrastur mintoni* Brief view at Igarapé Marmelo Trail, Tabajara.
- American Kestrel *Falco sparverius* Spotted along roadsides on travels.
- Bat Falcon *Falco ruficularis* On way to Tabajara, Jaci-Paraná and Ramal do Noca.
- Manu Parrotlet ♦ *Nannopsittaca dechilleae* Silhouette view of a group in flight, Ramal do Noca.
- Tui Parakeet *Brotogeris sanctithomae* Abundant in Humaitá (varzea) and at Ramal do Noca.
- Golden-winged Parakeet *Brotogeris chrysoptera* Frequent in Tabajara, also seen in Porto Velho and Humaitá.
- Orange-cheeked Parrot *Pyrilia barrabandi* Flight views in Tabajara and at Ramal do Noca.
- Blue-headed Parrot *Pionus menstruus* Frequently recorded on the tour.
- Short-tailed Parrot *Graydidascalus brachyurus* Roosting festival in front of our hotel in Humaitá.
- Festive Amazon ♦ *Amazona festiva* Small group seen well at varzea of Humaitá.
- Yellow-crowned Amazon *Amazona ochrocephala* Seen and heard at several places.
- Southern Mealy Amazon *Amazona farinosa* Porto Velho, Humaitá and Noca.
- Kawall's Amazon ♦ *Amazona kawalli* Superb views in Tabajara, abundant.
- White-bellied Parrot *Pionites leucogaster* (H) Heard near Porto Velho and at Ramal do Noca.
- Crimson-bellied Parakeet ♦ *Pyrrhura perlata* Flight view at Tabajara.

Santarem Parakeet ◇ *Pyrrhura amazonum* Seen well in Jaci-Paraná.
Bonaparte's Parakeet ◇ *Pyrrhura lucianii* Brief flight views in Humaitá and Ramal Mississippi.
Peach-fronted Parakeet *Eupsittula aurea* At Ramal Mississippi, savanna habitat.
Brown-throated Parakeet *Eupsittula pertinax* Very unusual record, two in flight at campina in Tabajara.
Dusky-headed Parakeet *Aratinga weddellii* Frequent along the whole tour.
Red-bellied Macaw *Orthopsittaca manilatus* Seen near Porto Velho and on way to Rio Branco.
Blue-headed Macaw ◇ *Primolius couloni* Great views at Ramal do Noca.
Blue-and-yellow Macaw *Ara ararauna* Tabajara, Porto Velho and Ramal Mississippi.
Chestnut-fronted Macaw *Ara severus* Frequent at Ramal do Noca; also seen in Humaitá.
Scarlet Macaw *Ara macao* Frequently spotted on the tour.
Red-and-green Macaw *Ara chloropterus* Seen in Tabajara.
Red-shouldered Macaw *Diopsittaca nobilis* Group seen at Ramal Mississippi, savanna habitat.
White-eyed Parakeet *Psittacara leucophthalmus* On the road to Tabajara and at Ramal do Noca.
Spot-throated Woodcreeper *Certhiasomus stictolaemus* (H) Heard in Tabajara and at Ramal do Noca.
Olivaceous Woodcreeper *Sittasomus griseicapillus* Tabajara and Ramal do Noca.
Long-tailed Woodcreeper *Deconychura longicauda* Tabajara and Humaitá.
White-chinned Woodcreeper ◇ *Dendrocincla merula* Tabajara and Humaitá, ant swarm.
Wedge-billed Woodcreeper *Glyphorynchus spirurus* (H) Heard in Tabajara and in Humaitá.
Cinnamon-throated Woodcreeper *Dendrexetastes rufigula* (H) Heard at Ramal do Noca.
Long-billed Woodcreeper *Nasica longirostris* Great views in the varzea of Humaitá.
Black-banded Woodcreeper *Dendrocolaptes picumnus* Seen in Humaitá.
Hoffmann's Woodcreeper ◇ *Dendrocolaptes hoffmannsi* Great views in Jaci-Paraná.
Uniform Woodcreeper ◇ *Hylexetastes uniformis* A pair seen this time in Jaci-Paraná.
Striped Woodcreeper *Xiphorhynchus obsoletus* Seen at Igarapé Marmelo Trail, Tabajara.
Elegant Woodcreeper *Xiphorhynchus elegans* Tabajara and Humaitá.
Buff-throated Woodcreeper *Xiphorhynchus guttatus* Seen in Tabajara, heard at more places.
Straight-billed Woodcreeper *Dendroplex picus* Humaitá, Jaci-Paraná and Rio Branco.
Zimmer's Woodcreeper ◇ *Dendroplex kienerii* Seen well at varzea of Humaitá.
Inambari Woodcreeper ◇ *Lepidocolaptes fatimalimae* Linha C1 and Ramal do Noca.
Dusky-capped Woodcreeper ◇ *Lepidocolaptes fuscicapillus* (H) Heard in Jaci-Paraná.
Pale-legged Hornero *Furnarius leucopus* Spotted at Ramal do Noca.
Lesser Hornero *Furnarius minor* A nice one at Ilha (island) dos Bufalos in Jaci-Paraná.
Rufous-rumped Foliage-gleaner *Philydor erythrocercum* Tabajara
Chestnut-winged Hookbill *Ancistrops strigilatus* Seen in Tabajara.
Chestnut-crowned Foliage-gleaner *Automolus rufipileatus* (H) Heard at Ramal do Noca.
Brown-rumped Foliage-gleaner ◇ *Automolus melanopezus* Superb looks at this fine bamboo special, Noca.
Buff-throated Foliage-gleaner *Automolus ochrolaemus* (H) Heard at several places.
Olive-backed Foliage-gleaner *Automolus infuscatus* Seen well in Humaitá.
Plain Softtail ◇ *Thripophaga fusciceps* Few individuals seen very well at the varzea of Humaitá.
Parker's Spinetail ◇ *Cranioleuca vulpecula* Ilha do Bufalos, Jaci-Paraná, great views.
Yellow-chinned Spinetail *Certhiaxis cinnamomeus* Varzea of Humaitá.
White-bellied Spinetail *Mazaria propinqua* A shy one at Ilha dos Bufalos, but seen well.
Plain-crowned Spinetail *Synallaxis gujanensis* Varzea of Humaitá.
Cinereous-breasted Spinetail *Synallaxis hypospodia* At Ramal Mississippi, in the grasslands.
Pale-breasted Spinetail *Synallaxis albescens* (H) Heard in campina in Tabajara.
Ruddy Spinetail *Synallaxis rutilans* Seen at Marmelo Trail, Tabajara.
Spot-winged Antshrike *Pygiptila stellaris* Seen in Humaitá, heard in Tabajara.
Dot-winged Antwren *Microrhopias quixensis* (H) Heard in Humaitá and Jaci-Paraná.
Rondonia Bushbird ◇ *Clytoctantes atrogularis* (H) Heard once in Jaci-Paraná.
White-eyed Stipplethroat *Epinecrophylla leucophthalma* Seen in Tabajara.
Rio Madeira Stipplethroat ◇ *Epinecrophylla [amazonica] amazonica* Seen well in Humaitá, PPBioTrail.
Rio Madeira Stipplethroat ◇ (Roosevelt S) *Epinecrophylla [amazonica] dentei* Igarapé Marmelo Trail.
Ornate Stipplethroat *Epinecrophylla ornata* Seen well at Ramal do Noca.
Black-throated Antbird *Myrmophylax atrothorax* At Ramal do Noca.



Plumbeous Antbird (Eduardo Patrial)

- Pygmy Antwren** *Myrmotherula brachyura* Seen at Noca, heard at several other sites.
- Amazonian Streaked Antwren** *Myrmotherula multostriata* (H) Heard in Tabajara.
- Sclater's Antwren** *Myrmotherula sclateri* Tabajara and C1.
- White-flanked Antwren** *Myrmotherula axillaris* Tabajara.
- Long-winged Antwren** *Myrmotherula longipennis* Tabajara.
- Ihering's Antwren (Bamboo A)** ◇ *Myrmotherula [iheringi] oreni* Great views at Ramal do Noca.
- Grey Antwren** *Myrmotherula menetriesii* Tabajara and at Ramal do Noca.
- Leaden Antwren** ◇ *Myrmotherula assimilis* Good views at the varzea of Humaitá.
- Black-and-white Antbird** ◇ *Myrmochanes hemileucus* A very nice one at Ilha dos Bufalos, Jaci-Paraná.
- Southern White-fringed Antwren** *Formicivora grisea* Seen well in Tabajara, campina habitat.
- Rusty-backed Antwren** *Formicivora rufa* A pair at Ramal Mississippi, grassland habitat.
- Banded Antbird** *Dichrozona cincta* Great views in Tabajara.
- Plain-throated Antwren** *Isleria hauxwelli* Tabajara.
- Saturnine Antshrike** ◇ *Thamnomanes saturninus* Good views in Tabajara.
- Cinereous Antshrike** *Thamnomanes caesius* Tabajara.
- Bluish-slate Antshrike** ◇ *Thamnomanes schistogynus* (H) Only heard at Ramal do Noca.
- Pearly Antshrike** ◇ *Megastictus margaritatus* Brief sighting at Igarapé Marmelo trail.
- Aripuana Antwren** ◇ *Herpsilochmus stotzi* Seen at Igarapé Marmelo.
- Predicted Antwren** ◇ *Herpsilochmus praedictus* Seen at Ramal C30 near Porto Velho.
- Rusty-winged Antwren** *Herpsilochmus frater* (H) Heard at Igarapé Marmelo trail.
- Barred Antshrike** *Thamnophilus doliatus* Seen at Ramal do Noca.
- Chestnut-backed Antshrike** *Thamnophilus palliatus* Tabajara.
- White-shouldered Antshrike** *Thamnophilus aethiops* Seen in Humaitá and Jaci-Paraná.
- Plain-winged Antshrike** *Thamnophilus schistaceus* (H) Heard in Jaci-Paraná.
- Mouse-colored Antshrike** *Thamnophilus murinus* Seen in Tabajara, heard at more.

Natterer's Slaty Antshrike ♦ *Thamnophilus stictocephalus* Tabajara.
Amazonian Antshrike *Thamnophilus amazonicus* Igarapé Marmelo trail, Tabajara.
Glossy Antshrike ♦ *Sakesphorus luctuosus* Seen well in Tabajara and Humaitá.
Fasciated Antshrike *Cymbilaimus lineatus* Jaci-Paraná and Ramal do Noca.
Bamboo Antshrike ♦ *Cymbilaimus sanctaemariae* Nice views at Ramal do Noca.
Great Antshrike *Taraba major* Humaitá.
Undulated Antshrike ♦ *Frederickena unduliger* Great views of pair at C1 near Porto Velho.
White-throated Antbird *Oneillornis salvini* C1 and Humaitá.
White-breasted Antbird ♦ *Rhegmatorhina hoffmannsi* Breath-taking encounter in Tabajara.
Hairy-crested Antbird *Rhegmatorhina melanosticta* Close views in Humaitá.
Black-spotted Bare-eye *Phlegopsis nigromaculata* Amazing sightings in Tabajara.
Reddish-winged Bare-eye ♦ *Phlegopsis erythroptera* At ant swarm in Humaitá, a mega!
Pale-faced Bare-eye ♦ *Phlegopsis borbae* (H) Heard once along the Marmelo Trail, Tabajara.
Common Scale-backed Antbird *Willisornis poecilinotus* Tabajara.
Striated Antbird ♦ *Drymophila devillei* A nice one in bamboo at Ramal do Noca.
Peruvian Warbling Antbird *Hypocnemis peruviana* Humaitá.
Yellow-breasted Warbling Antbird *Hypocnemis subflava* Seen well at Ramal do Noca.
Rondonia Warbling Antbird ♦ *Hypocnemis ochrogyna* At Tabajara.
Manicore Warbling Antbird ♦ *Hypocnemis rondoni* Seen well at Igarapé Marmelo trails.
Southern Chestnut-tailed Antbird *Sciaphylax hemimelaena* Seen well in Jaci-Paraná.
Blackish Antbird *Cercomacroides nigrescens* Jaci-Paraná.
Riparian Antbird ♦ *Cercomacroides fuscicauda* Ramal do Noca.
Black Antbird *Cercomacroides serva* Linha C1 near Porto Velho.
Grey Antbird *Cercomacra cinerascens* (H) Tabajara, Jaci-Paraná and Noca.
Black-chinned Antbird *Hypocnemoides melanopogon* Varzea of Humaitá.
Spot-backed Antbird *Hylophylax naevius* At Igarapé Marmelo trail.
Silvered Antbird *Sclateria naevia* Humaitá.
Plumbeous Antbird *Myrmelastes hyperythrus* Gorgeous bird, at Ramal do Noca.
Humaita Antbird ♦ *Myrmelastes humaythae* At C30 and Humaitá.
Rufous-faced Antbird ♦ *Myrmelastes rufifacies* Seen well in Tabajara.
White-lined Antbird ♦ *Myrmoborus lophotes* (H) Heard at Ramal do Noca.
Black-faced Antbird *Myrmoborus myotherinus* (H) Heard at several places.
White-browed Antbird *Myrmoborus leucophrys* At Ramal do Noca.
Goeldi's Antbird ♦ *Percnostola goeldii* Superb views at Ramal do Noca.
Sooty Antbird *Percnostola fortis* Brief sighting at C1.
Rufous-capped Antthrush *Formicarius colma* (H) Heard at Humaitá.
Black-faced Antthrush *Formicarius analis* (H) Heard at Ramal do Noca.
Amazonian Antpitta *Hylopezus berlepschi* (H) Heard at Ramal do Noca.
Thrush-like Antpitta *Myrmothera campanisona* (H) Heard at Ramal C1.
Tapajos Antpitta ♦ *Myrmothera subcanescens* (H) Heard in Jaci-Paraná.
Rusty-belted Tapaculo *Liosceles thoracicus* Great views, Tabajara.
Wing-barred Piprites *Piprites chloris* (H) Heard at few places.
Yellow-crowned Tyrannulet *Tyrannulus elatus* Tabajara, Humaitá and Rio Branco.
Forest Elaenia *Myiopagis gaimardii* Several on the tour.
Grey Elaenia *Myiopagis caniceps* (H) Tabajara and C1.
Yellow-crowned Elaenia *Myiopagis flavivertex* at varzea of Humaitá.
Yellow-bellied Elaenia *Elaenia flavogaster* (H) Heard at Ramal Mississippi.
Brownish Elaenia ♦ *Elaenia pelzelni* Great views at Ilha dos Bufalos in Jaci-Paraná.
Rufous-crowned Elaenia *Elaenia ruficeps* Seen well in Tabajara, campina habitat.
White-lored Tyrannulet *Ornithion inerme* (H) Heard at few places.
Southern Beardless Tyrannulet *Camptostoma obsoletum* Humaitá.
Mouse-colored Tyrannulet *Phaeomyias murina* (H) Rio Branco.
Yellow Tyrannulet *Capsiempis flaveola* Humaitá and Ramal do Noca.
Lesser Wagtail-Tyrant ♦ *Stigmatura [napensis] napensis* A pair at ilha dos Bufalos, Jaci-Paraná.



Rio Madeira Stipplethroat (Eduardo Patrial)

Chico's Tyrannulet ♦ *Zimmerius chicomendesi* It gave some work but seen well in the end, Tabajara.
Slender-footed Tyrannulet *Zimmerius gracilipes* (H) Tabajara.
Sepia-capped Flycatcher *Leptopogon amaurocephalus* Tabajara and Ramal do Noca.
Southern Scrub Flycatcher *Sublegatus modestus* At Ramal Mississipi.
Sharp-tailed Grass Tyrant ♦ *Culicivora caudacuta* Grasslands of Ramal Mississipi.
Flammulated Bamboo Tyrant ♦ *Hemitriccus flammulatus* Seen briefly at Ramal do Noca.
Snethlage's Tody-Tyrant ♦ *Hemitriccus [minor] snethlageae* (H) Heard at Tabajara.
Snethlage's Tody-Tyrant ♦ *Hemitriccus [minor] pallens* Seen well in Humaitá.
Acre Tody-Tyrant ♦ *Hemitriccus cohnhafti* Very tricky, Ramal do Noca.
Zimmer's Tody-Tyrant ♦ *Hemitriccus minimus* Close views at C30.
Johannes's Tody-Tyrant ♦ *Hemitriccus iohannis* at trail across the river, Ramal do Noca.
Stripe-necked Tody-Tyrant *Hemitriccus striaticollis* (NL) Seen at Ilha dos Bufalos.
Short-tailed Pygmy Tyrant *Myiornis ecaudatus* (NL) Seen at Ramal Mississipi.
Long-crested Pygmy Tyrant ♦ *Lophotriccus eulophotes* One found at Noca do Noca.
Buff-cheeked Tody-Flycatcher ♦ *Poecilotriccus senex* Seen in Tabajara.
Rusty-fronted Tody-Flycatcher *Poecilotriccus latirostris* Humaitá.
Spotted Tody-Flycatcher *Todirostrum maculatum* Humaitá.
Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum* At Ramal Mississipi.
Rufous Twistwing ♦ *Cnipodectes superrufus* Fantastic views at Ramal do Noca.
Zimmer's Flatbill ♦ *Tolmomyias assimilis* Tabajara.
Grey-crowned Flatbill *Tolmomyias poliocephalus* (H) Heard in Humaitá.
Ochre-lored Flatbill *Tolmomyias flaviventris* (H) Heard at campina in Tabajara.
Golden-crowned Spadebill *Platyrinchus coronatus* (LO) Briefly along the Marmelo Trail.
White-crested Spadebill *Platyrinchus platyrhynchos* (H) Tabajara and Jaci-Paraná.
Euler's Flycatcher *Lathrotriccus euleri* At Ramal do Noca.

Scarlet Flycatcher *Pyrocephalus rubinus* Seen at Ramal Mississippi.
Drab Water Tyrant *Ochthornis littoralis* Frequent along Rio Machado, also seen in Jaci-Paraná and river at Noca.
Little Ground Tyrant *Syrtydicola fluviatilis* One spotted near the shore at Ilha dos Bufalos.
Riverside Tyrant *Knipolegus orenocensis* One male at Ilha dos Bufalos.
Amazonian Black Tyrant *Knipolegus poecilocercus* Two seen at varzeas of Humaitá.
Long-tailed Tyrant *Colonia colonus* Seen at Ramal do Noca.
Piratic Flycatcher *Legatus leucophaeus* (H) Tabajara.
Rusty-margined Flycatcher *Myiozetetes cayanensis* Tabajara, Humaitá and Noca.
Social Flycatcher *Myiozetetes similis* Ilha do Bufalos (Jaci-Paraná); frequent at Ramal do Noca.
Dusky-chested Flycatcher *Myiozetetes luteiventris* Ramal do Noca.
Great Kiskadee *Pitangus sulphuratus* Seen and heard at several places.
Lesser Kiskadee *Philohydor lictor* Humaitá, Jaci-Paraná and Rio Branco.
Streaked Flycatcher *Myiodynastes maculatus* Ramal do Noca.
Boat-billed Flycatcher *Megarynchus pitangua* (H) Heard in Tabajara.
Crowned Slaty Flycatcher *Griseotyrannus aurantioatrocristatus* Tabajara and Noca.
White-throated Kingbird *Tyrannus albogularis* Seen at Ramal Mississippi.
Tropical Kingbird *Tyrannus melancholicus* Very common on the tour.
Fork-tailed Flycatcher *Tyrannus savana* Seen on road to Tabajara.
Greyish Mourner *Rhytipterna simplex* Seen at C30, heard at other places.
Pale-bellied Mourner ♦ *Rhytipterna immunda* Campina habitat in Tabajara.
Rufous Casiornis *Casiornis rufus* (NL) Spotted in Tabajara.
Dusky-capped Flycatcher *Myiarchus tuberculifer* Tabajara.
Short-crested Flycatcher *Myiarchus ferox* Tabajara and Ilha dos Bufalos.
Rufous-tailed Flatbill *Ramphotrigon ruficauda* (H) Tabajara and Humaitá.
Dusky-tailed Flatbill ♦ *Ramphotrigon fuscicauda* (H) Ramal do Noca
Cinnamon Attila *Attila cinnamomeus* Humaitá, varzea.
Citron-bellied Attila *Attila citriniventris* Good views at PPBio Trail, Humaitá.
White-eyed Attila *Attila bolivianus* (H) Ramal do Noca.
Bright-rumped Attila *Attila spadiceus* (H) Heard at several places.
Black-necked Red Cotinga ♦ *Phoenicircus nigricollis* One glimpsed in Jaci-Paraná.
Screaming Piha *Lipaugus vociferans* Seen well in Tabajara, heard at most places.
Spangled Cotinga *Cotinga cayana* Ramal Mississippi, Jaci-Paraná and Ramal do Noca.
Black-faced Cotinga ♦ *Conioptilon mcilhennyi* Great views at Noca.
Bare-necked Fruitcrow *Gymnoderus foetidus* Tabajara.
Dwarf Tyrant-Manakin *Tyranneutes stolzmanni* Seen at Ramal Mississippi, heard at more.
Sulphur-bellied Tyrant-Manakin ♦ *Neopelma sulphureiventer* At Assis Trail, Ramal do Noca.
Blue-backed Manakin *Chiroxiphia pareola* At C30, near Porto Velho.
Black Manakin ♦ *Xenopipo atronitens* Tabajara.
Blue-crowned Manakin *Lepidothrix coronata* Female at Linha C30.
Snow-capped Manakin ♦ *Lepidothrix nattereri* Tabajara.
Flame-crested Manakin ♦ *Heterocercus linteatus* A nice male in Tabajara.
White-bearded Manakin *Manacus manacus* (H) Tabajara.
Band-tailed Manakin *Pipra fasciicauda* (H) Ramal do Noca.
Fiery-capped Manakin *Machaeropterus pyrocephalus* Humaitá and Jaci-Paraná.
Red-headed Manakin *Ceratopipra rubrocapilla* Tabajara and Jaci-Paraná.
Amazonian Royal Flycatcher *Onychorhynchus coronatus* (H) Heard in Tabajara and at Noca.
Ruddy-tailed Flycatcher *Terenotriccus erythrurus* (H) Humaitá.
Black-crowned Tityra *Tityra inquisitor* Seen at Noca.
Masked Tityra *Tityra semifasciata* Noca.
Varzea Schiffornis *Schiffornis major* (NL) Heard at varzea and seen by few, Humaitá.
Brown-winged Schiffornis *Schiffornis turdina* Tabajara, heard at more.
White-browed Purpletuft *Iodopleura isabellae* Tabajara and Noca.
Yellow-cheeked Becard *Pachyramphus xanthogenys* Seen well at Noca.
Cinereous Becard *Pachyramphus rufus* A nice one at Ilha dos Bufalos.



Flame-crested Manakin (Eduardo Patrial)

Chestnut-crowned Becard *Pachyramphus castaneus* At Noca.
White-winged Becard *Pachyramphus polychopterus* Humaitá and Noca.
Black-capped Becard *Pachyramphus marginatus* Igarapé Marmelo.
Glossy-backed Becard *Pachyramphus surinamus* A very nice surprise at C1 near Porto Velho.
Rufous-browed Peppershrike *Cyclarhis gujanensis* (H) Noca.
Slaty-capped Shrike-Vireo *Vireolanius leucotis* (H) Tabajara and Porto Velho.
Chivi Vireo *Vireo chivi* Several, more in Tabajara.
Lemon-chested Greenlet *Hylophilus thoracicus* (H) Heard at Noca, Assis Trail.
Grey-chested Greenlet *Hylophilus semicinereus* Close views in Tabajara.
Dusky-capped Greenlet *Hylophilus hypoxanthus* At Noca.
Buff-cheeked Greenlet *Hylophilus muscicapinus* Seen well in Tabajara.
Azure-naped Jay ♦ (Campina J) *Cyanocorax [heilprini] hafferi* This time seen in Humaitá.
Plush-crested Jay *Cyanocorax [chrysops] diesingii* Seen well in Tabajara, campina habitat.
White-winged Swallow *Tachycineta albiventer* Frequent on rivers.
Grey-breasted Martin *Progne chalybea* Noticed at several places.
White-banded Swallow *Atticora fasciata* Plenty in Tabajara, also seen in Jaci-Paraná and at Noca.
Black-collared Swallow *Atticora melanoleuca* A large number in Tabajara.
Southern Rough-winged Swallow *Stelgidopteryx ruficollis* Frequently recorded on the tour.
Black-capped Donacobius *Donacobius atricapilla* Humaitá.
Thrush-like Wren *Campylorhynchus turdinus* Humaitá, varzea.
Tooth-billed Wren ♦ *Odontorchilus cinereus* Seen at Marmelo Trail and in Jaci-Paraná.
Moustached Wren *Pheugopedius genibarbis* Seen at Noca, heard at several other places.
Buff-breasted Wren *Cantorchilus leucotis* Seen in Tabajara, Rio Machado.
House Wren (Southern H W) *Troglodytes [aedon] musculus* Seen in Humaitá.
Southern Nightingale-Wren *Microcerculus marginatus* (H) Humaitá and Jaci-Paraná.

Trilling Gnatwren *Ramphocaenus melanurus* Marmelo Trail, Tabajara.
 Para Gnatcatcher ◇ *Polioptila paraensis* (H) Heard at Marmelo Trail.
 Creamy-bellied Thrush *Turdus amaurochalinus* C30 and at Noca.
 Campina Thrush ◇ *Turdus arthuri* One briefly at Tabajara.
 White-necked Thrush *Turdus albicollis* (H) Noca.
 Hauxwell's Thrush *Turdus hauxwelli* (H) Noca.
 House Sparrow (introduced) *Passer domesticus* Always noticed in towns, villages, gas stations.
 Purple-throated Euphonia *Euphonia chlorotica* Humaitá.
 White-lored Euphonia *Euphonia chrysopasta* C1 and Noca.
 White-vented Euphonia *Euphonia minuta* Tabajara.
 Rufous-bellied Euphonia *Euphonia rufiventris* Tabajara, Porto Velho and Humaitá.
 Grassland Sparrow *Ammodramus humeralis* Ramal Mississippi.
 Yellow-browed Sparrow *Ammodramus aurifrons* Tabajara, Jaci-Paraná and Ramal do Noca.
 Red-breasted Blackbird *Leistes militaris* Plenty on the tour, open disturbed areas.
 Crested Oropendola *Psarocolius decumanus* Tabajara, Humaitá, Jaci-Paraná.
 Green Oropendola *Psarocolius viridis* Tabajara, Humaitá and Jaci-Paraná.
 Yellow-rumped Cacique *Cacicus cela* Frequently recorded on the tour.
 Orange-backed Troupial *Icterus croconotus* Seen at Ramal do Noca.
 Giant Cowbird *Molothrus oryzivorus* Large flock in Tabajara.
 Buff-rumped Warbler *Myiothlypis fulvicauda* (H) Ramal Mississippi and Noca.
 Red-billed Pied Tanager ◇ *Lamprospiza melanoleuca* Humaitá.
 Red-crowned Ant Tanager *Habia rubica* (H) Heard in Tabajara.
 Amazonian Grosbeak *Cyanoloxia rothschildii* (H) Noca.
 Hooded Tanager *Nemosia pileata* Humaitá, varzea.
 Black-masked Finch ◇ *Coryphaspiza melanotis* Nice views at Ramal Mississippi (Ramal das Campinas).
 Wedge-tailed Grass Finch *Emberizoides herbicola* Same as above.
 Green Honeycreeper *Chlorophanes spiza* Tabajara, C1 and Ramal Mississippi.
 Yellow-backed Tanager *Hemithraupis flavicollis* Tabajara, Linha C01 and Humaitá.
 Swallow Tanager *Tersina viridis* Noca.
 Purple Honeycreeper *Cyanerpes caeruleus* Several on the tour.
 Short-billed Honeycreeper *Cyanerpes nitidus* Tabajara.
 Blue Dacnis *Dacnis cayana* Few times spotted.
 Yellow-bellied Dacnis *Dacnis flaviventer* In Tabajara.
 Black-faced Dacnis *Dacnis lineata* Mississippi and Noca.
 Blue-grey Saltator *Saltator coerulescens* Seen in Humaitá (varzea).
 Buff-throated Saltator *Saltator maximus* Noticed at several places.
 Slate-colored Grosbeak *Saltator grossus* (H) Jaci-Paraná.
 Bananaquit *Coereba flaveola* Tabajara and Humaitá.
 Blue-black Grassquit *Volatinia jacarina* Plenty on the tour.
 Flame-crested Tanager *Loriotus cristatus* Tabajara, C1 and Noca.
 White-shouldered Tanager *Loriotus luctuosus* Seen at Noca.
 Fulvous-crested Tanager *Tachyphonus surinamus* Tabajara and Jaci-Paraná.
 Red-shouldered Tanager *Tachyphonus phoenicius* Tabajara, campina.
 White-winged Shrike-Tanager *Lanio versicolor* Marmelo Trail.
 Masked Crimson Tanager *Ramphocelus nigrogularis* Seen in Humaitá, varzea.
 Silver-beaked Tanager *Ramphocelus carbo* Common on the tour.
 Wing-barred Seedeater *Sporophila americana* Nice male at Ilha dos Bufalos.
 Double-collared Seedeater *Sporophila caerulea* Mississippi, Jaci-Paraná and Rio Branco.
 Chestnut-bellied Seed Finch *Sporophila angolensis* Humaitá and Ramal do Noca.
 Plumbeous Seedeater *Sporophila plumbea* Ramal Mississippi, grasslands.
 Chestnut-bellied Seedeater *Sporophila castaneiventris* Humaitá and several at Noca.
 Dark-throated Seedeater *Sporophila ruficollis* Few females at Ramal Mississippi.
 White-rumped Tanager ◇ *Cypsnagra hirundinacea* A pair at Ramal Mississippi.
 Chestnut-vented Conebill *Conirostrum speciosum* (H) Humaitá and Noca.



Paradise Tanager (Eduardo Patrial)

- Magpie Tanager** *Cissopis leverianus* Noca.
Red-capped Cardinal *Paroaria gularis* Tabajara, Humaitá (varzea) and Jaci-Paraná.
Blue-grey Tanager *Thraupis episcopus* Common on tour.
Palm Tanager *Thraupis palmarum* Same as above.
Masked Tanager *Stilpnia nigrocincta* at C1.
Turquoise Tanager *Tangara mexicana* Jaci-Paraná and Noca.
Paradise Tanager *Tangara chilensis* Porto Velho, Ramal Mississipi and Noca.
Opal-rumped Tanager *Tangara velia* Tabajara, C1 and Ramal Mississipi.

MAMMALS (15)

- Southern Tamandua** *Tamandua tetradactyla* One along Ramal Mississipi, walking on the road.
Crab-eating Fox *Cerdocyon thous* Jaci-Paraná.
Tayra *Eira barbara* At Ramal do Noca.
Lesser Bulldog Bat (L Fishing B) *Noctilio albiventris* Tabajara, Rio Machado.
Large-headed Capuchin *Sapajus macrocephalus* Jaci-Paraná and Noca.
Rondon's Marmoset ♦ *Mico rondoni* Seen at Ramal do Caldeirão, Tabajara.
Weddell's Saddle-back Tamarin *Leontocebus weddelli* At Tabajara and Ramal do Noca.
Emperor Tamarin *Saguinus imperator* Amazing sightings at Ramal do Noca.
Eastern Pygmy Marmoset *Cebuella niveiventris* Superb encounter at Ramal do Noca.
Black-headed Night Monkey *Aotus nigriceps* A group at daytime at Assis Trail, Ramal do Noca.
Prince Bernhard's Titi Monkey ♦ *Plecturocebus bernhardi* Seen well at Igarapé Marmelo Trail, Tabajara.
Brown Titi Monkey *Plecturocebus brunneus* Seen in Jaci-Paraná.
Coppery Titi Monkey *Plecturocebus cupreus* Good views at Ramal do Noca.


Black-faced Spider Monkey *Ateles chamek* Rio Machado and Jaci-Paraná.

Common Woolly Monkey *Lagothrix lagothricha* Small group at Marmelo Trail, Tabajara.



Top: Weddell's Saddle-back Tamarin

Bottom: Rondon's Marmoset



Top: Emperor Tamarin
Photos: Eduardo Patrial

Bottom: Eastern Pygmy Marmoset

Top five voted by the group

- 1. White-breasted Antbird**
- 2. Reddish-winged Bare-eye**
- 3. Fulvous-chinned Nunlet**
- 4. Rufous Twistwing**
- 5. Pygmy Marmoset**