



## INDONESIA'S SOUTHERN & CENTRAL MOLUCCAS TOUR REPORT 2023

26 November - 12 December 2023

BY DÁNI BALLA

The tour visiting the Southern and Central Moluccas is one of the most endemic-rich ones put together in the region as it is visiting numerous islands. In 2023 we did our best to find the specialties of the following islands: Ambon, Haruku, Seram, Boano, Kai Kecil, Kai Besar with the extension reaching Yamdena (Tanimbars). The number of islands and a well-organized team supporting us, helped us finding an incredible number of endemic and special bird species.

The trip highlights in 2023 were the following: Moluccan Megapode, Seram Swiftlet, Pied Bronze Cuckoo, Moluccan Cuckoo, Amboyna and Tanimbar Cuckoo-Doves, Buru Green Pigeon, Wallace's, Superb, Rose-crowned, White-bibbed and Claret-breasted Fruit Doves, Spectacled and Seram Imperial Pigeons, Buru and Seram Mountain Pigeons, Rufous-necked Sparrowhawk, Moluccan Masked Owl, Buru (only heard), Seram and Tanimbar Boobooks, Moluccan Scops Owl, Lazuli, Cinnamon-banded and Moluccan Dwarf Kingfishers, Spotted Kestrel, Tanimbar Corella, Salmon-crested Cockatoo, Moluccan King Parrot, Buru Racket-tail, Moluccan and Tanimbar Eclectus, Great Billed and Black-lored Parrots, Purple-naped, Blue-streaked, Blue-eared and Red Lorys, South Moluccan, Papuan and Banda Sea Pittas, Drab, Banda and Wakolo Myzomelas, Seram, Buru and Tanimbar Friarbirds, Scaly-breasted, Buru and Seram Honeyeaters, Buru, Wallacean and Moluccan Cuckooshrikes, Kai and Pale Cicadabirds, White-browed Triller, Island, Grey, Yellow-throated, Wallacean and Drab Whistlers, Grey-collared (Seram), Black-eared (Buru) and Tanimbar Orioles, Drongos of Seram, Buru, Tanimbar and Kai, Cinnamon-tailed, Streak-breasted, Tawny and Long-tailed Fantails, Kai, Buru and Seram forms of Northern Fantail, a great set of Monarchs including Black-bibbed, Boano, Moluccan, Kai, Buru, Island, White-naped and Tanimbar, Moluccan and Broad-billed Flycatcher, Violet Crow, Golden-bellied Flyrobin, Seram and Buru Golden Bulbuls, Tanimbar, Buru and Seram Bush Warblers, Kai, Seram and Buru forms of Island Leaf Warblers, a set of range restricted or endemic White-eyes such as Warbling, Buru, Seram, Ashy-bellied, Ambon, Perl-bellied and Golden-bellied, Tanimbar and Moluccan Starlings, Long-crested Myna, Fawn-breasted, Seram (only heard), Buru and Slaty-backed Thrush, Buru Jungle Flycatcher, Turquoise, Tanimbar and Cinnamon-chested Flycatchers, Buru and Ashy Flowerpecker and South Moluccan Sunbird.

We began our tour meeting in Ambon, the capital of Maluku province in the middle of the morning and were greeted by Ceisar and Vinno our guides and organizers. Though the best birding time of the day was behind us, we headed out birding to a local hotspot near Ewang Tulehu. The hillside still has some tiny patches of forest remaining between the gardens and the area is host to the only endemic bird to Ambon island, the Ambon White-eye. We heard the first White-eyes on arrival but they were too distantly calling to 'catch' so we started birding up the road. We heard several singing Seram Golden Bulbul (the song here is very different to the birds on Seram) and found our first Ashy Flowerpeckers and a

nice male Black Sunbird. A few minutes further up we found a calling Lazuli Kingfisher pair as we continued collecting the endemics. Finally, we heard Ambon White-eyes again and this time they came closer and showed themselves well. On the way back we visited a small wetland where we saw our first Seram Swiftlets of the tour, a few Eastern Yellow Wagtails, Red-throated Pipit, Tricoloured Grebes, a Little Pied Cormorant amongst the Little Black ones and some more common shorebirds.

In the afternoon we took a speedboat to the neighbouring island of Haruku. A short walk along the coast gave Seram Spangled Drongo before arriving at the dedicated spot where we hid in a small hut and waited for the Moluccan Megapodes to turn up. The hut was luckily acting as a shelter so we ended up being dry after a short rain. Before sunset we were already treated to the presence of the secretive Moluccan Megapodes – at least 10 individuals appeared at the sandy clearing and started scratching the ground on the edge of the forest.

After a morning flight to Kai Kecil, we did some short birding close to the airport and found Kai Kecil White-eye (a.k.a. Golden-bellied White-eye) and the first White-bibbed Fruit Doves soon. We birded the island two afternoons and on the last morning before flying out. A small patch of forest near Anabell lake produced Kai Coucal, we had an Orange-footed Scrubfowl chick feeding on the path and the star of the site being a Papuan Pitta which we had scope views for half an hour as it sang while perched up on a tree. Along the nearby road we saw a flock of Elegant Imperial Pigeons. Another site along the coast we found Island Whistler in the dry scrub, a Kai Cicadabird crossing above us, loud Tanimbar Friarbirds, Kai Monarch and Kai Fantail (a split from the Northern complex) all seen well.

We took a speedboat to cross the sea to Kai Besar early in the morning. A smooth ride enabled us to spot Streaked Shearwaters and Brown Boobies from the boat. On Kai Besar our local support team was waiting for us and we drove up to the hills for birding. An easily accessible track was our birding patch where Kai Monarch, Pacific Koel, Tanimbar Cuckoo-Dove, Grey Whistler, Drab Whistler and Wallacean (Kai Spangled) Drongo were seen easily. A noisy flock of Red-flanked Lorikeets were hanging around and a Papuan Pitta showed itself for some of us after some time was spent luring it closer. Kai Besar (Pearl-bellied) White-eye was common and easily seen, unlike the Kai Leaf Warbler (still part of the Island Leaf Warbler complex) which needed more than average patience from us as the first bird slipped out of our grasp while calling and not responding. Heading back to our minibus and giving up on the pitta because of a thunderstorm was coming, we hoped for better weather and waited for the pouring rain to ease on us for one more try. Eventually the rain stopped and literally the first suitable trees along the track rewarded us with the Leaf Warbler – unbelievable.

Before departing from the Kai Islands, we checked the airport road on Kai Kecil where we saw Wallace's Fruit Doves on a fruiting tree and got some flight views of Yellow-capped Pygmy Parrots.

Arriving back on Ambon we had a comfortable lunch and spent the hot hours of the day at a coffee shop before going out to Ewang Tulehu's birding spot again later in the afternoon. This time the local Golden Bulbuls were more cooperative and we had great views of several individuals. Other new species to our list were a pair of Moluccan Monarch (a split from Spectacled), a cinerea Northern Fantail (a.k.a. Seram Fantail) and a wintering Arctic Warbler were seen here.

We took the overnight ferry from Ambon to Buru, disembarking before sunrise. We had a two-hour drive to our next hotel, where we had breakfast before going out birding to the nearby lowland forest. Soon after arriving a loose feeding flock had several Buru Golden Bulbul, a Pale Cicadabird, a Buru Monarch and Buru Flowerpeckers. Red Lories were loudly calling and passing by in the sky and we spotted a few feeding on a nearby tree ensuring everyone admiring their glowing red colour. Further in, a loud-calling Moluccan Cuckoo was coming closer and seen well. A nearby nest of Variable Goshawk had near-flying chicks and we also saw the parents coming and feeding them. Later on the way back we had better looks of the Buru Monarch and also found a Seram Fantail, Black Sunbird and Moluccan Flycatchers before heading back to the hotel.

We spent the afternoon and most of the upcoming two days on the higher elevation parts of the Wamlana logging road, which is reaching almost 1500m a.s.l. Weather conditions were rapidly changing sometimes as sunshine turned into pouring rain just in a few minutes but generally we were birding in a nice and comfortable climate here.

Our first main target was spotted early morning, when driving up, Buru Mountain Pigeons were spotted from the car and stopping in time gave us nice scope views of the birds sitting on a huge tree. Higher up the road, we made our first dedicated stop to try for the endemic Buru Thrush. It took some time to turn up, while we heard birds calling before the first showed itself. White-bibbed Fruit Doves were heard many times and a few seen well, we also saw our first Spectacled Imperial Pigeons here. At the top, a rapidly gliding Pygmy Eagle was sadly too quickly out of view for us, but a pair of Buru Green Pigeons gliding at the same pace were at least seen by a few of us. A pair of Spotted Kestrels were seen in their territory in the mornings before reaching the higher zone on the road. Buru Racket-tails were seen crossing above the road a few times in small flocks. Reaching the highest point on the road early morning we found the local form of Wakolo Myzomela (a.k.a. Buru Myzomela), a Buru Honeyeater moving rapidly on the top of the canopy level, a cooperative Black-eared (Buru) Oriole and several Buru Leaf Warblers (part of the Island Leaf Warbler complex). Buru White-eye and Warbling White-eyes were seen a few times, once together in a flock. The trail going higher up where Madanga was seen a few years back was closed this time since some local conflict of interest was not solved by the time we got there – what a pity.

Walking on the logging road we saw Grey-streaked Flycatchers in the tree top and it took us the second attempt to locate the Buru Jungle Flycatcher but – as it happens many times – after seeing the first one the second, the third and the fourth bird was giving itself away easily. Not like Buru Bush Warbler which we heard calling twice but remained unresponsive, fortunately we found a feeding bird near the road, skulking in the dense dry undergrowth vegetation limiting some of us to get on the bird. Another bird was surprisingly hard to see but eventually everyone got good views of the Tawny-backed Fantail. We only connected with one Buru Spangled Drongo while South Moluccan Pitta was heard several times but seeing

one – as usual – was a different case. After struggling with the first two individuals we saw one early morning, lower down along the road in a nice patch of forest. While waiting for the Pitta to pop-up somewhere we spotted a Superb Fruit Dove sitting on its nest a few meters away from us.

On the lowlands of Buru, we did some roadside birding and visited a dry streambed in hope to find Buru Dwarf Kingfisher. We found beautiful Claret-breasted Fruit Dove singing on a treetop, had great views of Spectacled Imperial and Pied Imperial Pigeons while Red Lorys were calling and passing above us sometimes. A patch of grassland gave us a few tame Golden-headed Cisticolas, while the streambed only had a long-perching Moluccan Cuckoo and a skulking and shy Gray's Grasshopper Warbler but unfortunately no Kingfishers.

Evenings and some early mornings on Buru were spent in search of nightbirds. Mostly targeting the higher elevation areas, we were grateful to find the enigmatic Black-lored Parrot the first night. We had outstanding looks on two individuals coming onto a tree and staying there until everyone had scope views and we quietly left the scene. Additional bonus on the same spot was a Moluccan Scops Owl which species we later connected again many times. Our first try on the Moluccan Masked Owl was fruitful and such views are so rare of these creatures that later many of us voted the bird as the no.1 of the trip. Our luck with Buru Boobook was less obvious and we had to leave the island with only one bird heard, despite the many hours we were searching for it.

We took a night ferry back to Ambon and had a nice breakfast at a nearby hotel before departing towards Seram with another ferry. After breakfast a rapid check in the hotel garden we added Chestnut Munia, Grey-tailed Tattler and Common Sandpiper to our list. From the ferry taking us to Seram we spotted a Brown Noddy, a Long-tailed Skua and a pod of Melon-headed Whales.

After reaching Seram we had a few hours' drive ahead of us towards the northern coast. On the way we had a comfort stop where the incredible-looking Long-crested Mynas along the roadside trees were seen nicely.

We reached the higher elevation stretch of the road in the afternoon and between two rainfalls we managed some birding. One of the first birds spotted were a pair of Great-billed Parrots crossing above us, Moluccan Eclectus perched for scope views, a few Moluccan Starlings present on a higher tree, while the wintering Grey-streaked Flycatchers were seen here as well. On our last daytime spot a Metallic Pigeon crossing above us was a surprise and we found the first Seram White-eyes, Seram Leaf Warblers (part of the Island LW complex) and a few singing Turquoise Flycatchers. We stayed out until dark before descending down to our hotel. Some searching along the road at night we found Temminck's Flying Foxes and some beautiful Tube-nosed Fruit Bats (sp) hanging under the vegetation. A strange roosting bird spotted turned out to be a sleeping Seram Bush Warbler before the aimed Seram Boobooks started calling. It took us a few minutes and two birds but finally every one of us had good views of the Boobooks.

The upcoming days we were spending with roadside birding in the Manusela National Park targeting the specialties of the area. It was tough birding as the birds were hard to find and see in the high trees and dense fog but we managed to collect most of the specialties including Seram White-eye, Rufescent Darkeye, Grey-hooded White-eye and the local form of Wakolo Myzomela. Apart from the smaller ones, we had nice views of the local form of Yellow-throated Whistler and Drab Whistler. A Seram Honeyeater was spotted in a morning feeding on a roadside flowering bush, behaving much nicer than its cousin on Buru. The endemic Streak-breasted Fantail was a gem seen a few times. Seram Mountain Pigeon was spotted only once but seen very well. Seram (Grey-collared) Oriole and Seram Friarbird were common and loud throughout. The definite highlights parrots in the area. We had several great views of the huge Salmon-crested Cockatoos which now have a healthy population in the area after the conservation project aiming them was running successfully for years. Purple-naped Lorys were heard a few times and we had a lovely pair spotted on a tree providing excellent views. Coconut Lorikeets were seen several times crossing here and there and a few times we had some really nice looks on them even perched together with Seram Imperial Pigeons. The rarely seen Blue-eared Lorys were only seen briefly by a few of us who tried climbing up the last morning to try our luck with the Seram Thrush. We tried to reach the required elevation on a new path taking on a less steep but still challenging side of the mountain. We ended up hearing only a Seram Thrush and briefly seeing the Blue-eared Lorys and Moluccan Cuckooshrike during the walk.

We did a second night birding excursion and had even better looks on Seram Boobook, we found a roosting Cinnamon-breasted Flycatcher and several Northern Common Cuscus, a Spotted Cuscus and a Common Palm Civet as well.

A Common Palm Civet was also seen during an afternoon when a huge fruiting tree had a sleeping one, while Violet Crow and several Blyth's Hornbills were loud around it.

On a morning, we took a speedboat to a nearby islet in search for Olive Honeyeater, unfortunately they were not present there this time, but we were treated with exceptional views of a Beach Stone-curlew pair hanging around. From the boat we investigated the nearby flocks of Greater Crested Terns and we were lucky enough to find an endangered Chinese Crested Tern amongst them. After enjoying the Terns, we took our time on Sawaii Island and waited for low tide in hope of some shorebirds appearing. The big flocks were staying away but managed to see a Far Eastern Curlew together with a flock of Whimbrels, a Great-billed Heron and a few Australian White Ibis. Norma flushed a Dusky Megapode which we couldn't relocate and only heard later from around our hotel.

Our last highlight in the region were Moluccan Dwarf Kingfishers which we heard from the car on our last afternoon and tracked down after stopping immediately.

Leaving the highlands of Seram we drove to the western part of the island to spend a night in the city of Piru. A quick visit to the nearby forest patch at night we managed to spot a Moluccan Scops Owl of the nominate race.

Next morning we kicked off early to have a speed boat ride to the nearby island of Boano. A smooth sea was on our side and a rapid crossing made us hike up to the forest on the island in the morning before the heat kicked in. Though the heat was catching up on us we managed to reach the forest in time and heard our one and only target the Boano Monarch

singing soon. It was a tough one but with much patience everyone had good views of this tiny distribution black-and-white endemic, while the supporting cast included Island Monarch, Moluccan Flycatcher and Seram Fantail (the local form of the Northern Fantail complex).

We took the speedboat back to Seram and spent the lunch in the hotel we stayed in where South Moluccan Sunbirds and Black Sunbird were feeding on a flowering tree in the garden. In the afternoon we took a bumpy speedboat ride back to Ambon where we said goodbye to our superb local team, Vinno and Ceisar and the main tour ended with a celebratory dinner in the hotel.

Next day morning we departed from Ambon airport to Yamdena, the main island of the Tanimbars, where our extension began. Landing in Saumlaki our drivers were waiting for us and we immediately drove to the nearby lake. Initial birding here resulted in the first White-browed (or Tanimbar) Trillers, Banda Myzomela, Wallacean Whistlers, a few Oriental Pratincoles and loads of Rose-crowned Fruit Doves of the xanthogaster race. On the water Radjah Shelduck, Green Pygmy Goose and the beautiful Spotted Whistling Ducks were highlights. A pair of Bonelli's Eagle were soaring in the distance. Afternoon some roadside birding with great activity produced some Rufous-sided Gerygones, the first Scaly-breasted (Banda) Honeyeaters, Cinnamon-tailed and Arafura Fantails, Tanimbar Starlings. Tanimbar Cuckoo-Dove, Wallace's Fruit Doves, Elegant Imperial and Pink-headed Imperial Pigeons were all seen well. Staying out until dark we did our only night birding session and easily managed to see a nice pair of Tanimbar Boobook and with less pressure after seeing one on Buru, we glimpsed a Masked Owl and let it go away.

Our hotel lying next to the sea gave us the opportunity for some easy birding from the table where we saw Nankeen Night Heron, Pied Herons and dozens of Lesser and Greater Frigatebirds while Scaly-breasted Honeyeaters were visiting the flowers on the terrace.

The western half of the island was burned down recently and some of the forests still smoked which limited birding opportunities made us concentrate our efforts mainly on one trail along the main road heading north from Saumlaki. Before entering the forest, a short walk on more open habitats gave great views of passing Tanimbar Corellas. Roadside trees and bushes had some easily observable birds such as the beautiful Wallace's Fruit Dove, Mistletoebirds, Rufous-sided Gerygones, Ashy-bellied White-eyes and White-browed Trillers. Inside the forest we had to search for some harder to find birds. The smart looking Slaty-backed Thrush showed itself nicely both days singing in the lower canopy, while Fawn-breasted Thrush gave much better opportunities the second morning as we saw a pair of them feeding on the ground. Focusing on our targets we found Wallacean Whistler, Long-tailed Fantail, Tanimbar and Black-bibbed (Banda Sea) Monarchs, Broad-billed Flycatcher, the lovely Tanimbar Flycatcher and Golden-bellied Flyrobin (Tanimbar Flyrobin) which felt to be quite common this time. The loud Tanimbar Eclectus were seen a few times flying above the canopy. We had to work for better views of Tanimbar Bush Warbler but finally we got it well. Tanimbar Megapode was silent this time and we had to trust only our luck if we found one, but unfortunately the only bird we connected with slipped away and was only glimpsed by the leader before it disappeared. We had a better time with Banda Sea Pitta (a split from the Elegant Pitta complex), it perched up to call for us after careful luring. Tanimbar Drongo (part of the Wallacean Drongo complex) was seen flying in the canopy only once.

A rainy afternoon we had an easy walk along a road crossing a patch of burned forest. We spotted several Tanimbar Starlings, had a female Kai Cicadabird passing above, Cinnamon-tailed Fantails, Ashy-bellied White-eyes were seen several times and finally found a Wallacean Cuckooshrike before giving up.

Our last morning, we visited the lake near the airport again and added Tawny-backed Grassbird, Lesser Coucal, Australasian Swamphen, Dusky Moorhen and the crassirostris race of Little Bronze Cuckoo (treated as a separate species – Pied Bronze Cuckoo by some) to our list before heading to the airport where our tour ended.

## **BIRDS OF THE MAIN TOUR**

**1<sup>st</sup> Moluccan Masked Owl**

**2<sup>nd</sup> Salmon-crested Cockatoo**

**3<sup>rd</sup> Black-lored Parrot**

**4<sup>th</sup> Buru Thrush**

**5<sup>th</sup> Purple-naped Lory**

## BIRDS OF THE TANIMBAR EXTENSION

1<sup>st</sup> Slaty-backed Thrush

2<sup>nd</sup> Banda Sea Pitta

3<sup>rd</sup> Tanimbar Flycatcher

4<sup>th</sup> Wallace's Fruit Dove

5<sup>th</sup> Fawn-breasted Thrush

## SYSTEMATIC LIST OF SPECIES RECORDED DURING THE TOUR

Species marked with the diamond symbol (◊) are either endemic to the country or local region or considered 'special' birds for some other reason (e.g., it is only seen on one or two Birdquest tours; it is difficult to see across all or most of its range; the local form is endemic or restricted-range and may in future be treated as a full species).

The species names and taxonomy used in the bird list follows Gill, F., Donsker, D., & Rasmussen, P.(Eds). **2024. IOC World Bird List (v14.1)** (this was the current version when the checklist for the tour report was created).

## BIRDS

**Spotted Whistling Duck** ◊ *Dendrocygna guttata*

**Radjah Shelduck (White-headed S)** *Radjah radjah*

**Green Pygmy Goose** *Nettapus pulchellus*

**Moluccan Megapode** ◊ (M Scrubfowl) *Eulipoa wallacei* Endemic. Fantastic encounter with 10 individuals at a stakeout.

**Tanimbar Megapode** ◊ (T Scrubfowl) *Megapodius tenimberensis* Endemic. The only individual was glimpsed along the trail as it ran away into the dense undergrowth.

**Dusky Megapode** ◊ (Forsten's M) *Megapodius [freycinet] forsteni* Heard-only. One of us flushed a bird at Sawaii.

**Orange-footed Scrubfowl (O-f Megapode)** *Megapodius reinwardt*

**Large-tailed Nightjar** *Caprimulgus macrurus*

**Moustached Treeswift** *Hemiprocne mystacea*

**Glossy Swiftlet** *Collocalia esculenta*

**Seram Swiftlet** ◊ *Aerodramus ceramensis* Endemic.

**Uniform Swiftlet** *Aerodramus vanikorensis*

**Lesser Coucal** *Centropus bengalensis*

**Kai Coucal** ◊ *Centropus spilopterus* Endemic.

**Asian Koel (Common K)** *Eudynamys scolopaceus* Heard-only.

**Pacific Koel (Australian K)** *Eudynamys orientalis*

**Channel-billed Cuckoo** *Scythrops novaehollandiae*

**Little Bronze Cuckoo** ◊ (Pied B C) *Chrysococcyx [minutillus] crassirostris* The very distinctive form endemic to the Tanimbars and Kai Islands.

**Brush Cuckoo (Australian B C)** *Cacomantis variolosus*

**Moluccan Cuckoo** ◊ (M Brush C) *Cacomantis aeruginosus* Endemic.

**Rock Dove (introduced)** *Columba livia*

**Metallic Pigeon (White-throated P)** *Columba vitiensis*

**Spotted Dove *Spilopelia chinensis***

**Amboyna Cuckoo-Dove (Amboina C-D) *Macropygia amboinensis***

**Tanimbar Cuckoo-Dove ♦ *Macropygia timorlaensis*** Endemic.

**Common Emerald Dove (Asian E D) *Chalcophaps indica***

**Pacific Emerald Dove (Green-winged Pigeon) *Chalcophaps longirostris***

**Barred Dove ♦ *Geopelia maugeus***

**Buru Green Pigeon ♦ *Treron aromaticus*** Endemic. A pair seen crossing the sky in the highlands.

**Wallace's Fruit Dove ♦ *Ptilinopus wallacii*** Near-endemic.

**Superb Fruit Dove (Eastern S F D) *Ptilinopus [superbus] superbus***

**Rose-crowned Fruit Dove *Ptilinopus regina***

**White-bibbed Fruit Dove ♦ *Ptilinopus rivoli***

**Claret-breasted Fruit Dove ♦ *Ptilinopus viridis***

**Spectacled Imperial Pigeon ♦ (Moluccan I P, Buru I P) *Ducula perspicillata*** Endemic.

**Seram Imperial Pigeon ♦ *Ducula neglecta*** Endemic.

**Elegant Imperial Pigeon ♦ (Yellow-eyed I P) *Ducula concinna***

**Pink-headed Imperial Pigeon ♦ *Ducula rosacea***

**Pied Imperial Pigeon *Ducula bicolor***

**Buru Mountain Pigeon ♦ *Gymnophaps mada*** Endemic. We stopped to have a look on a pair while driving up the logging road.

**Seram Mountain Pigeon ♦ *Gymnophaps stalkerii*** Endemic. A single bird seen perched in the open quite close to us.

**Dusky Moorhen *Gallinula tenebrosa***

**Australasian Swamphen *Porphyrio melanotus***

**White-breasted Waterhen *Amaurornis phoenicurus***

**Tricolored Grebe *Tachybaptus tricolor***

**Australasian Grebe (Black-throated Little G) *Tachybaptus novaehollandiae***

**Beach Stone-curlew (B Thick-knee) *Esacus magnirostris***

**Grey Plover (Black-bellied P) *Pluvialis squatarola***

**Eurasian Whimbrel *Numenius phaeopus***

**Far Eastern Curlew (Eastern C) *Numenius madagascariensis***

**Red-necked Phalarope *Phalaropus lobatus***

**Common Sandpiper *Actitis hypoleucos***

**Grey-tailed Tattler *Tringa brevipes***

**Wood Sandpiper *Tringa glareola***

**Common Greenshank *Tringa nebularia***

**Great Knot *Calidris tenuirostris***

**Oriental Pratincole *Glareola maldivarum***

**Brown Noddy *Anous stolidus***

**Greater Crested Tern *Thalasseus bergii***

**Chinese Crested Tern** ♦ *Thalasseus bernsteini* A single wintering individual was seen on this tour again amongst Greater Crested Terns N of Seram.

**Common Tern** *Sterna hirundo*

**Whiskered Tern** *Chlidonias hybrida*

**Long-tailed Jaeger (L-t Skua)** *Stercorarius longicaudus*

**Streaked Shearwater** *Calonectris leucomelas* A few birds seen from the speedboat when crossing between the Kai Islands.

**Great Frigatebird** *Fregata minor*

**Lesser Frigatebird** *Fregata ariel*

**Brown Booby** *Sula leucogaster*

**Australasian Darter (Australian D)** *Anhinga novaehollandiae*

**Little Pied Cormorant** *Microcarbo melanoleucos*

**Little Black Cormorant** *Phalacrocorax sulcirostris*

**Australian White Ibis** *Threskiornis molucca*

**Nankeen Night Heron (Rufous N H)** *Nycticorax caledonicus*

**Striated Heron** *Butorides striata*

**Eastern Cattle Egret** *Bubulcus coromandus*

**Great-billed Heron** *Ardea sumatrana*

**Purple Heron** *Ardea purpurea*

**Great Egret (Eastern G E)** *Ardea [alba] modesta*

**Plumed Egret** *Ardea plumifera* Recent taxonomic changes split the Intermediate Egret into three species, the Plumed Egret seen on the tour.

**Grey Heron** *Ardea cinerea* A single bird seen on Buru is a vagrant to the island.

**Pied Heron** *Egretta picata*

**Little Egret** *Egretta garzetta*

**Pacific Reef Heron (P R Egret)** *Egretta sacra*

**Osprey (Eastern O)** *Pandion [haliaetus] cristatus*

**Black Eagle** *Ictinaetus malaiensis*

**Pygmy Eagle** ♦ *Hieraaetus weiskei*

**Bonelli's Eagle** ♦ (Rensch's E) *Aquila [fasciata] renschi*

**Chinese Sparrowhawk (W)** *Accipiter soloensis*

**Variable Goshawk (Varied G)** *Accipiter hiogaster*

**Rufous-necked Sparrowhawk** ♦ *Accipiter erythrauchen* Endemic. One seen well on Buru on the last morning on the island.

**Brahminy Kite** *Haliastur indus*

**White-bellied Sea Eagle** *Ichthyophaga leucogaster*

**Moluccan Masked Owl** ♦ (Lesser M O, Australasian M O) *Tyto sororcula* Fantastic looks of an individual on Buru (*ssp. cayelii*) and a glimpse on Yamdena (*ssp. sororcula*).

**Moluccan Masked Owl** ♦ (Seram M O) *Tyto [sororcula] almae* Heard-only.

**Buru Boobook** ♦ *Ninox hantu* Endemic. Heard-only after several try.

**Seram Boobook** ◊ *Ninox squamipila* Endemic. Seen twice in the higher zone of Seram.

**Tanimbar Boobook** ◊ *Ninox forbesi* Endemic. A cooperative pair seen nicely.

**Moluccan Scops Owl** ◊ *Otus magicus* Endemic. Several birds heard and a few seen. *Ssp. magicus* seen on Ambon and *ssp.bouruensis* on Buru.

**Blyth's Hornbill** *Rhyticeros plicatus*

**Lazuli Kingfisher** ◊ *Todiramphus lazuli* Endemic. A pair seen on Ambon.

**Collared Kingfisher** *Todiramphus chloris*

**Sacred Kingfisher** *Todiramphus sanctus*

**Cinnamon-banded Kingfisher** ◊ *Todiramphus australasia* Near-endemic. *Ssp. odites* seen on Yamdena.

**Common Kingfisher** *Alcedo atthis*

**Moluccan Dwarf Kingfisher** ◊ *Ceyx lepidus* Endemic. A pair of the nominate race seen on Seram.

**Buru Dwarf Kingfisher** ◊ *Ceyx cajeli* Endemic. Only glimpsed on Buru.

**Spotted Kestrel** ◊ (Indonesian K) *Falco moluccensis* Near-endemic.

**Oriental Hobby** *Falco severus*

**Australian Hobby** *Falco longipennis*

**Tanimbar Corella** ◊ (T Cockatoo) *Cacatua goffiniana* Endemic. Several seen on Yamdena.

**Salmon-crested Cockatoo** ◊ (Seram C) *Cacatua moluccensis* Endemic. A few seen very well in N Seram.

**Yellow-capped Pygmy Parrot** ◊ *Micropsitta keiensis* Seen on Kai Kecil – *ssp. keiensis*.

**Moluccan King Parrot** ◊ *Alisterus amboinensis* Endemic.

**Buru Racket-tail** ◊ *Prioniturus mada* Endemic.

**Moluccan Eclectus** *Eclectus roratus* Endemic.

**Tanimbar Eclectus** *Eclectus riedeli* Endemic.

**Red-cheeked Parrot** *Geoffroyus geoffroyi*

**Great-billed Parrot** ◊ *Tanygnathus megalorynchos*

**Black-lored Parrot** ◊ *Tanygnathus gramineus* Endemic. A pair seen at night on Buru.

**Red-flanked Lorikeet** *Hypocharmosyna placentis*

**Purple-naped Lory** ◊ *Lorius domicella*

**Blue-streaked Lory** ◊ *Eos reticulata* Endemic. Several seen on Yamdena.

**Blue-eared Lory** ◊ *Eos semilarvata* Endemic. Great views on Seram.

**Red Lory** ◊ (Moluccan R L) *Eos bornea*

**Coconut Lorikeet** *Trichoglossus haematodus*

**South Moluccan Pitta** ◊ *Erythropitta rubrinucha* Endemic. *Ssp. rubrinucha* a.k.a. Buru Pitta seen after several attempts along the logging road on Buru.

**Papuan Pitta** ◊ *Erythropitta macklotii* Not just one seen well on Kai Kecil.

**Banda Sea Pitta** ◊ *Pitta vigorsii* A cooperative individual perched up for us on Yamdena.

**Drab Myzomela** ◊ (D Honeyeater) *Myzomela blasii* Endemic.

**Banda Myzomela** ◊ (Black-breasted M) *Myzomela boiei* Endemic.

**Wakolo Myzomela** ◊ (Buru M) *Myzomela [wakoloensis] wakoloensis* Endemic.

**Wakolo Myzomela** ◊ (Seram M) *Myzomela [wakoloensis] elisabethae* Endemic.



**Seram Friarbird** ♦ *Philemon subcorniculatus* Endemic.

**Buru Friarbird** ♦ (Buru F) *Philemon moluccensis* Endemic.

**Tanimbar Friarbird** ♦ *Philemon plumigenis* Endemic.

**Scaly-breasted Honeyeater** ♦ (Banda H, White-tufted H) *Lichmera squamata* Endemic.

**Buru Honeyeater** ♦ *Lichmera deningeri* Endemic. A single individual spotted moving in the top canopy on the higher part of Wamlana logging road.

**Seram Honeyeater** ♦ *Lichmera monticola* Endemic. Superb views of a feeding individual.

**Rufous-sided Gerygone** ♦ (Banda Sea G, R-s Fairy Warbler) *Gerygone dorsalis* Endemic. Seen on Yamdena.

**White-breasted Woodswallow** *Artamus leucorhynchus*

**Black-faced Cuckooshrike** *Coracina novaehollandiae*

**Buru Cuckooshrike** ♦ *Coracina fortis* Endemic.

**Wallacean Cuckooshrike** ♦ *Coracina personata* Near-endemic. One seen on Yamdena – *ssp. unimoda*.

**Moluccan Cuckooshrike** ♦ *Coracina atriceps* Endemic.

**Kai Cicadabird** ♦ *Edolisoma dispar* Endemic. A male seen on Kai Kecil and a female on Yamdena.

**Pale Cicadabird** ♦ *Edolisoma ceramense* Endemic.

**Common Cicadabird** *Edolisoma tenuirostre*

**White-browed Triller** ♦ (Tanimbar T) *Lalage moesta* Endemic.

**Varied Triller** *Lalage leucomela*

**Island Whistler** ♦ *Pachycephala phaionota*

**Grey Whistler** ♦ (Grey-headed W, Brown W) *Pachycephala [simplex] griseiceps*

**Yellow-throated Whistler** ♦ (Moluccan W, Tanimbar W) *Pachycephala [macrorhyncha] fuscoflava* Endemic. Only a female seen and several heard singing.

**Yellow-throated Whistler** ♦ (Moluccan W, Banda Sea W, Seram W) *Pachycephala [macrorhyncha] macrorhyncha* Endemic.

**Yellow-throated Whistler** ♦ (Moluccan W, Buru W) *Pachycephala [macrorhyncha] buruensis* Endemic.

**Wallacean Whistler** ♦ *Pachycephala arctitorquis* Endemic. Seen on Yamdena.

**Drab Whistler** ♦ *Pachycephala griseonota* Endemic. First seen on Kai islands (*ssp. kuehni*), later seen on Buru (*ssp. examinata*) and Seram (*ssp. griseonota*).

**Grey-collared Oriole** ♦ (Seram O) *Oriolus forsteni* Endemic.

**Black-eared Oriole** ♦ (Buru O) *Oriolus bouroensis* Endemic.

**Tanimbar Oriole** ♦ *Oriolus decipiens* Endemic.

**Spangled Drongo** ♦ (Seram Spangled D) *Dicrurus [bracteatus] amboinensis* Endemic.

**Spangled Drongo** ♦ (Buru Spangled D) *Dicrurus [bracteatus] buruensis* Endemic.

**Wallacean Drongo** ♦ (Tanimbar Spangled D) *Dicrurus [densus] kuehni* Endemic.

**Wallacean Drongo** ♦ (Kai Spangled D) *Dicrurus [densus] megalornis* Endemic.

**Willie Wagtail** *Rhipidura leucophrys*

**Cinnamon-tailed Fantail** ♦ *Rhipidura fusciorufa* Endemic. Seen on Yamdena.

**Northern Fantail** ♦ (Kai F) *Rhipidura [rufiventris] assimilis* Endemic.

**Northern Fantail** ♦ (Buru F) *Rhipidura [rufiventris] bouruensis* Endemic.

**Northern Fantail** ◊ (Seram F) *Rhipidura [rufiventris] cinerea* Endemic.

**Streak-breasted Fantail** ◊ (Streaky-b F) *Rhipidura dedemi* Endemic.

**Tawny-backed Fantail** ◊ *Rhipidura superflua* Endemic.

**Long-tailed Fantail** ◊ (Charming F) *Rhipidura opistherythra* Endemic.

**Arafura Fantail** ◊ (Supertramp F) *Rhipidura [dryas] semicollaris*

**Black-bibbed Monarch** ◊ (Banda Sea M) *Symposiachrus mundus* Endemic.

**Boano Monarch** ◊ *Symposiachrus boanensis* Endemic.

**Moluccan Monarch** ◊ *Symposiachrus bimaculatus* Endemic. The race *nigrimentum* was seen on Ambon of this recently recognised species, which was split from Spectacled Monarch.

**Kai Monarch** ◊ (Kai M) *Symposiachrus leucurus* Endemic.

**Buru Monarch** ◊ (Black-tipped M) *Symposiachrus lorincatus* Endemic.

**Island Monarch** ◊ *Monarcha cinerascens*

**White-naped Monarch** ◊ (Loetoe M) *Carterornis pileatus* Endemic. The race *buruensis* was seen on Buru.

**Tanimbar Monarch** ◊ *Carterornis castus* Endemic.

**Moluccan Flycatcher** ◊ (M Monarch, Slaty F) *Myiagra galeata* Endemic. The race *buruensis* was seen on Buru and the race *goramensis* on Boano.

**Broad-billed Flycatcher (B-b Monarch)** *Myiagra ruficollis*

**Violet Crow** ◊ (Seram C) *Corvus violaceus* Endemic.

**Golden-bellied Flyrobin** ◊ (Tanimbar F, G-b Flycatcher) *Microeca hemixantha* Endemic.

**Seram Golden Bulbul** ◊ (Ambon G B) *Hypsipetes affinis* Endemic.

**Buru Golden Bulbul** ◊ *Hypsipetes mysticalis* Endemic.

**Sooty-headed Bulbul** *Pycnonotus aurigaster* Heard-only.

**Pacific Swallow** *Hirundo tahitica*

**Barn Swallow** *Hirundo rustica*

**Mountain Tailorbird (M Leaftoiler)** *Phyllergates cucullatus*

**Tanimbar Bush Warbler** ◊ *Horornis carolinae* Endemic.

**Arctic Warbler (W)** *Phylloscopus borealis*

**Island Leaf Warbler** ◊ (Kai L W) *Phylloscopus [poliocephalus] avicola*

**Island Leaf Warbler** ◊ (Seram L W) *Phylloscopus [poliocephalus] ceramensis*

**Island Leaf Warbler** ◊ (Buru L W) *Phylloscopus [poliocephalus] everetti*

**Gray's Grasshopper Warbler** *Helopsaltes fasciolatus*

**Seram Bush Warbler** ◊ *Locustella musculus* Endemic.

**Buru Bush Warbler** ◊ *Locustella disturbans* Endemic.

**Tawny Grassbird (Wallacean T G)** *Cincloramphus [timoriensis] timoriensis*

**Golden-headed Cisticola (Bright-capped C)** *Cisticola exilis*

**Grey-hooded White-eye** ◊ (Binaia Heleia, G-h Dark-e) *Heleia pinaiae* Endemic.

**Rufescent Darkeye** ◊ (Bicoloured Heleia) *Tephrozosterops stalkerii* Endemic.

**Warbling White-eye** *Zosterops japonicus*

**Buru White-eye** ◊ *Zosterops buruensis* Endemic.

**Seram White-eye** ◊ *Zosterops stalker* Endemic.

**Ashy-bellied White-eye** ◊ *Zosterops citrinella*

**Ambon White-eye** ◊ *Zosterops kuehni* Endemic.

**Pearl-bellied White-eye** ◊ (Kai Besar W-e, Great Kai W-e) *Zosterops grayi* Endemic.

**Golden-bellied White-eye** ◊ (Kai Kecil W-e, Little Kai W-e) *Zosterops uropygialis* Endemic.

**Metallic Starling** *Aplonis metallica*

**Tanimbar Starling** ◊ *Aplonis crassa* Endemic.

**Moluccan Starling** ◊ *Aplonis mysolensis* Endemic.

**Long-crested Myna** ◊ *Basilornis corythaix* Endemic.

**Fawn-breasted Thrush** ◊ *Zoothera machiki* Endemic.

**Buru Thrush** ◊ *Geokichla dumasi* Endemic.

**Seram Thrush** ◊ *Geokichla joiceyi* Endemic. Heard-only.

**Slaty-backed Thrush** ◊ *Geokichla schistacea* Endemic.

**Grey-streaked Flycatcher (W)** *Muscicapa griseisticta*

**Buru Jungle Flycatcher** ◊ (Buru Warbling-flycatcher, Streaky-b J F) *Eumyias additus* Endemic.

**Turquoise Flycatcher** ◊ (Turquoise Warbling-flycatcher, Island Verditer F) *Eumyias panayensis* Endemic.

**Snowy-browed Flycatcher** *Ficedula hyperythra*

**Little Pied Flycatcher** *Ficedula westermanni*

**Tanimbar Flycatcher** ◊ *Ficedula riedeli* Endemic.

**Cinnamon-chested Flycatcher** ◊ *Ficedula buruensis* Endemic.

**Buru Flowerpecker** ◊ *Dicaeum erythrothorax* Endemic.

**Ashy Flowerpecker** ◊ (Seram F) *Dicaeum vulneratum* Endemic.

**Mistletoebird** ◊ (Salvadori's F) *Dicaeum [hirundinaceum] keiense*

**Black Sunbird** *Leptocoma aspasia*

**South Moluccan Sunbird** ◊ *Cinnyris clementiae* Endemic. The Olive-backed Sunbird complex split into several species. The nominate form seen on Boano, Ambon and Seram, *buruensis* on Buru and *keiense* on the Kai Islands.

**Eurasian Tree Sparrow** *Passer montanus*

**Scaly-breasted Munia** *Lonchura punctulata*

**Black-faced Munia** ◊ *Lonchura molucca*

**Chestnut Munia** *Lonchura atricapilla*

**Eastern Yellow Wagtail (Alaska W)** *Motacilla [tschutschensis] tschutschensis*

**Grey Wagtail** *Motacilla cinerea*

**Red-throated Pipit** *Anthus cervinus*

## MAMMALS

**Northern Common Cuscus** *Phalanger orientalis*

**Common Spotted Cuscus** *Spiloglossus maculatus*

**Northern Palm Civet (Common P C)** *Paradoxurus hermaphroditus*

**Tube-nosed Fruit Bat sp.** *Nyctimenesp.*

**Black-bearded Flying Fox *Pteropus melanopogon***

**Temminck's Flying Fox *Pteropus temminckii***

**Melon-headed Whale *Peponocephala electra***



*Yellow-throated Whistler (image by Dáni Balla)*



*White-bibbed Fruit Dove (image by Dáni Balla)*



*Wallace's Fruit Dove (image by Dáni Balla)*



*Temminck's Flying Fox (image by Dáni Balla)*



*Tanimbar Corella (image by Dáni Balla)*



*Tanimbar Boobook (image by Dáni Balla)*



*South Moluccan Sunbird (image by Dáni Balla)*



*Slaty-backed Thrush (image by Dáni Balla)*



*Seram Honeyeater (image by Dáni Balla)*



*Seram Boobook (image by Dáni Balla)*





*Purple-naped Lory (image by Dáni Balla)*



*Pearl-bellied White-eye (image by Dáni Balla)*



*Papuan Pitta (image by Dáni Balla)*



*Northern Fantail ssp. assimilis (image by Dáni Balla)*



*Northern Common Cuscus (image by Dáni Balla)*



*Moluccan Scops Owl (image by Dáni Balla)*




*Moluccan Megapode (image by Dáni Balla)*



*Birding on Seram (image by Dáni Balla)*



*Manuela NP (image by Dáni Balla)*



*Long-crested Myna (image by Dáni Balla)*



*Golden-headed Cisticola (image by Dáni Balla)*



*Cinnamon-tailed Fantail (image by Dáni Balla)*



*Cinnamon-chested Flycatcher (image by Dáni Balla)*



*Chinese Crested Tern (image by Dáni Balla)*



*Buru White-eye (image by Dáni Balla)*



*Buru Thrush (image by Dáni Balla)*





*Tube-nosed Fruit Bat sp (image by Dáni Balla)*



*Buru Mountain Pigeon (image by Dáni Balla)*



*Buru Golden Bulbul (image by Dáni Balla)*



*Buru Flowerpecker (image by Dáni Balla)*



*Black-lored Parrot (image by Dáni Balla)*



*Black-eared Oriole (image by Dáni Balla)*



*Beach Stone-curlew (image by Dáni Balla)*



*Moluccan Masked Owl (image by Dáni Balla)*



*Banda Sea Pitta (image by Dáni Balla)*



*Ashy Flowerpecker (image by Dáni Balla)*