



RED PANDA EXPEDITION TOUR REPORT 2026

26/28 February - 7 March 2026

Mike Watson

Our 2026 Red Panda Expedition was an occasional mammal watching experiment, which although it produced some great birds, was very much about the target in the title. Most of our time was spent focusing on this incredible creature, to the extent that birding opportunities were simply added where possible rather than taking priority like we normally do. Nine Red Panda sightings (one panda, one day = one sighting) in five days kept us busy but we had to wait until the final day for the best one, which meant we couldn't explore too widely along the fabulous Singalia Ridge. Notable birds (some seen better than others in the mist) included: Satyr Tragopan, Himalayan Vulture, Mountain Hawk Eagle, Eurasian Goshawk, Asian Barred Owlet, Darjeeling Woodpecker, Yellow-billed Blue Magpie, Southern Nutcracker, Grey-crested Tit, Black-throated and Black-browed Bushtits, Hume's Bush Warbler, Golden-breasted Fulvetta, Slender-billed Scimitar Babbler, Rufous-capped Babbler, Black-faced, Chestnut-crowned and Spotted Laughingthrushes, Hoary-throated Barwing, White-collared Blackbird, Fire-tailed & Mrs Gould's Sunbirds, Great Parrotbill, Maroon-backed & Alpine Accentors, Red-headed Bullfinch & Dark-breasted Rosefinch. Our extension in the Kathmandu Valley, was primarily to see the range-restricted Spiny Babbler, Nepal's only endemic bird. This was a successful twitch and we also added some other good Himalayan species: Kalij Pheasant, Rufous-bellied Woodpecker, Grey Treepie, Red-billed Blue Magpie, Himalayan Black-lored Tit, Aberrant Bush Warbler, Chestnut-crowned Warbler, Rusty-cheeked Scimitar Babbler, Striated & White-throated Laughingthrushes, Grey-winged Blackbird, Rufous-bellied Niltava, Rufous-breasted Bush Robin and Himalayan Bluetail.

Kathmandu has always been a romantic place, the gateway to the big mountains of the Himalayas and the ultimate destination of the Shangri La-seeking overland birding hippies of the 70s (one of whom was our MD and founder, Mark Beaman!). However, it has changed a lot since those days, even since I was last there in 1998. Now the Kathmandu Valley is a bustling and sprawling metropolis of 3 million

souls, with shiny new buildings and full of Chinese electric cars, not to mention at least one million motorcycles and scooters! The population has more than doubled since my last visit and at busy times it can take an hour to travel a mere five kilometres. Happily, it retains some of its old charm here and there and there is still some excellent birding to be had on its outskirts. It takes some time for traffic to build and in the early morning smog we could make rapid progress to a birding hotspot on the edge of the city.

Above the smog layer the air was clear, the sun shone, and on the overgrown terraces of some overgrown, abandoned fields, our target was Nepal's only endemic bird, Spiny Babbler – this is the main reason we approach Red Pandaland from Kathmandu rather than from Bagdogra in India. After some time, our patience paid off, and the babbler sang from some tall grasses not 10 metres from where I had seen it the previous day! Our guys managed some images too. They can sometimes be quite a challenge to see, no wonder I hadn't managed to see one in 1998. The weird, turquoise-eyed Spiny Babbler is a bird of marginal habitats on the edge of the forest, much threatened by the encroachment of human habitation, which continues to nibble away towards the trees everywhere in the Kathmandu Valley. The sight and sounds of the city are never far away. Also here, for the cameras were Alexandrine Parakeets, Long-tailed Minivet, Himalayan Black-lored Tit, Himalayan Bulbul and Rusty-cheeked Scimitar Babbler of note.

After a tortuous traverse of the city traffic, we found ourselves at another embattled forest remnant. A nice selection of Himalayan birds included Oriental Turtle Dove, Common Tailorbird, Rufous-bellied Niltava, Blue Whistling Thrush, Slaty-blue, Snowy-browed and Rufous-gorgeted Flycatchers, Blue-fronted and White-capped Redstarts and an Olive-backed Pipit from Russia. However, activity was already on the wane in the sunshine and by early afternoon things had gone very quiet. We headed back to town for a short break before venturing back out into a sea of scooters and motorbikes to Kathmandu's World Heritage Site, the stupendous Boudhanath Stupa. The 36-metre-tall stupa is one of the biggest in the world and has stood for centuries on an ancient trade route from Tibet to India, where merchants have rested and offered prayers for centuries. It is now surrounded by gift shops as well as a monastery and numerous tea rooms. The faithful walk around it each evening in a clockwise direction, chanting and turning prayer wheels under the watchful eyes of Boudha, often partly hidden by prayer flags reaching up to heaven (a pair of eyes is on each of the four faces of its tower). It is quite a sight. If you were only allowed to visit one sacred Buddhist site, this would be it.

On the second of our two full days in the Kathmandu Valley, we headed uphill, to the top of the highest point in the valley, Phulchowki. It had rained recently and the less than optimum jeep track up the mountain was quite slippery, so I opted to hike the last 2.5km to the summit, birding along the way. Phulchowki is by far the best birding site in the valley and always has some surprises. This time it was a male Rufous-breasted Bush Robin that surprised us. A sought-after Himalayan bird. A pair of Kalij Pheasants was on the track at dawn and other highlights included Rufous-bellied Woodpecker, White-browed and Yellow-bellied Fantails, Black-browed Bushtit, Buff-barred, Ashy-throated, Lemon-rumped and Grey-hooded Warblers, Himalayan Bulbul and White-browed and Rufous-winged Fulvetta. The list of Himalayan specialities goes on with three laughingthrushes; White-throated, Chestnut-crowned and Striated. The smart Rufous Sibia was the commonest bird, Bar-throated (or Chestnut-tailed) Minla and Green-tailed Sunbird delighted as did a couple of Himalayan Bluetails, females sadly (strange, as I saw only males a week later). It was quite hard work at high altitude today, we were still getting used to another couple of thousand metres and as the bird activity went down, so did we, to Godavari at the foot of the mountain.

From the lunch table we added Red-billed Blue Magpie and Grey-winged Blackbird and then into the National Botanical Garden, where zillions of Nepalis were enjoying the afternoon sunshine, making Tik Tok videos among the specimen trees. The adjacent forest was deathly silent apart from a smart Chestnut-crowned Warbler, although it did not come within DSLR range. So, we turned our attention to the stream flowing through the gardens. Slaty-backed Forktail and Plumbeous Water Redstart rewarded the change of tactic and then a nice bonus appeared, in the form of an angry-looking Asian Barred Owlet.

It was time to head to the mountains proper and begin our quest for Red Pandas. The domestic terminal of Kathmandu is rather basic. They still use placards above the desks to denote which destination you are checking in for. A sturdy turbo prop ATR aircraft took us to the even less sophisticated Bhadrapur Airport, passing the mountain wall of the High Himalaya along the way, with great views of Everest, Lhotse, Makalu and Kanchenjunga (the first, third, fourth and fifth highest mountains in the world!). Bhadrapur Airport was surrounded by cheering crowds, crikey! Everyone cheered as we walked by! Did they know we were coming? Of course not, they were just warming up for the arrival of their PM soon afterwards. No wonder there was a heavy military and police presence too. Before long we were on our way north. A roadside stop by some rice paddies just north of Bhadrapur produced Asian Openbill and several Red-naped and Black-headed Ibises among the commoner waterbirds. We then made our way up, through Sal Forest inhabited by wild elephants and then tea plantations clinging to steep hillsides and Jonny Gurkha's Hotel! Oh, I might just have tasted the best masala chai in the world at the little market town of Phikkal, where we switched from comfortable Toyota Innovas, the workhorses of modern-day tourism

in India, to less comfortable Mahindra Bolero jeeps. There was a reason for this. The road to our ultimate destination, Habre's Nest, is basically just piles of rocks in places. Having said this, it has improved dramatically in the last 27 years since I was last bumped along it. It was misty now. I prefer it this way, so we couldn't see the big drop-offs from time to time as we made our way up and up towards Singalia National Park. Since my last time on what is basically the Sandakphu trek, more homesteads have sprung up. Singalia National Park, which is located on the Indian side of the ridge, ultimately leading to Kanchenjunga, is pristine East Himalayan cloud forest, a landscape of moss-clad magnolia and oak trees above a sea of bamboo. This is Red Panda country. The high altitude caused us to be a little breathless on arrival at Habre's Nest, after the short and sharp and very unwelcome hike up a steep trekking trail, through the dark bamboo forest, owing to India denying foreigners travelling in vehicles along the sections of the road along the Singalia Ridge which stray into their territory. A Covid-19 relic we were told, thanks very much. The Indian border is adjacent to the fence around the lodge, and we routinely had a foot in each country anyway. At least a warm welcome awaited us at our base for the next six nights, our rooms were warm too, with effective heaters and hot water bottles!

Our daily routine always started with a cup of masala chai (or coffee for those missing out on the world's best drink) in the bird hide behind the lodge. It is dug into the bamboo-covered hillside and is where the food waste from the kitchen goes. As a result, the local bamboo dwellers hang out here for an easy meal. Three species of laughingthrush were regular enough to fuss over portraits of these excellent birds; the closely related Chestnut-crowned and Black-faced and the massive and spectacularly marked Spotted Laughingthrush! Wow! What a bird that one is! Dark-breasted Rosefinch was always present and there were regular visits by photogenic stars; Blue Whistling Thrush, Yellow-billed Blue Magpie, Hoary-throated Barwing and White-browed Fulvetta. On the last couple of days, a rarely seen Great Parrotbill was a nice surprise and was photographed by David and Daniel. However, the Bird Hide really ought to be renamed the Marten Hide as a family of three Yellow-throated Martens stole the show every day. They are incredibly beautiful creatures and made repeated daily visits affording some great photographic opportunities. I had previously seen one at Lava in West Bengal, it paused to look at me as it crossed a track in the forest and then it was gone. The whole encounter lasted about ten seconds. In contrast, we could watch this family of martens for many minutes every time they turned up. Yellow-throated Marten is a big weasel, a metre long including the tail and weighing up to 3kg. They are also predators of Red Pandas, hunting as a pack so they are not entirely welcome but if they are tucking into kitchen scraps hopefully, they will be too fat to climb trees?

Less than an hour into our first session in the Bird Hide we were summoned to a Red Panda sighting! Every day a team of boys from the lodge goes out in search of pandas, in the forest on the surrounding hillsides, some of them are quite precipitous! Lucky for us the mother and cub they found today were only a couple of hundred metres away along a contour trail, we had to descend a little for a view into their chosen magnolia tree, a regular spot as we would learn later, there was a massive latrine in the branches where one of them lay! Red Pandas rely on stealth to avoid predators, they are almost completely defenceless if attacked. They even use latrines high in trees to avoid faeces betraying their presence on the ground. These latrines also serve to mark their territories for other pandas. For this purpose, they need trees with large horizontal boughs, magnolias and oaks are favourites. Other potential predators include feral dogs. Another threat is poaching for fur trade, there was a trend in southwest China of newlyweds wearing Red Panda fur hats! Poachers can still be seen along the Singalia ridge and our guides patrol daily in search of them. To add to their woes, breeding is not easy either, female Red Pandas are only receptive for a single period of 36 hours per year. Uniquely evolved, Red Panda is the only true panda. Although they share specially adapted wrists, Giant Panda is a bear. Red Panda has puzzled taxonomists for hundreds of years, its scientific name means '*glowing cat*'! It is amazing that such a fussy and vulnerable creature has survived at all.

This encounter was a lifetime ambition fulfilled for all of us, particularly our '*Ailuriphile*' Daniel, who has travelled to zoos across the world to see Red Pandas! From a photographic point of view, it was rather suboptimal, being obscured by many branches of the magnolia tree for the entire time and all too soon our 30 minutes viewing time limit was up. We can remind ourselves how privileged we were to set eyes on this magical creature, even if our photos weren't what we hoped for, yet. Precipitous bamboo slopes make seeing and particularly getting an unobscured image of a panda through the forest canopy and the bamboo itself a difficult proposition. There are fewer leaves on the deciduous trees in March, which makes the pandas easier to find, although they are still invariably obscured by tree branches if not bamboo. The pandas have evolved to eat bamboo leaves, which have very low nutritional value. Bamboo leaves form around 90% of their diet, the remainder being tree fruits in the autumn. They need large trees that grow in the bamboo, both for protection, latrines and so they can simply reach out and pick some fresh bamboo leaves.

As if the landscape was not difficult enough, clouds rolled up the forested hillsides from the hotter plains far below as the mornings progressed and thick mist gathered. By lunchtime it was game over for anything other than monochrome images in mist, so there were

roughly only four hours of photographic light per day in which to shoot pandas! Pandas are mostly crepuscular and are asleep by mid-morning too, further limiting our window of opportunity. The mother and cub were easily found each day; we were lucky they had chosen to spend time feeding in bamboo on the mountainside nearby and could even be seen from our lodge balcony on one occasion. We managed nine panda days during our six nights stay, however all except the final encounter were either obscured, spoilt by mist or with the pandas being unco-operative and facing in the wrong direction etc. Disappointing and frustrating photographically but equally amazing to spend so much time watching these special creatures. The survival of the Red Panda is of great importance to the local community as a source of income for those employed in connection with Panda ecotourism. Also the forest they live in is just as important to maintain stable mountain slopes that do not wash away into the surrounding watercourses. We saw plenty of landslide evidence downhill where the forest trees have been cleared.

We had to wait until our last day for the photographic quality encounter we had been hoping for. The boys did very well to find the mother and cub again, but we could wait until they woke up before making our move. Getting closer to them was a more difficult prospect than previously, a steep bamboo slope on which we had to hold onto the green stems to avoid taking a long mud slide downhill. Then the challenge was to stand somewhere with a window through the canopy of branches and bamboo and hope a panda walked into view. We all got that chance this time, the mother climbed down to a small stream to drink and then made her way back to the large oak tree they were in, showing in some clearer spots at times. Magnificent! Thanks to recent AI noise reduction apps we can shoot in the dark forest at ISO levels that would have been unthinkable previously and image stabilisation improvements makes hand holding at very slow shutter speeds possible, so thankfully there's no need to carry a large prime lens through that bamboo! It was odd that the cub looked larger than its mother, thanks to a thicker fur coat to help it through the winter. Our visit this year was much warmer than our previous expedition, as is becoming the norm, although the magnolias and a few rhododendrons had only just started to bloom. It would be another month before the mountainside forests were coloured red and white. We didn't need the snow boots this time and saw several hibernating butterfly species and even a dragonfly!

Silent forests dripped with mist, and there is very little birdsong (or response to playback) early in spring, but we still tried to see some birds as well when not on panda standby. There was a small flock of up to four ultra tame Alpine Accentors near the lodge on most days, hanging around the rubbish pile! Photographic opportunities away from the Bird Hide were generally poor but we did see some interesting species poorly, notably Satyr Tragopan, Collared Owlet, Southern Nutcracker and Slender-billed Scimitar Babbler. However, we also managed photographic views of Darjeeling Woodpecker, Maroon-backed Accentor, Fire-tailed, Mrs Gould's and Green-tailed Sunbirds, Black-browed (or Rufous-fronted) Bushtit and Red Crossbill.

All too soon it was time to make our way back to Bhadrapur, Kathmandu and home, although some of our plans had to change, owing to the war that had started in the Persian Gulf. This combined with the aftermath of the Nepalese general election led to an eerily quiet atmosphere in Kathmandu. There were hardly any western tourists. Having said goodbye to our very enthusiastic group, sitting in an empty restaurant, I was the only person left at my hotel after the tour.

SYSTEMATIC LIST OF SPECIES RECORDED

BIRDS

Species marked with the diamond symbol (◊) are either endemic to the country or local region or considered 'special' birds for some other reason (e.g.: it is only seen on one or two Birdquest tours; it is difficult to see across all or most of its range; the local form is endemic or restricted-range and may in future be treated as a full species).

The species names and taxonomy used in the bird list follows AviList v2025 (AviList Core Team. 2025. AviList: The Global Avian Checklist, v2025). AviList was first published in June 2025, and is a global checklist which brings together the taxonomies of the eBird (Clements taxonomy), IOC, and Birdlife International checklists, and will ultimately replace those checklists. The AviList Global Avian Checklist is available at www.avilist.org. Where the subspecies seen is/are known, these are often given in parentheses, usually at the end of the species comment.

Hill Partridge *Arborophila torqueola* Heard only on Phulchowki

Satyr Tragopan ◊ *Tragopan satyra* Brief views for some at Habre's Nest

Kalij Pheasant *Lophura leucomelanos* Pair Phulchowki.

Spotted Dove *Spilopelia chinensis* Noted Kathmandu Valley.

Oriental Turtle Dove *Streptopelia orientalis* Several sightings.

Rock Dove *Columba livia* Common.

Red-wattled Lapwing *Vanellus indicus* Two near Bhadrapur.

Great Cormorant *Phalacrocorax carbo* Three flew east Habre's Nest 3 March.

Little Cormorant *Microcarbo niger* One near Bhadrapur.

Little Egret *Egretta garzetta* Up to two near Bhadrapur.

Indian Pond Heron *Ardeola grayii* Up to five near Bhadrapur.

Eastern Cattle Egret *Ardea coromanda* Up to 40 near Bhadrapur.

Black-headed Ibis *Threshkiornis melanocephala* Up to eight near Bhadrapur.

Red-naped Ibis *Psudibis papillosa* Up to seven near Bhadrapur.

House Swift *Apus nipalensis* c.10 Phikkal.

Collared Owlet *Taenioptynx brodiei* One seen and another heard Habre's Nest.

Asian Barred Owlet *Glaucidium cuculoides* One Godavari Botanical Garden.

Himalayan Vulture (H Griffon) *Gyps himalayensis* Three sightings Habre's Nest.

Mountain Hawk-Eagle *Nisaetus nipalensis* One Habre's Nest.

Eurasian Goshawk *Astur gentilis* One Habre's Nest.

Black Kite *Milvus migrans* Up to ten seen between Bhadrapur and Habre's Nest.

Himalayan Buzzard *Buteo refectus* Two Kathmandu Valley.

White-throated Kingfisher *Halcyon smyrnensis* One near Bhadrapur.

Rufous-bellied Woodpecker *Dendrocopos hyperythrus* One Phulchowki.

Darjeeling Woodpecker *Dendrocopos darjellensis* Four encounters Habre's Nest.

Alexandrine Parakeet *Psittacula eupatria* Four Kathmandu Valley.

Rose-ringed Parakeet (introduced) *Psittacula krameri* Noted Kathmandu.

Long-tailed Minivet *Pericrocotus ethologus* 12 Noted.

White-throated Fantail *Rhipidura albicollis* Four noted.

Black Drongo *Dicrurus macrocercus* Up to 11 near Bhadrapur.

Long-tailed Shrike *Lanius schach* Five noted Kathmandu Valley & Bhadrapur.

Grey Treepie *Dendrocitta formosae* One Kathmandu Valley.

Yellow-billed Blue Magpie *Uricissa flavirostris* Up to three daily Habre's Nest.

Red-billed Blue Magpie *Urocissa erythroryncha* Three Kathmandu Valley.

Southern Nutcracker *Nucifraga hemispila* Pair Habre's Nest.

House Crow *Corvus splendens* Common Kathmandu Valley.

Large-billed Crow *Corvus macrorhynchos* Small numbers noted.

Yellow-bellied Fantail *Chelidorhynch hypoxanthus* One Phulchowki.

Grey-headed Canary-flycatcher *Culicicapa ceylonensis* Four Phulchowki.

Green-backed Tit *Parus monticolus* One Phulchowki.

Himalayan Black-lored Tit *Machlolophus xanthogenys* Six noted Kathmandu Valley.

Grey-crested Tit *Lophophanes dichrous* Two Habre's nest.

Common Tailorbird *Orthotomus sutorius* Eight sightings.

Grey-throated Martin *Riparia chinensis* Four east Habre's nest.

Barn Swallow *Hirundo rustica* Ten sightings Kathmandu Valley.

Eastern Red-rumped Swallow *Cecropis daurica* Two Phikkal.

Black-throated Bushtit *Aegithalos concinnus* 16 sightings Kathmandu Valley & Habre's Nest.

Black-browed Bushtit ♦ *Aegithalos iouschistos* Six sightings Habre's Nest.

Hume's Bush Warbler ♦ *Horornis brunnescens* One Habre's Nest.

Aberrant Bush Warbler *Horornis flavolivaceus* Two Kathmandu Valley.

Buff-barred Warbler *Phylloscopus pulcher* Common Phulchowki, noted at Habre's Nest.

Ashy-throated Warbler *Phylloscopus maculipennis* Small numbers Phulchowki & Habre's Nest.

Lemon-rumped Warbler *Phylloscopus chloronotus* Noted Phulchowki & Habre's Nest.

Chestnut-crowned Warbler *Phylloscopus castaniceps* One Godavari Botanical Garden.

Grey-hooded Warbler *Phylloscopus xanthoschistos* Common Kathmandu Valley.

Red-vented Bulbul *Pycnonotus cafer* Noted Kathmandu Valley.

Himalayan Bulbul *Pycnonotus leucogenys* c.20 Kathmandu Valley.

Black Bulbul *Hypsipetes leucocephalus* Two Kathmandu Valley.

Golden-breasted Fulvetta ♦ *Lioparus chrysotis* 10 noted Habre's Nest.

White-browed Fulvetta *Fulvetta vinipectus* Common Phulchowki & Habre's Nest.

Great Parrotbill ♦ *Paradoxornis aemodius* One Habre's Nest 5 – 6 March.

Whiskered Yuhina *Yuhina flavicollis* Four Phulchowki.

Stripe-throated Yuhina *Yuhina gularis* c. 2-0 noted Habre's Nest.

Rufous-capped Babbler *Cyanoderma ruficeps* One Habre's Nest.

Slender-billed Scimitar Babbler ♦ *Pomatorhinus superciliaris* One seen and three heard.

Rusty-cheeked Scimitar Babbler *Erythrogenys erythrogenys* Two Kathmandu Valley.

Rufous-winged Fulvetta *Schoeniparus castaneiceps* Six Phulchowki.

Striated Laughingthrush *Grammatoptila striata* Two Phulchowki.

Black-faced Laughingthrush *Trochalopteron affine* c.10 Habre's Nest.

Chestnut-crowned Laughingthrush ♦ *Trochalopteron erythrocephalum* Noted Phulchowki & Habre's Nest.

Rufous Sibia ♦ *Heterophasia capistrata* Common on Phulchowki.

Hoary-throated Barwing ♦ *Actinodura nipalensis* Up to three daily Habre's Nest.

Bar-throated Minla ♦ *Actinodura strigula* Four Phulchowki.

Red-billed Leiothrix *Leiothrix lutea* Three Godavari Botanical Garden.

Spiny Babbler ♦ *Turdoides nipalensis* One singing Kathmandu Valley.

Spotted Laughingthrush ♦ *Ianthocincla ocellata* Up to three daily Habre's Nest.

White-throated Laughingthrush *Pterorhinus albobularis* c.10 Phulchowki.

White-tailed Nuthatch *Sitta himalayensis* Up to three Phulchowki & one Habre's Nest.

Indian Pied Myna *Gracupica contra* Six near Bhadrapur.

Common Myna *Acridotheres tristis* Common Kathmandu Valley.

White-collared Blackbird ♦ *Turdus albocinctus* Six sightings Habre's Nest.

Grey-winged Blackbird *Turdus boulboul* Three Godavari Botanical Garden.

Oriental Magpie-Robin *Copsychus saularis* Four Kathmandu Valley.

Rufous-bellied Niltava *Niltava sundara* One Kathmandu Valley.

Spotted Forktail *Enicurus maculatus* Two Kathmandu Valley.

Slaty-backed Forktail *Enicurus schistaceus* Two Godavari Botanical Garden.

Blue Whistling Thrush *Myophonus caeruleus* 1-2 noted daily throughout.

Slaty-blue Flycatcher *Ficedula tricolor* One Kathmandu Valley.

Rufous-gorgeted Flycatcher *Ficedula strophinata* Two Kathmadu Valley & three Habre's Nest.

Snowy-browed Flycatcher *Ficedula hyperythra* One Kathmandu Valley.

Himalayan Bluetail *Tarsiger rufilatus* Three females Phulchowki.

Golden Bush Robin *Tarsiger chrysaeus* One Habre's Nest.

Rufous-breasted Bush Robin ♦ *Tarsiger hyperythrus* Male Phulchowki, a vagrant.

Blue-fronted Redstart *Phoenicurus frontalis* Nine sightings, regular at Habre's Nest.

White-capped Redstart *Phoenicurus leucocephalus* Three noted.

Plumbeous Water Redstart *Phoenicurus fuliginosus* Two Godavari Botanical Garden.

Pied Bush Chat *Saxicola caprata* Two Kathmandu Valley.

Siberian Stonechat *Saxicola maurus* One Kathmandu Valley.

Fire-tailed Sunbird *Aethopyga ignicauda* Four sightings Habre's Nest.

Mrs. Gould's Sunbird *Aethopyga gouldiae* Five sightings Habre's Nest.

Green-tailed Sunbird *Aethopyga nipalensis* 15 sightings Habre's Nest.

Alpine Accentor *Prunella collaris* Up to four daily Habre's Nest.

Maroon-backed Accentor ♦ *Prunella immaculata* Up to four Habre's Nest.

Eurasian Tree Sparrow *Passer montanus* Noted Kathmandu Valley.

House Sparrow *Passer domesticus* Noted Kathmandu Valley.

Grey Wagtail *Motacilla cinerea* Four sightings.

Olive-backed Pipit *Anthus hodgsoni* One Kathmandu Valley.

Red-headed Bullfinch *Pyrrhula erythrocephala* Up to six Habre's Nest.

Dark-breasted Rosefinch *Procarduelis nipalensis* Up to 11 daily Habre's Nest.

Common Rosefinch *Carpodacus erythrinus* Three sightings Kathmandu Valley.

Red Crossbill (Common C) *Loxia curvirostra* c.25 Habre's Nest.

Mammals

Western Red Panda *Ailurus fulgens* A mother & cub seen on 5 consecutive days Habre's Nest.

Yellow-throated Marten *Martes flavigula* A family party of three Habre's Nest.

Yellow-bellied Weasel *Mustela kathiah* One sighting Habre's Nest.

Rhesus Macaque *Macaca mulatta* Noted Kathmandu Valley.

Irrawaddy Squirrel (Hoary-bellied Himalayan S) *Callosciurus pygerythrus* Noted Phulchowki.

Orange-bellied Himalayan Squirrel *Dremomys lokriah* Noted Habre's Nest.



Red Panda (image by Mike Watson)



Spiny Babbler (image by Mike Watson)



Red-billed Blue Magpie (image by Mike Watson)



Rusty-cheeked Scimitar Babbler (image by Mike Watson)



Yellow-throated Marten (image by Mike Watson)



Kalij Pheasant (image by Mike Watson)



Chestnut-crowned Laughingthrush (image by Mike Watson)



Hoary throated Barwing (image by Mike Watson)



Slaty-backed Forktail (image by Mike Watson)



Spotted Laughingthrush (image by Mike Watson)



Boudhanath Stupa (image by Mike Watson)



Red Panda (image by Mike Watson)



Singalia Ridge (image by Mike Watson)



White-throated Laughingthrush (image by Mike Watson)



White browed Fulvetta (image by Mike Watson)



Slaty-blue Flycatcher (image by Mike Watson)



Small Niltava (image by Mike Watson)



Spiny Babbler (image by Mike Watson)



Singalia NP forest (image by Mike Watson)



Rufous-gorgeted Flycatcher (image by Mike Watson)



Rufous-breasted Bush Robin (image by Mike Watson)



Phulchowki Summit (image by Mike Watson)



Plumbeous Water Redstart (image by Mike Watson)



Mt Phulchowki (image by Mike Watson)



Red Crossbill (image by Mike Watson)



Red Panda (image by Mike Watson)



Chestnut-crowned Laughingthrush (image by Mike Watson)



Black-browed Tit (image by Mike Watson)



Habre's Nest (image by Mike Watson)



Phulchowki Forest (image by Mike Watson)



Electricians nightmare (image by Mike Watson)



Oriental Turtle Dove (image by Mike Watson)



Olive-backed Pipit (image by Mike Watson)



Alpine Accentor (image by Mike Watson)



Masala Chai (image by Mike Watson)



Maroon-backed Accentor (image by Mike Watson)



Himalayan Bulbul (image by Mike Watson)



Yellow-throated Marten (image by Mike Watson)



Kathmandu Valley (image by Mike Watson)



Chestnut-crowned Laughingthrush (image by Mike Watson)



Ashy-throated Warbler (image by Mike Watson)



Long-tailed Shrike (image by Mike Watson)



Maroon-backed Accentor (image by Mike Watson)



David MacLeman at Habre_s Nest (image by Mike Watson)



Great Parrotbill (image by Daniel Mirmilshsteyn)



Green-tailed Sunbird (image by Mike Watson)



Yellow-throated Marten (image by Mike Watson)



Himalayan Bluetail (image by Mike Watson)



Dark Judy (image by Mike Watson)



Yellow-throated Marten (image by Mike Watson)



Daniel and Red Panda (image by Mike Watson)



Blue-fronted Redstart (image by Mike Watson)



Boudhanath Stupa (image by Mike Watson)



Boudhanath Stupa (image by Mike Watson)



Breakfast time at Habre's Nest (image by Mike Watson)



Checking in (image by Mike Watson)



Black faced Laughingthrush (image by Mike Watson)



Blue Whistling Thrush (image by Mike Watson)



Blue fronted Redstart (image by Mike Watson)



Asian Barred Owlet (image by Mike Watson)



Chestnut-crowned Laughingthrush (image by Mike Watson)



Alpine Accentor (image by Mike Watson)