



CLASSIC PAPUA NEW GUINEA (II) TOUR REPORT 2023

2 - 19 / 23 July 2023

BY JÁNOS OLÁH

This amazing island is famous for the Birds-of-paradise! All birdwatchers who remotely interested in birding abroad will dream about visiting this very special island with Bird-of-paradise aka Bop's. Especially who has seen Sir David Attenborough's various films about these avian aristocrats. We have been running birding tours to this remote corner of the World for a long time and our classic tour has a lot to offer. Indeed in 2023 yet again we had an action-packed tour with many great birds and various island experiences. New Guinea is the second-largest island in the world and to this day remains one of the wildest, most sparsely settled regions on earth. Over 700 species of birds are found here, the world's richest island avifauna and nearly half of these are found nowhere else! Apart from Bop's there is so much else to attract the birdwatcher like strange mound-builders, a gorgeous array of doves, pigeons, parrots and kingfishers (all of which reach their greatest diversity on Earth here), sinister-looking frogmouths, skulking jewel-babblers, exquisite fairy-wrens, brightly coloured flycatchers, confusing honeyeaters and fascinating bowerbirds to mention just some of the highlights. The island of New Guinea also holds seven endemic bird families, including the monotypic Wattled Ploughbill (family Eulacestomatidae), the monotypic Blue-capped Ifrit (family Ifritidae), the longbills and berrypeckers (family Melanocharitidae), the painted berrypeckers (family Paramythiidae), Mottled Berryhunter (formerly Mottled Whistler, family Rhagologidae), the satinbirds (family Cnemophilidae) and the melampittas (family Melampittidae), making it an absolutely key destination for anyone wanting to see all the world's bird families.

This was our second tour to Papua New Guinea this year and albeit slightly different, they were both highly successful. Flights are notoriously unreliable in PNG but thankfully we only got a little taste of this in 2023, nothing which would seriously hamper our birding. Anybody who comes to this far corner of the world to look for birds should be prepared for some logistic hiccups. But this should not stop anybody as what we see and experienced in this truly amazing island is what really matters! Yet again in 2023 we saw all the endemic families, a total of 21 species of Birds-of-Paradise, stunning Sclater's Crowned Pigeons, five species of owl-nightjars, the fantastic Papuan Eagle, mind-blowing male Flame Bowerbird at its bower, two species of tiger parrots amongst 27 other species of parrots, all three possible Jewel-babblers, a male Painted Quail-thrush, shy Brown-headed Paradise and Hook-billed Kingfishers, skulking Papuan and Hooded Pittas, the rare Doria's Hawk, Streaked Berrypecker and Olive Straightbill and lots of exciting honeyeaters. Our short extension to New Britain yielded the rare Pink-legged Rail and Golden Masked Owl, the shy Bismarck Pitta, the smart-looking New Britain Boobook, scarce Pied Cuckoo-Dove and Black Imperial Pigeons, the fantastic Black Honey Buzzard and the stunning Black-capped Paradise and White-mantled Kingfishers. All in all, we have recorded 382 bird species on this tour as well as 9 species of mammals. A truly memorable tour with some great birds!

Our tour started in Port Moresby and after a morning arrival and we wasted no time to get out on the field. This was our first visit to the nearby Varirata National Park which is located just above the capital city at the edge of the Sogeru Plateau. Although by the time we got there it was not exactly early morning we explored the park and had a great introduction to the amazing birdlife of New Guinea. Right on arrival a Pygmy Eagle was greeting us, and Zoe's Imperial Pigeons and Brown Orioles were active around the clearing. Along the forest trails we managed to find Yellow-billed Kingfishers, a stunning Brown-headed Paradise Kingfisher and a skulking Papuan Dwarf Kingfisher. In the more open habitat, we had a selection of cuckooshrikes such as Stout-billed, Barred and Boyer's as well as Mimic and Elegant Honeyeaters, the restricted range White-bellied Whistler and New Guinea Friarbirds. It was a great birding day, but we were all ready for bed!

Next day we flew to Kiunga and drove to the Tabubil area. This area has a huge Australian run copper mine, and it was amongst the first birding destinations where visitors could explore the foothills of the Star Mountains. It still has extensive forest fed by one of the highest rainfalls in the world. Getting suitable weather for birding here is a key factor of success. Having said that it is clearly less rainy as it was 20 years ago, the area is changing. It was late afternoon when we arrived at the foothills, and we spent our time to find the scarce, river-dwelling Salvadori's Teal. Our first attempt was not successful, no teals were seen on the stretch or river we could scan. However, we had huge flocks of Papuan Mountain Pigeons, excellent looks of a small party of Dusky Lory and White-shouldered Fairywrens. Early next morning we drove to Dublin Creek which was the same steep gravelly track as in the last 20 years, but we had a fantastic weather and a great selection of birds! Best of all a fruiting tree gave us a pair of Queen Carola's Parotias as they were frantically feeding on the berries for 5 minutes with Magnificent Bird-of-paradise. We could watch them for some time with a scope and then they all vanished as quickly as they appeared. Other goodies included Long-tailed Honey Buzzard, Chestnut-breasted, Little Bronze and White-eared Bronze Cuckoos, Green-backed, Mimic, Scrub and Long-billed Honeyeaters, Mountain Peltops, Sclater's Whistler, Southern Variable Pitohui, Grey-headed Cuckooshrike, Black-shouldered Cicadabird, Capped White-eye and for some the highly sought-after Obscure Berrypecker! As its name suggest it is a rather drab little bird but very localised and one of the star birds of the Tabubil area! Our afternoon session was also productive with our first Mountain Honeyeater, Black-headed Whistler, yet another Obscure Berrypecker and some fantastic male Magnificent Riflebirds. The best experience however was visiting a display area of the Magnificent Bird-of-paradise where we could admire the display of a stunning male. Wow! A truly remarkable experience, and one of the tour highlights for most of us! Papuan Scrub Robin was calling distantly and at dusk a Shovel-billed Kingfisher was singing very close but remained out of sight.

Early next morning we left for the Hindenburg's Wall. An area we have visited last year on the newly built road towards Telefomin (most probably being the first birding company to do it). Since last year this new site, especially the pass area on the Telefomin road has become a standard place to visit in the Tabubil area as it is a fantastic highland forest with many possible goodies – if you are lucky with the weather! Due to strong territorial rights for tribes in PNG you are not really allowed (yet) to stop on the way up to the mountain, but as soon as you reach 2000 meters the birding begins. Our first bird was a pair of Lorentz's Whistler which was a write-in for our PNG tour as we only ever seen it in West Papua. This was followed by female King of Saxony Bird-of-paradise and with a pair of Blue-capped Ifrits. Walking the road, we soon found more widespread species such as Plum-faced Lorikeet, Grey-streaked and Common Smoky Honeyeaters, Red-collared Myzomela, Fan-tailed Berrypecker and Black Fantail. The weather was still good and as we continued over the pass, we managed to find some perched Red-breasted Pygmy Parrots, a fantastic male Splendid Astrapia, huge Brown Sicklebills and a fruiting tree produced Spotted and Tit Berrypeckers and Brown-backed Whistlers. The Splendid Astrapia until last year was only possible on our West Papua tours, it is a current addition to the growing list of Bops you can see on this tour. Our limited time ended on the roof of the Hindenburg's Wall and by late afternoon we were at lower elevation where we tracked down a Salvadori's Teal as well as had a fly-by Doria's Hawk and two Pesquet's Parrots while waiting for dusk when we tried again for Shovel-billed Kookaburra. Sadly, no birds were seen despite much effort at dusk and the following dawn. Our last morning around Tabubil however was very birdy and we had great looks of Wallace's Fairywrens, Spectacled and Pygmy Longbills, Piping Bellbird, Sooty Thicket and Rufous-backed Fantails, White-rumped Robin and Olive Flyrobin. In the afternoon we left the Tabubil area behind and travelled back to the sweaty lowlands. Our first afternoon gave us a female King Bird-of-paradise but there was no sign of any owl-nightjars at dusk.

Next dawn, we set off on a boat journey into the real wilderness. We boarded our boat on the Fly River at Kiunga and made our way upstream and turned south on the Elevela River. It is birding from the very moment you start the boat ride. Along the Fly River we had a flock of Black-faced Cuckooshrikes and a Channel-billed Cuckoo. Later a selection of pigeons and doves were seen including smart-looking Collared and Pinon's Imperial Pigeon and Metallic Pigeon as well as both Trumpet and Glossy-mantled Manucodes. Water level was high, much higher than to our previous group two weeks ago. It was the same high as we had it last year and this meant all the Flightless Rail hides were under water and no chance to look for this rare bird. Nevertheless, there was an active Flame Bowerbird hide on our way, so we made a stop in a remote village and walked to the hide. The male Flame Bowerbird was at the bower when we arrived, a fantastic bird indeed! Unfortunately, it left very early allowing only a few minutes for us to admire him. We decided to wait in the hope it will return – which did not happen – and it was a great decision as we had great looks of a Hooded Pitta and later a fantastic Blue Jewel-babbler. We were back in the boat and a more birds were seen along the river, perhaps a nice Long-billed Cuckoo being the best until the very moment we found a Sclater's Crowned Pigeon. A prime target and a beautiful pigeon indeed which allowed prolonged superb looks. Fantastic! We arrived at the remote Kwatu Lodge (I would rather call it a basic camp) and after dropping of our bags we were back on the boat for a short ride and more birding along a forest trail. The hoped-for male King Bird-of-paradise only showed briefly but Black-sided Robins gave good looks. In the late afternoon we tracked down another specialty, a male Twelve-wired Bird-of-paradise on its favourite snag. It is a such a unique bird with its long bill, the two swollen banana swim belts and those wired wires! After dinner we had our first night-excursion which started with Papuan Frogmouth and both Great Flying Fox and Moluccan Naked-backed Fruit Bat but Starry Owllet-nightjar remained heard-only even after much sweating.

Our next day begin early with a night foray into the forest where we managed to see Marbled Frogmouth and we also got some brief looks at Wallace's Owllet-nightjars. After breakfast we were back in the boat and we soon found the highly localised White-bellied Pitohui, a handsome Common Paradise Kingfisher, a gorgeous male Emperor Fairywren and a skulking, White-bellied Thicket Fantail. Unfortunately, the rest of the morning was not going according to our plans as we had an unfortunate accident on a muddy trail and one of us had to leave us. Still, we managed to get fantastic looks of the ultra-shy and elusive Doria's Hawk as we were heading back to camp. In the afternoon we made terrestrial birding along the so-called ridge trail where birding was slow but with persistence, we managed to see Rusty Mouse Warbler, Large-billed and Yellow-bellied Gerygone, Papuan Babbler, Black Berrypeckers, Yellow-bellied Longbill, Arafura Shrikethrush, Rufous-backed Fantail, Spot-winged Monarch. We tried hard for a calling Bare-eyed Rail but we had no luck. After dinner we embarked on yet another night mission, and this time we were determined to get the Starry Owllet-nightjar. It was hard work but eventually we managed to find one of these relatively large and poorly known owllet-nightjars! In the process we also stumbled across Black-billed Brushturkey and yet another Wallace's Owllet-nightjar. Icing on the cake was a Papuan Hawk-Owl on the way back to lodge. A fantastic night outing, a true Fly River experience! Our last morning started with rain, but it just stopped for us to be able to make a last pre-dawn session into the forest. It was still dripping and wet, but we soon had Marbled Frogmouth in spotlight and this time we cracked some proper looks of Wallace's Owllet-nightjar too. A calling Hook-billed Kingfisher was a great bonus! After breakfast we walked a forest trail and after a few hours work we all had great looks of Papuan Pitta. It was time to leave Kwatu Lodge and we started our journey back to Kiunga. On the way back we made yet another stop at the Flame Bowerbird hide and got great looks again! Along the boat journey we saw Pacific Baza, Papuan Spine-tailed Swift, Blyth's Hornbill, Yellow-streaked Lory, Double-eyed, Dusky-cheeked and Large Fig Parrots, Streak-headed Honeyeater, Lowland Peltops, Yellow-eyed Starlings and Golden Mynas. Unfortunately, halfway through it started raining and the rest of the journey back was in rain. On our last morning in the Kiunga area we drove to km17 and visited a Greater Bird-of-paradise lekking area. Our local guide showed us the old tree the birds used in the past for lekking and where Sir David Attenborough filmed them 20 years ago. We had to walk a bit further, but the experience was great as we could see displaying males of various age and a few females too. What a truly magnificent experience to finish our lowland visit to the Fly River area! In the afternoon our flight was a bit late, but we managed to leave Kiunga and flew to Mount Hagen. It was a stark contrast in temperature upon arrival, we definitely have arrived at the New Guinea highlands! Our team was waiting for us, and we made our way to the famous Kumul Lodge.

Our stay at this wonderful place was relaxed as we had three full days to explore the various sites. We spent most of our time around the lodge itself though we made several visits to the nearby Murmur Pass as well as visited the Lai River area one morning too. There were plenty to look for as most of the endemic bird families are in the highlands and we were eager to find those we have not seen yet in the Star Mountains. Right around the lodge we got some goodies like Archbold's Bowerbird, Wattled Ploughbill, Blue-capped Ifrit, Crested Satinbird, Mountain Firetail, Brehm's Tiger Parrot, Rufous-naped Bellbird and Eastern Crested Berrypecker. However, the pride of the place was the astonishing male Ribbon-tailed *Astrapia* with fully grown tail feathers which we enjoyed daily in the garden, and he often came to the feeders as well! An absolute stunner! Another endemic bop was the Blue Bird-of-paradise and we made sure we got great looks of a fantastic male. Yet another stunner! We had to be patient but eventually it really showed well on a fruiting tree and using some of his favourite perches too. We also had several night forays into the moss forest and had great looks of both Mountain and Feline Owllet-nightjars and Archbold's Nightjar. Unfortunately, New Guinea Woodcock was only heard roding rather distantly and we could not get a glimpse. Especially at night we had some great mammals like Masked and Coppery Ringtail Possums, but we also had daytime encounters with Speckled Dasyure. The nearby Murmur Pass yielded the very special Mottled Berryhunter, more Wattled Ploughbills, Josephine's and Stella's Lorikeets, Lesser Melampitta, Forbes's Forest Rail, Orange-crowned Fairywren, Black-throated Honeyeater and Black-breasted Boatbill. After seeing many female King of Saxony Bird-of-paradise we eventually connected here with a superb male displaying from a treetop. We were all very happy to watch it for several minutes! One morning we made a short visit to Lai River

area where we managed to find male Lesser Bird-of-paradise, Yellow-breasted Bowerbird, Marbled Honeyeater, Mountain Myzomela and a hidden side valley produced Streaked Berrypecker and Sepik-Ramu Shrikethrush.

All too soon our days ended at this amazing place, and we found ourselves at Mount Hagen airport again for a short hop to Tari. Although we did look at the several Papuan Harriers and Brown Falcons flying around the airport before we boarded our charter flight. Thankfully the weather was great, and we arrived at Tari before lunch and were quickly on our way to the famous Ambua Lodge!

Tari Gap and Ambua Lodge! The iconic mountain birding place in PNG. Well, it certainly a great place but roadside habitat definitely deteriorated in the last 30 years, and it is not as easy birding now as it was in the 90's. Perhaps this is why very few birding companies or individual birders visit this location nowadays and this also means there is much less information and less new forest trails to explore. Anyway, we there were plenty of birds to look for, so after lunch we started to explore the lodge garden where we found a fine male Spotted Berrypecker as well as a female Greater Lophorina and female Lawes's Parotia too. Great start and many promising fruiting trees to look at! In the next two days we explored various trails at various elevations in the Tari Gap, often playing hide and seek with the foggy weather. It is a remarkable area, and our highlights were truly amazing such as top views of Black-mantled Goshawk, male Red-breasted Pygmy Parrot, Papuan Logrunner, Spotted Jewel-babbler, both sexes of Spotted Berrypecker and Short-tailed Paradigalla as well as a male Greater Lophorina showing its fantastic feather shield. The supporting cast was also superb with many exciting goodies like White-bibbed Fruit and Great Cuckoo-Doves, a pair of Madarasz's Tiger Parrots, colourful Papuan King Parrot, feeding Yellow-billed, Orange-billed and Goldie's Lorikeets, singing Rufous-throated Bronze Cuckoo, skittish Papuan Treecreepers, colourful Eastern Crested Berrypecker, a pair of the rare and little known Olive Straightbill, noisy Hooded Cuckooshrikes, smart looking Regent and Sclater's Whistlers, stunning male Wattled Ploughbill, more Blue-capped Ifrits, subtle Lesser Ground Robin and regal-looking blue-coloured Loria's Satinbird just to name but a few. It was a great place with great birds, a fitting final for a birding in the highlands of Papua New Guinea. Our flight out of Tari was early and had a few hours to spend at Mount Hagen so we decided to check out the fancy Rondon Ridge Lodge where most birding companies stay – and we likely to come here in future tours too. Although we got there in the middle of the day, the overcast weather was helping so we hit the forest trails around the lodge where we picked up some great birds such as MacGregor's Bowerbird, Streaked Berrypecker and Slaty-headed Longbill. It was a perfect place to spend our extra hours. Eventually our flight back to Port Moresby was late as usual but uneventful.

We had a busy day coming up as this was our first full day in the famous Varirata National Park near Port Moresby. We have been there at the beginning of the tour which seemed like a long time ago. We left early and started the day with two calling Barking Owls before visiting the lekking area of the Raggiana Bop's. It was magical, the best activity I have ever seen at this lek with about 15 birds present. We just stood there and soaked in the experience, something all participants will remember for a long time! It was voted the 'Bird of the trip'. It was hard to drag ourselves away but there were some other special birds we were after. A huge surprise of the morning was a fantastic calling Papuan Eagle while having breakfast and after some scanning, we found it and had cracking looks of this mythical beast! There were great fruiting trees around the camp site with Pink-spotted, Dwarf, Beautiful and Orange-bellied Fruit Doves. Most of the morning we explored various trails and although birding was slow as usual in forest habitats but eventually managed to find the shy and skulking Papuan Scrub Robin, Chestnut-backed Jewel-babbler and a stunning male Painted Quail-thrush. The day-roosting Barred Owlet-nightjar was a welcome sight and completing our set of all five possible owlet-nightjars for the tour. While the male Growling Riflebird was a great addition to our bop list! Other goodies included Brown-headed Paradise Kingfisher, Pale-billed Scrubwren, Hooded and Black Pitohuis, Variable Shrikethrush, Yellow-bellied and Green-backed Gerygones, Chestnut-bellied Fantail, Spot-winged, Black-faced and Frilled Monarchs, Papuan Black Myzomela as well as White-faced Robin. In the drier forest habitat Pheasant Coucal, Papuan Eclectus, Red-cheeked Parrot, Blue-winged Kookaburra, New Guinea Friarbirds, White-throated and Elegant Honeyeaters and Yellow-faced Mynas were found. On our way back to Port Moresby we stopped at the PAU grounds where we found Channel-billed Cuckoos, Orange-fronted and Orange-bellied Fruit Doves, Torresian Imperial Pigeons, Fawn-breasted Bowerbirds, Rufous-banded Honeyeaters and Singing Starling and a great selection of waterbirds like Comb-crested Jacana, Radjah Shelduck and Nankeen Night Heron. The 250 Rainbow Bee-eaters gathering for roost was also a great sight as an Australian Hobby flew by.

Next morning our New Britain Extension started but due to changes in flight times we had another morning around Port Moresby! First, we have visited some suburban area to look for the localised Silver-eared Honeyeater which we did eventually found alongside some Yellow-tinted Honeyeaters and Singing Starlings. Later we returned to the PAU grounds to track down Pied Heron, Black-backed Butcherbird and Grey-headed Mannikin before revisiting Varirata National Park for some more birding where our best additional find was a Pheasant Pigeon. We were back to the airport for our afternoon flight ready for New Britain. It is the largest island of the Bismarck Archipelago and has the richest avifauna of any island in the Southwest Pacific (excluding New Guinea itself of course). Many of the species are either endemic to New Britain alone or to the Bismarck Archipelago as a whole (and sometimes the Solomon Islands also). Well, we were ready to get there but the airline was not, so our flight was delayed until next morning.

Our flight next morning was early, so it was a shocking starting time, but we did arrive to New Britain early and made our way to the heavenly Walindi Resort for a late breakfast. Being a diving resort, it is right on the beach with a fantastic garden and a famously exquisite food. After arrival we planned our birding with the local bird guide as we had to adopt losing one of our three mornings. Our introductory birding on a hillside not far from the lodge yielded our first endemics

like Red-knobbed Imperial Pigeon, the rather scarce Pied Cuckoo-Dove, Blue-eyed Cockatoo and Purple-bellied Lory, Ashy Myzomela, New Britain Friarbird, Bismarck Crow, Long-tailed Myna and even the shy Velvet Flycatcher. Our first afternoon was spent along the Kulu River. Afternoons are slow and very hot but with persistence we found Melanesian Megapodes, skulking Violaceous Coucals, New Britain Dwarf and Black-capped Paradise Kingfishers, Finsch's Imperial Pigeon and a day roosting New Britain Boobook! Nicobar Pigeons and White-rumped Swiftlets were seen zooming by while Blue-eyed Cockatoos gave us a show! The star bird of the afternoon however was a fantastic Ping-legged or New Britain Rail as it came to the edge of the river for a bath. A mythical bird with few records only! This year was very good for this species as our first group has seen it two weeks ago as well. But our day was not finished yet, as after dinner we embarked on a journey into the endless oil palm plantation where we were lucky to find a fantastic Golden Masked Owl!

The following two days we explored a few remaining forest patches such as Garu and Ela Forests and returned to the Kulu River once more as well as made a boat excursion to Kimbe Bay for more special birds. Pigeons and doves were well represented, and we managed to find more Nicobar Pigeons, a few MacKinlay's Cuckoo-Doves, Knob-billed Fruit Dove, Stephan's Emerald Dove as well as Island, Black and Yellowish Imperial Pigeons. We also tracked down the other special kingfishers of the island like Melanesian, Beach and White-mantled Kingfishers and with a lot of hard work we all managed to see Bismarck Pitta too. Other highlights of our stay included Black Honey Buzzard, Buff-faced Pygmy Parrot, Song Parrot, White-necked Coucal, Sclater's and Black-bellied Myzomelas, Mangrove Golden Whistler, Black-tailed and Island Monarchs, Red-banded Flowerpecker and Buff-bellied Mannikin. We can conclude we had a wonderful time in New Britain based in a wonderful resort. It was a productive stay indeed and despite the reduced time we had all we could hope for! We wish good luck to our pioneering tour later this year to explore the highlands of this remarkable island! Our tour has ended with a flight back to Port Moresby the following morning where we all departed to different directions. All in all, this year we had a real action packed and eventful tour to this amazing country, but any birding holiday to Papua New Guinea is intense if you wish to see the secrets of this island! All of us had many special birds and adventures we will never forget!

BIRDS OF THE TOUR

1st: Raggiana Bird-of-paradise

2nd: Flame Bowerbird

3rd: Ribbon-tailed Astrapia & Wattled Ploughbill

5th: Sclater's Crowned Pigeon & Papuan Eagle

BIRDS OF THE EXTENSION

1st: Pink-legged Rail

2nd: Black Honey Buzzard

3rd: Bismarck Pitta

SYSTEMATIC LIST OF SPECIES RECORDED

BIRDS

Wandering Whistling Duck *Dendrocygna arcuata*

Radjah Shelduck ♦ (White-headed S) *Radjah radjah* Three were seen on the PAU ponds near POM.

Salvadori's Teal ♦ *Salvadorina waigiuenis* Eventually great looks near Tabubil!

Pacific Black Duck *Anas superciliosa*

Grey Teal *Anas gracilis*

Black-billed Brushturkey ♦ (Yellow-legged B) *Talegalla fuscirostris* Two separate birds were seen in the Kiunga area.

Melanesian Megapode ♦ *Megapodius eremita* Two were seen on New Britain.

King Quail *Synoicus chinensis*

White-throated Nightjar *Eurostopodus mystacalis* One of these wintering birds were seen near Tabubil.

Archbold's Nightjar ♦ (Mountain N) *Eurostopodus archboldi* We had good looks near Kumul Lodge.

Marbled Frogmouth ♦ *Podargus ocellatus* Two sightings in the Fly River area.

Papuan Frogmouth ♦ *Podargus papuensis* Fantastic looks in the Fly River area and at Ambua Lodge.

Feline Owlet-nightjar ♦ *Aegotheles insignis* Hard work, but great looks of a nice brownish individual at Kumul.

Starry Owlet-nightjar ♦ *Aegotheles tatei* One was eventually seen by some in the Fly River area.

Wallace's Owlet-nightjar ♦ *Aegotheles wallacii* Fantastic looks in the Fly River area.

Mountain Owlet-nightjar ♦ *Aegotheles albertisi* Fantastic looks at Kumul Lodge.

Barred Owlet-nightjar ♦ *Aegotheles bennettii* Great looks in Varirata NP and completing our set of five species of owl-nightjars!!! Wow!

Moustached Treeswift *Hemiprocne mystacea*

Glossy Swiftlet *Collocalia esculenta*

Mountain Swiftlet ♦ *Aerodramus hirundinaceus* Regularly seen.

White-rumped Swiftlet ♦ *Aerodramus spodiopygius* Endemic. Just a few were identified on New Britain.

Uniform Swiftlet *Aerodramus vanikorensis*

Papuan Spine-tailed Swift ♦ (P Spinetail, P Needletail) *Mearnsia novaeguineae* Many were seen in the Fly River area.

White-necked Coucal ♦ *Centropus ateralbus* Endemic. Great looks on New Britain.

Ivory-billed Coucal ♦ (Greater Black C) *Centropus menbeki* One was seen near Kiunga.

Violaceous Coucal ♦ *Centropus violaceus* Endemic. Great looks on New Britain.

Pheasant Coucal *Centropus phasianinus*

Pacific Koel *Eudynamys orientalis*

Channel-billed Cuckoo *Scythrops novaehollandiae*

Long-billed Cuckoo ♦ *Chrysococcyx megarhynchus* One was seen in the Fly River area.

Rufous-throated Bronze Cuckoo ♦ *Chrysococcyx ruficollis* Seen well in the Tari Gap.

Shining Bronze Cuckoo *Chrysococcyx lucidus* One was seen on New Britain.

White-eared Bronze Cuckoo ♦ *Chrysococcyx meyerii* Several good looks this year, smart looking bird!

Little Bronze Cuckoo *Chrysococcyx minutillus*

White-crowned Cuckoo ♦ (W-c Koel) *Cacomantis leucolophus* It was seen at Varirata NP.

Chestnut-breasted Cuckoo ♦ *Cacomantis castaneiventris* Excellent looks at Dablin Creek near Tabubil.

Fan-tailed Cuckoo *Cacomantis flabelliformis*

Brush Cuckoo *Cacomantis variolosus*

Rock Dove (introduced) *Columba livia* Seen at Port Moresby.

Metallic Pigeon (White-throated P) *Columba vitiensis* It was seen in the Fly River area and at Varirata NP.

Amboyna Cuckoo-Dove ♦ *Macropygia amboinensis* Regularly seen.

Bar-tailed Cuckoo-Dove ♦ (Black-billed C-D) *Macropygia nigrirostris* Regularly seen.

MacKinlay's Cuckoo-Dove ♦ *Macropygia mackinlayi* Five were seen well in Kimbe Bay on New Britain.

Great Cuckoo-Dove ♦ (Long-tailed C-D) *Reinwardtoena reinwardti* Excellent looks in the Tari area.

Pied Cuckoo-Dove ♦ *Reinwardtoena browni* Endemic. Two sightings of this scarce bird on New Britain.

Stephan's Emerald Dove *Chalcophaps stephani*

New Guinea Bronzewing ♦ *Henicophaps albifrons* heard only

Peaceful Dove *Geopelia placida*

Nicobar Pigeon ♦ *Caloenas nicobarica* Many excellent looks on New Britain.

Pheasant Pigeon ♦ *Otidiphaps nobilis* Two sightings in Varirata. This is the Grey-naped *cervicalis* race.

Slater's Crowned Pigeon ♦ *Goura sclaterii* A total of nine were seen in the Fly River area! Stunning!

Wompoo Fruit Dove ♦ (Magnificent FD) *Ptilinopus magnificus* heard only

Pink-spotted Fruit Dove ♦ *Ptilinopus perlatus* Best looks were in Varirata NP.

Orange-fronted Fruit Dove ♦ *Ptilinopus aurantiifrons* About 15 were seen on a fruiting tree near POM.

Superb Fruit Dove *Ptilinopus superbus*

Beautiful Fruit Dove ♦ *Ptilinopus pulchellus* Just a few sightings, first at Varirata NP.

White-bibbed Fruit Dove ♦ (Mountain FD) *Ptilinopus rivoli* many sightings this year in the Tari area.

Orange-bellied Fruit Dove ♦ *Ptilinopus iozonus* Common.

Knob-billed Fruit Dove ♦ *Ptilinopus insolitus* Great bird, fantastic looks on New Britain!

Dwarf Fruit Dove ♦ *Ptilinopus nainus* Special little bird and we got our best looks at Varirata NP.

Red-knobbed Imperial Pigeon ♦ *Ducula rubricera* Endemic. Common on New Britain.

Purple-tailed Imperial Pigeon ♦ *Ducula rufigaster* Many great looks, especially at Varirata NP.

Finsch's Imperial Pigeon ♦ *Ducula finschii* Endemic. We saw about six on New Britain.

Island Imperial Pigeon ♦ *Ducula pistrinaria* Endemic. Common on New Britain.

Pinon's Imperial Pigeon ♦ *Ducula pinon* Just a few seen in the Fly River area.

Black Imperial Pigeon ♦ *Ducula melanochroa* Endemic. Four were seen in the Garu Forest on New Britain.

Collared Imperial Pigeon ♦ *Ducula mullerii* Beautiful pigeon and many seen in the Fly River area.

Zoe's Imperial Pigeon ♦ *Ducula zoeae* Common and smart-looking!

Torresian Imperial Pigeon ♦ *Ducula spilorrhoea* Common near Port Moresby.

Yellowish Imperial Pigeon ♦ *Ducula subflavescens* Endemic. Common on New Britain.

Papuan Mountain Pigeon ♦ *Gymnophaps albertisii* We had some great looks at various places.

Forbes's Forest Rail ♦ *Rallidula forbesi* One was seen near Kumul Lodge.

Buff-banded Rail *Hypotaenidia philippensis* The *lesouefi* race was seen at New Britain.

Pink-legged Rail ♦ *Hypotaenidia insignis* Endemic. Excellent looks of a bathing bird along the Kulu River on New Britain. A rarely encountered species which was showing well its barred wings too.

Dusky Moorhen *Gallinula tenebrosa*

Australasian Swamphen *Porphyrio melanotus*

Bare-eyed Rail ♦ *Gymnocrex plumbeiventris* heard only

Masked Lapwing *Vanellus miles*

Little Ringed Plover *Charadrius dubius* One was seen at Kiunga airport. Nominate.

Comb-crested Jacana *Irediparra gallinacea*

Eurasian Whimbrel (Eurasian W) *Numenius phaeopus*

New Guinea Woodcock ♦ *Scolopax rosenbergii* heard only

Common Sandpiper *Actitis hypoleucos*

Australian Pratincole *Stiltia isabella* Seen at various airports. Up to 37 counted on the Kiunga runway.

Greater Crested Tern (C T, Swift T) *Thalasseus bergii*

Common Tern *Sterna hirundo*

Lesser Frigatebird *Fregata ariel*

Australasian Darter *Anhinga novaehollandiae*

Little Pied Cormorant *Microcarbo melanoleucos*

Little Black Cormorant *Phalacrocorax sulcirostris*

Great Cormorant *Phalacrocorax carbo*

Australian White Ibis *Threskiornis molucca*

Black Bittern *Ixobrychus flavicollis*

Nankeen Night Heron (Rufous N H) *Nycticorax caledonicus*

Striated Heron (Green-backed H) *Butorides striata*

Eastern Cattle Egret *Bubulcus coromandus*

Great Egret (Eastern G E) *Ardea [alba] modesta*

Intermediate Egret ♦ *Ardea intermedia* This form *plumifera* sometimes called Plumed Egret.

Pied Heron ♦ *Egretta picata* Two were seen near POM.

Little Egret *Egretta garzetta*

Pacific Reef Heron *Egretta sacra*

Eastern Osprey *Pandion haliaetus* The *cristatus* race was seen on New Britain.

Pacific Baza (Crested Hawk) *Aviceda subcristata*

Long-tailed Honey Buzzard ♦ (L-t B) *Henicopernis longicauda* Regular sightings of this great raptor.

Black Honey Buzzard ♦ *Henicopernis infuscatus* Endemic. Just one was seen on New Britain. Superb!

Papuan Eagle ♦ (N G Harpy E) *Harpyopsis novaeguineae* Mega! Great perched looks of a calling bird in Varirata NP.

Pygmy Eagle ♦ *Hieraetus weiskei* Great looks at Varirata NP.

Doria's Goshawk ♦ *Megatriorchis doriae* Absolutely amazing to have three encounters with this rare bird on a single tour. One was seen at Tabubil and probably the same bird was seen on two occasions in the Fly River area. Unbelievable.

Variable Goshawk *Accipiter hiogaster*

Black-mantled Goshawk ♦ *Accipiter melanochlamys* Stunning raptor which gave first class looks on two mornings at Ambua Lodge.

Grey-headed Goshawk ♦ *Accipiter poliocephalus* Two were seen by Chris and Dani on the way back to Kiunga.

Collared Sparrowhawk *Accipiter cirrocephalus*

Meyer's Goshawk ♦ *Accipiter meyerianus* Two sightings, one near Kumul and one in the tari Gap.

Papuan Harrier ♦ *Circus spilothorax* Fantastic looks of minimum three birds at Mount Hagen airport.

Black Kite *Milvus migrans*

Whistling Kite *Haliastur sphenurus*

Brahminy Kite *Haliastur indus*

White-bellied Sea Eagle *Haliaeetus leucogaster*

Golden Masked Owl ♦ *Tyto aurantia* Endemic. Top bird! One was seen in the endless oil palm plantations of New Britain.

Papuan Hawk-Owl ♦ *Uroglaux dimorpha* Great looks in the Fly River area.

Barking Owl *Ninox connivens* Two were seen well in Varirata NP.

Papuan Boobook ◊ (Jungle Hawk Owl, Jungle B) *Ninox theomacha* One was seen in Varirata NP.

New Britain Boobook ◊ *Ninox odiosa* Endemic. Great looks on New Britain.

Blyth's Hornbill ◊ (Papuan H) *Rhyticeros plicatus* Our best sightings were in the Fly River area.

Oriental Dollarbird *Eurystomus orientalis*

Hook-billed Kingfisher ◊ *Melidora macrorrhina* One was seen in the Fly River area.

Common Paradise Kingfisher ◊ *Tanysiptera galatea* One was seen in the Fly River area.

Black-capped Paradise Kingfisher ◊ *Tanysiptera nigriceps* Endemic. Several looks on New Britain.

Brown-headed Paradise Kingfisher ◊ *Tanysiptera danae* Endemic. Beautiful bird which was seen well in Varirata NP.

Shovel-billed Kookaburra ◊ (S-b Kingfisher) *Clytoceyx rex* heard only

Blue-winged Kookaburra *Dacelo leachii*

Rufous-bellied Kookaburra ◊ *Dacelo gaudichaud* Several good looks. Very handsome bird!

Forest Kingfisher *Todiramphus macleayii* One was seen on New Britain where it is a rare migrant.

White-mantled Kingfisher ◊ *Todiramphus albonotatus* Endemic. Excellent looks of this beautiful bird on New Britain.

Melanesian Kingfisher ◊ *Todiramphus tristrami* Several seen on New Britain.

Beach Kingfisher ◊ *Todiramphus saurophagus* A pair was seen on New Britain.

Sacred Kingfisher *Todiramphus sanctus*

Yellow-billed Kingfisher ◊ (Lesser Y-b K) *Syma torotoro* Superb looks at Varirata NP.

Mountain Kingfisher ◊ (M Yellow-billed K) *Syma megarhyncha* Brief looks near Kumul.

Common Kingfisher *Alcedo atthis*

Papuan Dwarf Kingfisher ◊ *Ceyx solitarius* Excellent looks at Varirata NP.

New Britain Dwarf Kingfisher ◊ *Ceyx sacerdotis* Endemic. One was seen on New Britain.

Azure Kingfisher *Ceyx azureus*

Rainbow Bee-eater *Merops ornatus*

Australian Hobby *Falco longipennis* One was seen near POM.

Brown Falcon *Falco berigora*

Palm Cockatoo ◊ *Probosciger aterrimus* Charismatic bird, many great looks!

Sulphur-crested Cockatoo *Cacatua galerita*

Blue-eyed Cockatoo ◊ *Cacatua ophthalmica* Endemic. Common on New Britain.

Pesquet's Parrot ◊ (N G Vulturine P) *Psittarchas fulgidus* Great flight views near Tabubil. Special parrot!

Buff-faced Pygmy Parrot ◊ *Micropsitta pusio* We had good perched views on New Britain.

Red-breasted Pygmy Parrot ◊ *Micropsitta bruijnii* Several sightings, best looks were at the Ambua Lodge.

Papuan King Parrot ◊ *Alisterus chloropterus* Only seen in the garden of Ambua Lodge.

Papuan Eclectus ◊ *Eclectus polycyloros* Common and noisy!

Red-cheeked Parrot ◊ *Geoffroyus geoffroyi* Common.

Song Parrot ◊ *Geoffroyus heteroclitus* Several good flight looks this year on New Britain.

Brehm's Tiger Parrot ◊ *Psittacella brehmii* Easy on the feeder at Kumul Lodge.

Madarasz's Tiger Parrot ◊ *Psittacella madaraszii* A pair was seen well in the garden of Ambua Lodge.

Plum-faced Lorikeet ◊ (Whiskered L) *Oreopsittacus arfaki* Our best looks were near Kumul.

Red-flanked Lorikeet ◊ *Hypocharmosyna placentis* Several good looks.

Josephine's Lorikeet ◊ *Charmosyna josefinae* We had great scope looks near Murmur Pass.

Stella's Lorikeet ◊ *Charmosyna stellae* These long-tailed beauties were seen well a few times.

Yellow-billed Lorikeet ◊ *Neopsittacus musschenbroekii* Several sightings in the highlands.

Orange-billed Lorikeet ◊ *Neopsittacus pullicauda* Several sightings in the highlands.

Purple-bellied Lory ◊ *Lorius hypoinochrous* Endemic. Common and noisy on New Britain.

Black-capped Lory ◊ (Western B-c L) *Lorius lory* Common and noisy on the mainland.

Dusky Lory ◊ *Pseudeos fuscata* We had good looks near Tabubil this year.

Yellow-streaked Lory ◊ (Yellow-s L, Greater S L) *Chalcopsitta scintillate* It was seen in the Fly River area.

Goldie's Lorikeet ◊ *Glossoptilus goldiei* Superb looks of feeding birds in the Tari Gap.

Coconut Lorikeet ◊ (Rainbow L) *Trichoglossus haematodus* Common.

Large Fig Parrot ◊ (Yellow-naped F P) *Psittaculirostris desmarestii* Seen twice perched in the Fly River area. The *cervicalis* race we saw is endemic to PNG.

Orange-breasted Fig Parrot ◊ (Dusky-cheeked F P) *Cyclopsitta gulelmitertii* Commonly encountered.

Double-eyed Fig Parrot ◊ (Red-faced F P) *Cyclopsitta diophthalma* We had good looks in the Fly River area.

Orange-fronted Hanging Parrot ◊ (Papuan H P) *Loriculus aurantiifrons* Just a female was seen near Tabubil by some.

Papuan Pitta ◊ (Red-bellied P) *Erythropitta macklotii* We had cracking looks in the Fly River area.

Bismarck Pitta ◊ *Erythropitta novaehibernicae* Endemic. After some hard work we managed to see one on New Britain.

Hooded Pitta ◊ *Pitta sordida* Fantastic looks in the Fly River area.

Archbold's Bowerbird ◊ *Archboldia papuensis* A female was seen a few times at Kumul Lodge with the male only showing briefly for some.

MacGregor's Bowerbird ◊ *Amblyornis macgregoriae* A great bonus with many seen at Rondon Ridge.

Flame Bowerbird ◊ *Sericulus ardens* Breath-taking looks in the Fly River area at a bower! Stunning!

Yellow-breasted Bowerbird ◊ (Lauterbach's B) *Chlamydera lauterbachi* We saw two in the Lai River area.

Fawn-breasted Bowerbird ◊ *Chlamydera cerviniventris* Common in and near Port Moresby.

Papuan Treecreeper ◊ *Cormobates placens* A pair was finally tracked down in the Tari Gap.

Wallace's Fairywren ◊ (W Wren) *Sipodotus wallacii* Great looks of this canopy-dweller near Tabubil.

Emperor Fairywren ◊ *Malurus cyanocephalus* A male showed very well in riverside thicket in the Fly River area.

White-shouldered Fairywren ◊ *Malurus alboscapulatus* Our best looks were in the Tabubil area.

Orange-crowned Fairywren ◊ *Clytomyias insignis* A party of three were seen at Murmur Pass.

Green-backed Honeyeater ◊ *Glycichaera fallax* A few nice looks of the warbler like small honeyeater.

Rufous-backed Honeyeater ◊ *Ptiloprora guisei* Endemic. Fairly common in the Tari Gap.

Grey-streaked Honeyeater ◊ (Black-backed H) *Ptiloprora perstriata* Seen at various highland sites.

Rufous-banded Honeyeater ◊ *Conopophila albogularis* Common around Port Moresby.

Long-billed Honeyeater ◊ *Melilestes megarrhynchus* Regularly encountered forest honeyeater.

Olive Straightbill ◊ *Timeliopsis fulvigula* We managed to find a pair of this rare aberrant honeyeater in the Tari Gap.

Common Smoky Honeyeater ◊ *Melipotes fumigatus* Common. The color-changing wattle is amazing!

Plain Honeyeater ◊ *Pycnopygius ixoides* We had the best looks at Varirata NP.

Marbled Honeyeater ◊ *Pycnopygius cinereus* A few were seen in the Lai River area.

Streak-headed Honeyeater ◊ *Pycnopygius stictocephalus* Just a few were seen in Varirata NP.

Ashy Myzomela ◊ *Myzomela cineracea* Endemic. Common on New Britain.

Papuan Black Myzomela ◊ *Myzomela nigrita* Eventually good looks in Varirata NP.

Mountain Myzomela ◊ (Elfin M, M Red-headed M) *Myzomela adolphinae* It was seen in the Lai River area and at Rondon Ridge.

Sclater's Myzomela ◊ *Myzomela sclateri* Endemic. Common on the offshore islets in Kimbe Bay on New Britain.

Black-bellied Myzomela ◊ *Myzomela erythromelas* Endemic. Three were seen on New Britain.

Red-collared Myzomela ◊ *Myzomela rosenbergii* Fantastic bird and common in the highlands.

New Guinea Friarbird ◊ (Helmeted F) *Philemon novaeguineae* Common.

New Britain Friarbird ◊ *Philemon cockerelli* Endemic. Common.

Tawny-breasted Honeyeater ◊ *Xanthotis flaviventer* Common.

Silver-eared Honeyeater ◊ *Lichmera alboauricularis* We had good looks of this subtle beauty in POM.

White-throated Honeyeater ◊ *Melithreptus albogularis* Fairly common in Varirata NP.

Mountain Honeyeater ◊ (M Meliphaga, Hill Forest H) *Microptilotis orientalis* Common in the Tabubil.

Scrub Honeyeater ◊ (S Meliphaga, S White-eared M) *Microptilotis albonotatus* Common in the Tabubil.

Mimic Honeyeater ◊ (M Meliphaga, Mimetic M) *Microptilotis analogus* Fairly common in Varirata NP.

Elegant Honeyeater ◊ (E Meliphaga) *Microptilotis cinereifrons* Endemic. Three were seen in Varirata NP.

Yellow-tinted Honeyeater ◊ *Ptilotula flavescens* It was only seen in Port Moresby.

Black-throated Honeyeater ◊ *Caligavis subfrenata* It was seen at Murrumbidgee Pass and in the Tari Gap.

Obscure Honeyeater ◊ *Caligavis obscura* About five were seen near Kiunga.

Yellow-browed Melidectes ◊ *Melidectes rufocrissalis* Several sightings in the highlands.

Belford's Melidectes ◊ *Melidectes belfordi* The common melidectes in the highlands.

Ornate Melidectes ◊ (Cinnamon-breasted M) *Melidectes torquatus* Stunning bird which we saw in the Lai River area.

Rusty Mouse-warbler ◊ (Lowland M-w) *Origma murina* Regularly heard and seen near Kiunga.

Mountain Mouse-warbler ◊ *Origma robusta* It was seen at Kumul and Ambua.

Pale-billed Scrubwren ◊ *Aethomyias spilodera* One was seen at Varirata NP.

Buff-faced Scrubwren ◊ *Aethomyias perspicillatus* Regularly seen at Kumul and Ambua Lodge.

Papuan Scrubwren ◊ *Aethomyias papuensis* It was seen at Kumul and Ambua.

Large Scrubwren ◊ *Sericornis nouhuysi* Regular sightings at the highland sites.

Brown-breasted Gerygone ◊ (Treefern G) *Gerygone ruficollis* It was seen at Kumul and Ambua.

Large-billed Gerygone *Gerygone magnirostris*

Yellow-bellied Gerygone ◊ *Gerygone chrysogaster* Best looks were in Varirata NP.

Green-backed Gerygone ◊ *Gerygone chloronota* Best looks were in the Fly River area.

Grey Thornbill (Ashy Gerygone, Mountain G) *Acanthiza cinerea*

Papuan Babbler ◊ (Rufous B, NG B) *Garritornis isidorei* Skulking bird but good looks in the Fly River area.

Papuan Logrunner ◊ *Orthonyx novaeguineae* Excellent looks in the Tari Gap.

Loria's Satinbird ♦ *Cnemophilus loriae* Two were seen in the Tari Gap.

Crested Satinbird ♦ (C Bird-of-paradise) *Cnemophilus macgregorii* A female and an immature male was seen at Kumul Lodge.

Obscure Berrypecker ♦ *Melanocharis arfakiana* Good looks near Tabubil.

Mid-mountain Berrypecker ♦ (Lemon-breasted B) *Melanocharis longicauda* Four sightings this year!

Black Berrypecker ♦ *Melanocharis nigra* A pair was seen in the Kiunga area.

Fan-tailed Berrypecker ♦ *Melanocharis versteri* First seen along the new Telefomin Road. Common.

Streaked Berrypecker ♦ *Melanocharis striativentris* Two sightings of this rare bird! One near Kumul and one at Rondon Ridge.

Spotted Berrypecker ♦ *Rhamphocharis piperata* Endemic. It was seen along the Telefomin Road and at Ambua Lodge. Great bird!

Spectacled Longbill ♦ (Dwarf L, D Honeyeater) *Oedistoma iliolophus* One was seen by some near Tabubil.

Pygmy Longbill ♦ (P Honeyeater) *Oedistoma pygmaeum* Good looks of feeding birds near Tabubil.

Yellow-bellied Longbill ♦ (Green-crowned L) *Toxorhamphus novaeguineae* We got good looks in the Fly River area.

Slaty-headed Longbill ♦ (S-chinned L, Grey-winged L) *Toxorhamphus poliopterus* Just one was seen briefly at Rondon Ridge.

Tit Berrypecker ♦ *Oreocharis arfaki* Several excellent looks at various sites!

Eastern Crested Berrypecker ♦ *Paramythia montium* It was seen around Kumul Lodge and in the Tari Gap.

Spotted Jewel-babbler ♦ *Ptilorrhoa leucosticte* Great looks of this skulker at Ambua Lodge.

Blue Jewel-babbler ♦ *Ptilorrhoa caeruleascens* Fantastic sighting in the Fly River area.

Chestnut-backed Jewel-babbler ♦ *Ptilorrhoa castanonota* A few were seen in Varirata NP. Shy!

Painted Quail-thrush ♦ *Cinclosoma ajax* A superb male was seen at Varirata NP.

Yellow-breasted Boatbill ♦ *Machaerirhynchus flaviventer* It was seen near Tabubil.

Black-breasted Boatbill ♦ *Machaerirhynchus nigripectus* Several excellent looks in the highlands.

White-breasted Woodswallow *Artamus leucorhynchus*

Great Woodswallow ♦ (New Guinea W) *Artamus maximus* First seen at Tabubil, best looks in the Ambua Lodge garden.

Lowland Peltops ♦ *Peltops blainvillii* It was seen very well in the Fly River area.

Mountain Peltops ♦ *Peltops montanus* Several great looks.

Black Butcherbird *Melloria quoyi*

Black-backed Butcherbird ♦ *Cracticus mentalis* It was only seen in the PAU grounds near Port Moresby.

Hooded Butcherbird ♦ *Cracticus cassicus* Regularly seen.

Mottled Berryhunter ♦ *Rhagologus leucostigma* Several looks near Kumul Lodge: *obscurus* race.

Stout-billed Cuckooshrike ♦ *Coracina caeruleogrisea* A large species seen very well in Varirata NP.

Hooded Cuckooshrike ♦ *Coracina longicauda* We had two sightings in the Tari Gap.

Barred Cuckooshrike ♦ (Yellow-eyed C) *Coracina lineata* Seen a few times in Varirata NP.

Black-faced Cuckooshrike *Coracina novaehollandiae* Wintering flocks were seen in the Fly River area and at Varirata NP.

Boyer's Cuckooshrike ♦ *Coracina boyeri* It was regularly seen in the Tabubil and Kiunga area.

White-bellied Cuckooshrike *Coracina papuensis*

Golden Cuckooshrike ◊ *Campochaera sloetii* heard only

Black-bellied Cuckooshrike ◊ (B-b Cicadabird) *Edolisoma montanum* It was seen in the Tari Gap.

Grey-headed Cuckooshrike ◊ (G-h Cicadabird) *Edolisoma schisticeps* Regular sightings in the Tabubil area.

Black-shouldered Cicadabird ◊ *Edolisoma incertum* One was seen along the Dablin Creek.

Common Cicadabird *Edolisoma tenuirostre* One was seen in the Fly River area.

Black Cicadabird ◊ (B Cuckooshrike, New Guinea C) *Edolisoma melas* Two sightings on the tour.

Varied Triller *Lalage leucomela*

Wattled Ploughbill ◊ *Eulacestoma nigropectus* Fantastic! Three different males were seen this year.

Rufous-naped Bellbird ◊ (R-n Whistler) *Aleadryas rufinucha* Common in the garden of Kumul Lodge.

Piping Bellbird ◊ (Crested Pitohui) *Ornorectes cristatus* It was seen near Tabubil and heard at Varirata NP.

Black Pitohui ◊ *Melanorectes nigrescens* One was seen at Varirata NP.

Brown-backed Whistler ◊ *Pachycephala modesta* Common in the Tari Gap.

Lorentz's Whistler ◊ *Pachycephala lorentzi* Three were seen along the Telefomin road.

Grey Whistler *Pachycephala simplex*

Slater's Whistler ◊ *Pachycephala soror* Best looks of males were in the Tari Gap.

Mangrove Golden Whistler ◊ *Pachycephala melanura* Eventually seen in Kimbe Bay on New Britain.

Regent Whistler ◊ *Pachycephala schlegelii* Nice bird and fairly common at Kumul and in the Tari Gap.

Black-headed Whistler ◊ *Pachycephala monacha* First seen near Tabubil and common in the Lai River area.

White-bellied Whistler ◊ *Pachycephala leucogastra* Endemic. Great looks in Varirata NP.

White-bellied Pitohui ◊ *Pseudorectes incertus* This highly localized bird was seen near Kwatu Lodge.

Rusty Pitohui ◊ *Pseudorectes ferrugineus* Three were seen near Kiunga.

Arafura Shrikethrush (Rufous S) *Colluricincla megarhyncha* Three were seen in the Fly River area.

Variable Shrikethrush ◊ *Colluricincla fortis* Endemic. Two were seen in Varirata NP.

Sepik-Ramu Shrikethrush ◊ *Colluricincla tappenbecki* One was seen near the Lai River.

Long-tailed Shrike *Lanius schach*

Australasian Figbird *Sphecothebes vieillotii*

Hooded Pitohui ◊ *Pitohui dichrous* Only seen in Varirata NP.

Brown Oriole ◊ *Oriolus szalayi* Excellent looks in Varirata NP on our first afternoon!

Spangled Drongo *Dicrurus bracteatus* Common. We also had the endemic *laemostictus* race on New Britain.

Willie Wagtail *Rhipidura leucophrys*

Northern Fantail ◊ *Rhipidura rufiventris* Two were seen in the Tabubil area and also on New Britain.

Sooty Thicket Fantail ◊ *Rhipidura threnothorax* Good looks near Tabubil. A skulker!

White-bellied Thicket Fantail ◊ *Rhipidura leucothorax* One was seen in the Fly River area.

Black Fantail ◊ *Rhipidura atra* First seen on the new Telefomin Road and later at Kumul and Ambua Lodges.

Chestnut-bellied Fantail ◊ *Rhipidura hyperythra* Fantastic looks at Varirata NP.

Friendly Fantail ◊ *Rhipidura albolimbata* Common.

Dimorphic Fantail ◊ *Rhipidura brachyrhyncha* It was seen briefly at Kumul Lodge.

Rufous-backed Fantail ◊ *Rhipidura rufidorsa* A pair was seen in the Fly River area.

Black Monarch ◊ (**Fantailed M**) *Symposiachrus axillaris* heard only

Spot-winged Monarch ◊ *Symposiachrus guttula* It was seen near Tabubil, in the Fly River area and at Varirata NP.

Hooded Monarch ◊ *Symposiachrus manadensis* heard only

Black-tailed Monarch ◊ *Symposiachrus verticalis* Endemic. Great looks on New Britain.

Island Monarch ◊ *Monarcha cinerascens* A pair briefly in Kimbe Bay on New Britain.

Black-faced Monarch ◊ *Monarcha melanopsis* One was seen at Varirata NP.

Golden Monarch ◊ *Carterornis chrysomela* heard only

Frilled Monarch ◊ *Arses telescopthalmus* Seen at several locations.

Torrent-lark ◊ *Grallina bruijnii* A few sightings in the Tabubil area and near the Lai River.

Shining Flycatcher (Common SF) *Myiagra alecto*

Velvet Flycatcher ◊ *Myiagra eichhorni* Endemic. Two pairs were seen on New Britain.

Grey Crow ◊ (**Bare-eyed C**) *Corvus tristis* It was only seen in the Fly River area.

Torresian Crow *Corvus orru*

Bismarck Crow ◊ *Corvus insularis* Endemic. Common on New Britain.

Lesser Melampitta ◊ *Melampitta lugubris* Excellent looks in the Kumul area.

Blue-capped Ifrit ◊ (**B-c Ifrita**) *Ifrita kowaldi* Several great sightings of this special bird.

Glossy-mantled Manucode ◊ (**Glossy M**) *Manucodia ater* Common in the Fly River area.

Crinkle-collared Manucode ◊ *Manucodia chalybatus* One was seen near Tabubil.

Trumpet Manucode ◊ *Phonygamus keraudrenii* Four were seen in the Fly River area: *jamesii* race.

Short-tailed Paradigalla ◊ *Paradigalla brevicauda* Seen twice in the garden of Ambua Lodge. Superb!

Splendid Astrapia ◊ *Astrapia splendidissima* Several good views along the new Telefomin road this year again: *helios* race.

Ribbon-tailed Astrapia ◊ *Astrapia mayeri* Endemic. Amazing bird seen at Kumul and at Ambua too. Some males in the Kumul area had full ribbon tails! WOW!

Princess Stephanie's Astrapia ◊ *Astrapia stephaniae* Endemic. A few sightings in the Ambua area: *feminina* race.

Queen Carola's Parotia ◊ *Parotia carolae* A pair was seen near Tabubil: *meeki* race.

Lawes's Parotia ◊ *Parotia lawesii* Endemic. Several sightings of females in the garden of Ambua Lodge.

King of Saxony Bird-of-paradise ◊ *Pteridophora alberti* Amazing bird with several great sightings! The singing male at Murmur Pass was amazing!

Greater Lophorina ◊ *Lophorina superba* Excellent views in the garden of Ambua Lodge!

Magnificent Riflebird ◊ *Ptiloris magnificus* Two males and two females were seen near Tabubil.

Growling Riflebird ◊ (**Eastern R**) *Ptiloris intercedens* Endemic. Many heard and two seen in Varirata NP.

Brown Sicklebill ◊ *Epimachus meyeri* Many excellent looks!

Magnificent Bird-of-paradise ◊ *Diphyllodes magnificus* A displaying male was fantastic near Tabubil!

King Bird-of-paradise ◊ *Cicinnurus regius* Great bird! Male and females were seen in the Fly River area.

Twelve-wired Bird-of-paradise ◊ *Seleucidis melanoleucus* Another special and stunning bird. A male was studied at length in the Fly River area.

Greater Bird-of-paradise ◊ *Paradisaea apoda* The displaying performance near Kiunga was fantastic.

Raggiana Bird-of-paradise ◊ *Paradisaea raggiana* It was special watching them displaying in Varirata NP. Following the amazing display show, it was voted the bird of the trip!

Lesser Bird-of-paradise ♦ *Paradisaea minor* One male was seen near in the Lai River area.

Blue Bird-of-paradise ♦ *Paradisornis rudolphi* Endemic. A fantastic male was seen in the Kumul area. What a bird!

White-faced Robin ♦ *Tregellasia leucops* Great views in Varirata NP.

White-winged Robin ♦ *Peneothello sigillata* Common at Kumul Lodge.

Slaty Robin ♦ (Blue-grey R) *Peneothello cyanus* We had repeated looks at Ambua Lodge.

White-rumped Robin ♦ *Peneothello bimaculata* It was seen well in the Tabubil area.

Black-sided Robin ♦ (B-bibbed R) *Poecilodryas hypoleuca* Great looks in the Fly River area.

Black-throated Robin ♦ *Plesiodryas albonotata* One was seen at Murrumbidgee Pass.

Black-capped Robin ♦ *Heteromyias armiti* Brief looks for some. Frustratingly shy

Papuan Scrub Robin ♦ *Drymodes beccarii* A real skulker seen in Varirata NP.

Lemon-bellied Flyrobin ♦ (L-b Flycatcher) *Microeca flavigaster* It was seen in Varirata NP.

Torrent Flyrobin ♦ (T Flycatcher, River F) *Monachella muelleriana* Several good looks in the Tabubil area.

Yellow-legged Flyrobin ♦ (Y-l Flycatcher) *Kempiella griseiceps* non leader

Olive Flyrobin ♦ (O Flycatcher) *Kempiella flavovirescens* Great looks near Tabubil.

Canary Flyrobin ♦ (Papuan Flycatcher, Montane F) *Devioeca papuana* Regularly seen at higher elevations.

Lesser Ground Robin ♦ *Amalocichla incerta* One was seen in the Tari Gap.

Pacific Swallow *Hirundo tahitica*

Island Leaf Warbler *Phylloscopus poliocephalus*

Papuan Grassbird ♦ *Cincloramphus macrurus* First seen in the Lai River area: *macrurus*, and later also tracked down on New Britain: *interscapularis*,

Golden-headed Cisticola *Cisticola exilis* One was seen briefly on New Britain.

Black-fronted White-eye ♦ *Zosterops chrysolaeus* Several sightings in Varirata NP.

Capped White-eye ♦ *Zosterops fuscicapilla* Good looks in the Tabubil area on several occasions.

Papuan White-eye ♦ *Zosterops novaeguineae* We got the best looks in the Lai River area.

Metallic Starling (Shining S) *Aplonis metallica*

Yellow-eyed Starling ♦ *Aplonis mystacea* A total of nine were seen in the Fly River area.

Singing Starling ♦ *Aplonis cantoroides* Several sightings on the tour.

Yellow-faced Myna ♦ *Mino dumontii* Common.

Long-tailed Myna ♦ *Mino kreffti* Common on New Britain.

Golden Myna ♦ *Mino anais* A few were seen in the Fly River area.

Island Thrush *Turdus poliocephalus*

Pied Bush Chat (P Chat) *Saxicola caprata*

Red-capped Flowerpecker ♦ *Dicaeum geelvinkianum* Common.

Red-banded Flowerpecker ♦ *Dicaeum eximium* A few were noted on New Britain.

Black Sunbird ♦ *Leptocoma aspasia* Regular sightings.

Olive-backed Sunbird *Cinnyris jugularis*

Eurasian Tree Sparrow (introduced) *Passer montanus*

House Sparrow (introduced) *Passer domesticus*

Mountain Firetail ♦ *Oreostruthus fuliginosus* A pair was seen nest building at Kumul Lodge.

Grey-headed Mannikin ♦ *Lonchura caniceps* Just flight views at the PAU campus near Port Moresby.

Hooded Mannikin ♦ *Lonchura spectabilis* Several good looks in the highlands.

Buff-bellied Mannikin ♦ *Lonchura melaena* Endemic. Handsome bird seen well on New Britain.

Australian Pipit *Anthus australis*

MAMMALS

Speckled Dasyure (Long-clawed Marsupial Mouse) *Neophascogale lorentzii* We had two excellent daytime looks at Kumul Lodge.

Mountain Cuscus *Phalanger carmelitae* Two seen in the garden of Kumul Lodge by some.

Masked Ringtail Possum *Pseudochirulus larvatus* Superb looks of this beauty at Kumul Lodge.

Coppery Ring-tailed Possum *Pseudochirops cupreus* One was seen at Kumul Lodge and two more at Ambua Lodge by some.

Feather-tailed Possum *Distoechurus pennatus* Seen briefly at Ambua Lodge by some!

Dark Sheath-tailed Bat *Mosia nigrescens* A few were seen on our owlet-nightjar outing in the Fly River area.

New Guinea Bare-backed Fruit Bat *Dobsonia moluccensis* Two were seen in the Fly River area on our evening boat ride.

Unstriped Tube-nosed Fruit Bat *Paranyctimene raptor* One was photographed in the Fly River area.

Great Flying Fox (Bismarck F F) *Pteropus neohibernicus* They were seen at the Fly River area and on New Britain. They are huge.



Brown-headed Paradise Kingfisher (image by János Oláh)



Greater Lophorina (image by János Oláh)



Papuan Frogmouth (image by János Oláh)



Streaked Berrypecker is a rarely seen species! (image by János Oláh)



Red-collared Myzomela (image by János Oláh)



Olive Straightbill is a rare, aberrant honeyeater (image by János Oláh)



Doria's Goshawk (image by János Oláh)



male Flame Bowerbird (image by János Oláh)



male Ribbon-tailed Astrapia on fruits (image by János Oláh)



male Wattled Ploughbill (image by János Oláh)



Short-tailed Paradigalla (image by János Oláh)



male Sclater's Whistler (image by János Oláh)



Butterfly sp (image by János Oláh)



Blue-winged Kookaburra (image by János Oláh)



Silver-eared Honeyeater (image by János Oláh)



Papuan Eagle (image by János Oláh)



Pink-legged Rail (image by János Oláh)



Pink-spotted Fruit Dove (image by János Oláh)



Hooded Pitohui (image by János Oláh)



Papuan Hawk-Owl (image by János Oláh)



Barred Owlet-nightjar (image by János Oláh)



Papuan Hooded Pitta (image by János Oláh)



New Guinea Dwarf Kingfisher (image by János Oláh)



Papuan Pitta (image by János Oláh)



Feline Owlet-nightjar (image by János Oláh)



Sclater's Crowned Pigeon (image by János Oláh)



Feather-tailed Possum (image by János Oláh)



Mountain Owlet-nightjar (image by János Oláh)



Marbled Frogmouth (image by János Oláh)



Starry Owlet-nightjar (image by János Oláh)



Raggiana Bird-of-paradise (image by János Oláh)



male Ribbon-tailed Astrapia (image by János Oláh)



Raggiana Bird-of-paradise (image by János Oláh)



Blue Bird-of-paradise (image by János Oláh)



Wallace's Owlet-nightjar (image by János Oláh)



Great Flying Fox (image by János Oláh)



Ornate Melidectes (image by János Oláh)



female Lawes's Parotia (image by János Oláh)



Black-fronted White-eye (image by János Oláh)



New Britain Boobook (image by János Oláh)



Papuan Babbler (image by János Oláh)



Coppery Ringtail Possum (image by János Oláh)



female Spotted Berrypecker (image by János Oláh)



Lorentz's Whistler on the Telefomin Road (image by János Oláh)



Spotted Jewel-babbler (image by Dáni Balla)



Papuan Logrunner (image by Dáni Balla)



male Regent's Whistler (image by János Oláh)



male Red-breasted Pygmy Parrot (image by János Oláh)